$See \ discussions, stats, and author \ profiles \ for \ this \ publication \ at: \ https://www.researchgate.net/publication/349465761$

DHIS2 Installation on Windows Local Server

Technical Report · January 2020

DOI: 10.13140/RG.2.2.26706.89288

CITATIONS 0 1 author: Mohammad Julhas Sujan International Vaccine Institute 31 PUBLICATIONS 10 CITATIONS SEE PROFILE

All content following this page was uploaded by Mohammad Julhas Sujan on 18 January 2022.

reads 4,202



DHIS2 Installation on Windows Local Computer

Online link: <u>https://dhis2trainingland.com/eportal/?tutorial=dhis2-installation-on-windows-local-</u> <u>server</u> Last updated: January 16, 2022 Author: Julhas Sujan

Step-1: Software download

We'd like to set up DHIS2 version 2.36. As a result, you'll need to get the following software's:

- 1. DHIS2 2.36 (<u>https://dhis2.org/downloads/</u>)
- 2. Java 1.8 (<u>https://www.java.com/en/download/manual.jsp</u>Windows offline 64 bit)
- 3. Tomcat 9 (<u>https://tomcat.apache.org/download-90.cgi, 32-bit/64-bit</u> Windows Service Installer)
- 4. PostgreSQL 14 (<u>https://www.postgresql.org/download/windows</u>, Download the installer)

Download all from the following link: Click here

Step-2: Install Java

After unpack, you can see the following software's:



2.1 Double click on the jre-8u311-windows-i586 and then click on the Install button



Java Setup - Welcome	_	_		×
Java"				
Welcome to Java - Updated License Terms				
The terms under which this version of the software is licensed have chang <u>Updated License Agreement</u> This version of the Java Runtime is licensed only for your personal (non-commercial) de use. Commercial use of this software requires a separate license from Oracle or from your s Click Install to accept the license agreement and install Java now or click Remove to unir system. No personal information is gathered as part of our install process. <u>Details on the inforr</u>	ed. sktop softw nstall <u>matio</u>	o and vare v it fro on we	laptop rendor. m your <u>collect</u>	
Change destination folder			Remove	

2.2 Started Java Installation:

Java Setup - Progress	_	\times
	_	
Status: Installing Java		
Java	тм	
#1 Development Platform	ORACLE	

2.3 Completed installation:



Step-3: Install Tomcat

3.1 Double click on the apache-tomcat-9.0.56 and then click on the "Next" button:





3.2 Click on I Agree button:

Press Page	Down to see the rest of the a	greement.		
	Anache License			^
	Version 2.0, January 20	004		
	http://www.apache.org/	icenses/		
TERMS A	ND CONDITIONS FOR USE, R	EPRODUCTION, AND DIST	RIBUTION	
1. Definit	ions.			
"License and dis	e" shall mean the terms and co tribution as defined by Section	onditions for use, reproduc ns 1 through 9 of this docu	tion, ment.	
f vou accer	ot the terms of the agreemen	t. dick I Agree to continue.	You must accep	t the

3.3 Choose components and click on the Next button



😹 Apache Tomcat Setup		_		\times
Choose Components				€
Choose which features of Apa	he Tomcat you want to install.		X	X
Check the components you wa install. Click Next to continue.	nt to install and uncheck the com	ponents you do	n't want to	,
Select the type of install:	Normal ~			
Or, select the optional components you wish to install:	Tomcat Start Menu Items Occumentation Manager Host Manager Examples	Description Position you over a comp see its desc	ur mouse bonent to ription,	
Space required: 14.0 MB				
Nullsoft Install System v3.06.1 —				
	< Back	Next >	Can	cel

3.4 Now, you need to provide Username and Password and click on the Next button:

Apache Tomcat Setup: Con	figuration Opt	ions	_		×
Configuration Tomcat basic configuration.				X	THE T
Server Shutdown Port		-1			
HTTP/1.1 Connector Port		8080			
					-
Windows Service Name		Tomcat9			
Create shortcuts for all users					
Tomcat Administrator Login (optional)	User Name	root			
	Password	•••••			
	Roles	manager-gui]	
Nullsoft Install System v3.06.1 -					
		< Back Next	>	Cano	el

Username: root Password: 123456



Note: You can set your own username and password.

3.5 You can change the default path and click on the Next button:

Reache Tomcat Setup: Java Virtual Machine path selection	—		×
Java Virtual Machine Java Virtual Machine path selection.		X	
Please select the path of a Java 8 or later JRE installed on your system	1.		
C:\Program Files (x86)\Java\ire 1.8.0_311			
Nullsoft Install System v3,06,1			
< Back Nex	t >	Car	ncel

3.6 Uncheck the "Run Apache Tomcat" and then click on the Finish button.





We don't want to run the Apache right now.

3.7 Finished installation



Step-4: PostgreSQL Installation

4.1 Double click on the "postgresql-14.1-1-windows-x64" and proceed with Next button and define your installation directory:

J E d u T e c h						
www.julhas.com						
<table-of-contents></table-of-contents>		_	□ ×			
Installation Directory						
Please specify the directory where PostgreSQL will be installed.						
Installation Directory C:\Program Files\PostgreSQL\14	**					
Milluran Tastallo, ilder						
Alumate turrenoniget.	< Back	Next >	Cancel			

4.2 Select the following components (Default it will be selected) and click on the Next button:

Setup	—	×
Select Components		
Select the components you want to install; clear the compor ready to continue.	nents you do not want to install. Click Next w	hen you are
 PostgreSQL Server pgAdmin 4 Stack Builder Command Line Tools 	Click on a component to get a detailed des	ription
VMware InstallBuilder	< Back Next >	Cancel



4.3 Set the master password for the superuser 'postgres'

	赵 Setup				_		×
	Password						
	Please provide a p Password Retype password	assword for the database	e superuser (postgre	s).			
,	/Mware InstallBuilder	r ————		< Back	Next >	Cancel	

I set password as "dhis@2022". We will use it for opening the pgAdmin 4. Keep the default port as 5432.

🐳 Setup	_		×
Port			
Please select the port number the server should listen on.			
Port 5432			
VMware InstallBuilder < Back	Next >	Car	ncel

Keep the locale as it is:



4.4 Proceed with installation and it may take a few moments and click on the Next button:

💕 Setup		_		×
Installing				
Please wait while Setup installs PostgreSQL on your computer.				
Installing				
Unpacking C:\Program []\PostgreSQL\14\share\extension\pltclu.c	ontrol			
Vitteren Testello, data -				
VMWare Installbuilder	< Back	Next >	Cano	el

4.5 Click on the Finish button and it will show you the another window for Stack Builder (Don't uncheck Stack Builder):



				×
PACKAGED BY	Completing the PostgreSQL Setup Wizard			
T EDB	Setup has finished installing PostgreSQL on yo Launch Stack Builder at exit? ✓ Stack Builder may be used to download a additional tools, drivers and applications to complement your PostgreSQL installation.	iur computer nd install		
PostgreSQL				
	< Back	Finish	Car	ncel

4.6 Now select the PostgreSQL 14 and click on the Next button:





4.7 Expand the Spatial Extension and tick on the 2nd one:

😂 Stack Builder 4.2.1		×
	Please select the applications you would like to install. Categories Add-ons, tools and utilities Database Drivers Database Server Registration-required and trial products Spatial Extensions PostGIS 3.1 Bundle for PostgreSQL 14 (64 bit) v3.1.4 PostGIS 3.2 Bundle for PostgreSQL 14 (64 bit) v3.2.0 Web Development	
L'U	PostGIS 3.2.0 bundle includes PostGIS 3.2.0 w GDAL 3.3.3 (SQLite 3.30.1, OpenJPEG 2.3.1, Expat 2.2.9, FreeXL 1.0.6) , GEOS 3.10.1, Proj 7.2.1, ngRouting 3.3.0 asm2pgrouting 2.3.8 our fdw 1.1.1 spatial foreign data	`
	< Back Next > Cancel	

4.8 Select destination and click on the Next button:

😂 Stack Builder 4.2.1		×
	Review your selections and choose a download directory if required, and then click the Next button to begin downloading the packages you have selected. Selected packages:	
67	PostGIS 3.2 Bundle for PostgreSQL 14 (64 bit) v3.2.0	
	Download directory: C:\Users\User	
	< Back Next > Cance	I

Note: Don't click on "Skip installation" Click on the Next button:



😂 Stack Builder 4.2.1		×
	All the installation files have now been successfully downloaded. Please click the "Next" button to start the installations. Note: You must allow all installations to run to completion. If you are prompted to restart the computer, click "No" or "Restart Later" and manually restart your computer when all the installation have finished. Skip Installation	
	< Back Next > Canc	el

Click on the I Agree button:

Press Page Down to see the rest of the agreement. GNU GENERAL PUBLIC LICENSE Version 2, June 1991 Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble The licenses for most software are designed to take away your If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install PostGIS Bundle 3.2.0 for PostgreSQL x64 14. Nullsoft Install System v3.08		PostGIS Bundle 3.2.0 for PostgreSQL x64 14 Setup - - × Image: Constraint of the set of t	
The licenses for most software are designed to take away your If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install PostGIS Bundle 3.2.0 for PostgreSQL x64 14. Nullsoft Install System v3.08) (f	Press Page Down to see the rest of the agreement.	are d hed.
		The licenses for most software are designed to take away your If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install PostGIS Bundle 3.2.0 for PostgreSQL x64 14. Wullsoft Install System v3.08	-



4.9 Select component to install. By default the PostGIS will be selected so just click on the Next button:

🚯 PostGIS Bundle 3.2.0 fo	or PostgreSQL x64 14 Se	tup	_		\times
	Choose Components Choose which features of x64 14 you want to insta)f PostGIS B III.	undle 3.2.0	for Postgre	SQL
Check the components you install. Click Next to contin	u want to install and unchec ue.	k the compo	onents you o	don't want i	to
Select components to inst	all: PostGIS	abase	Description Position you over a com see its desi	ur mouse ponent to cription,	
Space required: 366.5 MB					
Nullsoft Install System v3.08					
	< [<u>}</u> ack	<u>N</u> ext >	Can	cel

Select destination and click on the Next button.

PostGIS Bundle 3.2.0 fc	or PostgreSQL x64 14	4 Setup	_		\times
	Installing				
	Please wait while P being installed.	ostGIS Bundle 3	.2.0 for Post	greSQL x64	4 14 is
Extract: nad83					
Show details					
Nullsoft Install System v3.08					
		< Back	Close	Can	cel



4.10 Now you can see some Pop-up windows and click on the Yes button for all:

	PostGIS Bundle 3.2.0 for PostgreSQL x64 14 Setup Installing Please wait while PostGIS Bundle 3.2.0 for PostgreSQL x64 14 is being installed.	
	Create shortcut: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\PostGIS Bundle	
(7	Would you like us to register the PROJ_LIB environment variable for you, needed for geometry and raster transformation to work properly? This will overwrite existing settings if you have them.	d.
	<u>Y</u> es <u>N</u> o	
N	Iulisoft Install System v3.08	ancel

4.11 Wait for a while and it will finish the PostgreSQL installation.

PostGIS Bundle 3.2.0 for PostgreSQL x64 14 Setup	—		\times
💼 🧕 🖗 👘 Installation Complete			
Setup was completed successfully.			
Completed			
Show details			
Nullsoft Install System v3.08			
< Back	Close	Car	ncel

Click on the Close button and finish the installation procedure.

4.12 Now go to your Computer Search panel and type pgAdmin:



Open the pgAdmin 4. It may take a few moments and you can see the following window:

owser	S = 1 Q >_	Dashboard Properties SQL Statistics	Dependencies Dependents		
El sever		Unlock Served Passwords			
		Please enter your master password. This is required to unlock saved password Password	ds and reconnect to the database server(s).		
		? BReset Master Pessword	× Cancel V	ok rincludes a graphical administrat	son interface, an SQL query tool, a ors alike.
		Queck Linka			
				\$	0 0
		Add New 5	lerne	Configure p	gAdmin
		(5)		6	
		PostgreSQL Documentation	pgAdren Website	Planet PostgreSQL	Community Support

Provide here the password that you set during installation. We set dhis@2022 as password.

Note: If the password doesn't work, click on the reset password button and set the same password. See the pgAdmin Dashboard:



Browser 🚦 🎟 🕫	Q >_ Dashboard	Propertie	s 90L	Statistics Depender	cies Depen	dents					2
 ✓ E Servers (1) ✓ ⁽¹⁾/₍₂ PorspresQ), 14 ✓ ⁽²⁾/₍₂ Databases (1) ✓ ⁽²⁾/₍₂ postgres 	Cutabase se	essions			Total 🔜 A	ctive 📕 ktie	Transactions per second		Transactions	Commits 📕 Roll	Decks
 > 20 Casts > * Californi > Down Trippers * Extensions 							1 0				
 Foreign Data Wrappers Languaget 	Tuples in		Inserts	Updates 📕 Delete	Tuples out		Fetched Returned	Block I/O		Reads	Hits
> 62 ⁸ Publications	1				180			250			1
					100 140 100 00 00 00 00 00 00 00 00 00 00 00 0			200 150 50			
> PL PTSDetonaries	_										
FTS Templates	Server activ	27									
> 🛐 Foreign Tables	Sessions	Locks i	Prepared Tr	ansactions					Q Search		0
With Functions Waterialized Views		PID I	User	Application		Client	Backend start	State	Walt event	Blocking PIDs	
> (C) Procedures	0 • •	3064	postgres	pgAdmin 4 · DB:pos	tgres	C1	2022-01-16 17:17:47 +06	active			
h Pi Tables											
> 10 Tripper Punctions > 10 Tripper											
> Subscriptions - A Login/Group Roles (12)									🗸 Server of	ennected.	

So far, we have completed the Java, Tomcat and PostgreSQL installation. Out next step will be to create database for our local server.

Step-5: Database creation

5.1 Click on the Login/ Group Roles and create the following roles:

👎 pgAdmin 4													
PgAdmin File Object Tools H	telp 🗸												
Browser	i 🎟 Ta	Q	>_ ()ashb	oard	Prope	erties SQI	. Statistic	s Dependencies	Depen	dents		
v 📀 public			A_Cre	ate - I	Login/	Group R	Role						2 × 3
> 84 Collations			Gener	al r	Definit	tion	Privilenes	Membersh	oin Parameters	Securit	N S	01	
> 🙊 Domains			ouner		2		. mages	in chiever of	ip runinetero	occorn	., .	4=	
FTS Configurations			Name				dhis						
> D FTS Dictionaries			0										
> Aa FTS Parsers			Comr	rents									
> (FTS Templates													
> Er Foreign Tables													
> (r) Functions													
> Materialized views													
> U) Procedures													
> Tables													
> In Tripper Europtions													
> Types													
> Views													
> 53 Subscriptions													
A Login/Group Roles (12)													
A pg_database_owner													
A pg_execute_server_program													
A pg_monitor													
🙈 pg_read_all_data				മ						Y C	lase	C Reset	R Save
🙈 pg_read_all_settings			•	•	J					~ ~	ose	•9 Neser	D oave
🙈 pg_read_all_stats				-		2044			antidepin 4. DDana			0000.01	16 17 17 17 10
🙈 pg_read_server_files				•		3004	posigres	postgres	pgAumin 4 - DB:po	sigres	- 1	2022-01	10 17:17:47 ±0
🙈 pg_signal_backend			- 11	0	•	3448						2022-01	-16 17:10:57 +0
A pg_stat_scan_tables				0	•	6156						2022-01	-16 17:10:57 +0
🙈 pg_write_all_data				0	•	8424						2022-01	-16 17:10:57 +0
🙈 pg_write_server_files				•		0544		nnetreae				2022-01	16 17:10:57 +0
🙈 postgres				÷.				headling					10 11 10 00 10

Set password for the role as 'dhis' and click on the Save button:



	Eogin/ orou	p Role					2 ×
General	Definition	Privileges	Membership	Parameters	Security	SQL	
Passwor	ď						
Account	expires	No Expi	ry				Ö
		Please no	ote that if you le	eave this field	blank, then	password wil	l never expire.
Connecti	ion limit	-1					

Click on the Privileges and allow all of the access:

0.0000	Dala dhia						,	
Group	Role - anis						*	×
General	Definition	Privileges	Membership	Parameters	Security	SQL		
Can logir	n?							
Superuse	er?							
Create ro	oles?							
Create d	atabases?							
Inherit ri parent ro	ghts from the des?							
Can initia streamin and back	ate Ig replication Kups?							
0	2				× Clos	e 🖸 Reset	🖥 Save	e

5.2 Now we will create a new database 'dhis2' by right click on the Databases:



👎 pgAdmin 4	
FgAdmin File Object Tools Help	
Browser S III To Q	>_ Dashboard Properties SQL Statistics Dependencies Dependents
- 🗏 Servers (1)	🚍 Create - Database 🛛 🖌 🗙
V 🐶 PostgreSQL 14	General Definition Security Parameters Advanced SOI
v 🚍 Databases (1)	ocheren benning renerre hannees eie
> 🚍 postgres	Database dhis2
Login/Group Roles (13)	
🛕 chis	Owner 🛕 dhis
A pg_database_owner	
A pg_execute_server_program	Comment
💩 pg_monitor	
💩 pg_read_all_data	
🚣 pg_read_all_settings	
📤 pg_read_all_stats	
💩 pg_read_server_files	
💩 pg_signal_backend	
🞪 pg_stat_scan_tables	
🛕 pg_write_all_data	
A pg_write_server_files	
A postgres	
> 🏪 Tablespaces	
	Close 🕤 Reset 🖬 Save

Database name: dhis2 Owner: dhis (just select from the dropdown) Click on the save button.

5.3 Now we will create 'postgis' extension:

🁎 pgAdmin 4			
FgAdmin File Vobject V Tools V Help V			
Browser 🚦 🖬 🚡 🔍 🔎	Dashboar	d Properties SQL Statistics Dependencies Dependents	
✓	Databar	Create - Extension	2 X
 QP PostgreSQL 14 	1	General Definition SOI	
✓		ouncide belinition out	
✓		Name postgis	
> 🐼 Casts			_
> 💖 Catalogs		Comment	
> 🛄 Event Triggers			
W Extensions (1)	0		
🔁 pipgsqi	-		
> 🧮 Foreign Data Wrappers	Tuples i		
> 🤤 Languages	1		
> & Publications			
> 💖 Schemas			
> 🏷 Subscriptions			
> 🚍 postgres			
✓ A Login/Group Roles (13)			
🕰 dhis	0		
A pg_database_owner	Server a		
A pg_execute_server_program	Ourrer D		
💩 pg_monitor	Session		
💩 pg_read_all_data			
💩 pg_read_all_settings		∩ A Reset	ave
💩 pg_read_all_stats		Anno hoardine hittering and a second	

Select the extension name from the dropdown and click on the save button.

For now, we have finished the database part of the DHIS2 instance setup. Now we need some configuration of the installed software's.



Step-6: Configurations

6.1 Environment variable set: Right click on The PC and click on Properties:

Sharw Sharw		Environment Variable	les -			
	rol Panel > System and Security > System	line sadabler for l	i kar			
Control Panel Home	System Properties X	user variables for	user variables for user			
Concord name room © Device Manager ® Remote settings © Advanced system settings 1	Compare Name Hashware Adramos System Protection: Remote You must be logged on as an Administrator to make most of tweet changes. Performance Visual offects, processor scheduling, memory usage, and visual memory Seatings.	Window Water CostShire C-SuberSUberCapeOate/Local/Micros Path C-SuberSUberCapeOate/Local/Micros TEMP C-SuberSUberCapeOate/Local/Micros TMP C-SuberSUberCapeOate/Local/Temp		ali,Miorosoft(WindowsApps; ali,Temp ali,Temp		
	User Profess Desktop settingsrekand is soor sign-in Settings .	HZ SSA DR System variables	Ne	w. Edit. De	iete	
	Sanga and Recovery System startup, system failure and debugging informatice Settinger. 2 Environment Variables.	Variable ComSpec DHIS2, HOME DhirerData GDM, DMM JAVA_OPTS NUMBER, OF, JR OS	Value C)WindowsSpatem32/pm C5/birds2 8 C3/WindowsSystem32/pm C5/Pogram File/Potages52 4 -Xm1024m -Xm2048m -3 OCESSORS 8 Windows,NT	stemä2/cmd.exe } stemä2/DiversDiverData ecPostgreSOL/Mgdal-stata ima2043m -XXXPem5/2er-256m -XXXMacRem5L		
See also Security and Maintenance	OK Canoni Apply Product ID: 00327-35191-58570-AAOEM	1	Ne	w. Edit. De	iete	
Secury and Manifestance				OK Can	cel	

2,	User variables for User					
	Variable	Value				
k	OneDrive	C:\Users\User\OneDrive				
	Path	C:\Users\User\AppData\Local\Microsoft\Windows	SApps;			
38	TMP	C:\Users\User\AppData\Local\Temp				
		e. (oseis (osei (reppond toen (remp				
		New Edit	Delete			
Ne	ew User Variable	5	×			
v	ariable name: JRE_HOME	E				
	Variable value: C:\Program Files (x86)\Java\jre1.8.0_311\bin					
V						
	Browse Directory Bro	owse File O	K Cancel			
	Browse Directory Bro POSTGIS_ENABLE_OUTDB_	owse File 0	K Cancel			
	Browse Directory Bro	owse File O	K Cancel			



1. Click on the Advanced system setting

2. Environment variables

3. Add System variable as "DHIS2_HOME" and value as "C:\DHIS2" and make sure to create the same directory under C drive.

4. Add "JAVA_OPTS" as set the value as "-Xms1024m -Xmx2048m -XX:PermSize=256m -

XX:MaxPermSize=1024m"

5. Add path of Java

A. Variable: JRE_HOME

B. Value: C:\Program Files (x86)\Java\jre1.8.0_311\bin

Note: Please double check your Java installation directory.

6.2 DHIS2 Configuration file: copy the following code and save it as 'dhis.conf' at the directory "C\:DHIS2".

Hibernate SQL dialect connection.dialect = org.hibernate.dialect.PostgreSQLDialect # JDBC driver class connection.driver_class = org.postgresql.Driver # Database connection URL connection.url = jdbc:postgresql:dhis2 # Database username connection.username = dhis # Database password connection.password = dhis # Database schema behavior, can be validate, update, create, create-drop connection.schema = update

Encryption password (sensitive) encryption.password = abcd



Note: Don't save this file as .txt or config it should be .conf.

Now we will move to the final step for the DHIS2 war file deployment.



Step-7: Final step

7.1 Copy the dhis2 war file from your downloaded directory and rename it as 'dhis.war' and paste it under the following directory where the Apache is installed:

• C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\webapps

📕 🛃 📜 🖛 webapps						
File Home Share View						
← → ✓ ↑ 📕 > This PC > Windows 10 (C;) > Program Files (x86) > Apache Software Foundation > Tomcat 9.0 > webapps						
	Name	Date modified	Туре	Size		
Quick access Desktop	docs	1/16/2022 4:34 PM	File folder			
Downloads *	anager	1/16/2022 4:34 PM	File folder			
🖹 Documents 🧳	A ROOI	1/16/2022 4:34 PM 1/16/2022 3:09 PM	WAR File	297.432 KB		
📰 Pictures 🧳	0	., .,				
100CANON						
DHIS2						

7.2 Now run the Tomcat

- Location: C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\bin
- Right click and run as administrator:

You can see the following window:

and the second s		4494174176941641			
– 🖂 🗠 🕆 📜 🕨 This PC	> Wind	ows 10 (C:) > Program Files (x86) >	Apache Software Foundation > Tor	ncat 9.0 > bin	
		Name	Date modified	Туре	Size
A Quick access		de bootstrap	12/2/2021 8:30 PM	Executable Jar File	34 KE
Desktop	*	🗐 catalina	12/2/2021 8:30 PM	Windows Batch File	17 KI
Downloads	A.	ciphers	12/2/2021 8:30 PM	Windows Batch File	3 KI
Documents	*	📧 configtest	12/2/2021 8:30 PM	Windows Batch File.	2 KI
Fictures	*	🕒 digest	12/2/2021 8:30 PM	Windows Batch File	3 KI
100CANON		🖭 makebase	12/2/2021 8:30 PM	Windows Batch File	4 KI
DHIS2		I service	12/2/2021 8:30 PM	Windows Batch File	9 KI
🥪 Software (F:)		setclasspath	12/2/2021 8:30 PM	Windows Batch File	4 KI
Sound recordings		🗈 shutdown	12/2/2021 8:30 PM	Windows Batch File	2 KI
		🖭 startup	12/2/2021 8:30 PM	Windows Batch File	2 KI
OneDrive - Personal		b Tomcat9	12/2/2021 8:30 PM	Application	108 Ki
This PC		b Tomcat9w	12/2/2021 8:30 PM	Application	118 KI
3D Objects		🔬 tomcat-juli	12/2/2021 B:30 PM	Executable Jar File	47 KI
E Desktop		🖭 tool-wrapper	12/2/2021 8:30 PM	Windows Batch File	5 KI
		🖭 version	12/2/2021 8:30 PM	Windows Batch File	2 KE

For the war file deployment, it will take a few moment. Wait until the following screen is appeared.



	ins to (c) the grant hes body	 Apacie soloware roundation - indicatizio - oni 	V V Sealcroin
- Ouist access	Name	SC:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\bin\Tomcat9.exe	>
	cottrap cottrap cottrap cottrap cottrap cottrap cottrap matebase seture seture seture torcat jul torcat jul torcat jul torcat jul torcat	16-Jan 2022 17:50:13:342 JB/O [min] org_spacks_cotalias.startup.VersionLogget 16-Jan 2022 17:50:03:342 JB/O [min] org_spacks_cotalias.startup.VersionLogget 16.stapic.cvfvergent file(x60)Vgacks Software FoundationVersion 4: 0.0 16.stapic.cvfvergent file(x60)Vgacks Software FoundationVersionLogget av11.stapic.cvfvergent file(x60)Vgacks [Software FoundationVersionLogget av11.stapic.cvfvergent file(x60)Vgacks[SoftwareFoundationVersionLogget av11.stapic.cvfvergent file(x60)Vgacks[SoftwareFoundationVersionLogget av11.stapic.cvfvergent file(x70)Vgacks[SoftwareFoundationVersionLogget av11.stapic.cvfvergent[Net/Vgacks]] SoftwareFoundationVersionLogget av11.stapic.cvfvergent[Net/Vgacks]] SoftwareFoundationVersionLogget 16-Jan 2022 17:50:15.345 JB/O [min] org_spacks_cstalias.startup.VersionLogget 16-Jan 2022 17:50:15.345 JB/O [min] org.spacks_cstalias.startup.VersionLogget 16-Jan 2022 17:50:15.345 JB/O [min] org.spacks_cstalias.startup.VersionLogget 17:50:Jan 2022 17:50:15.345 JB/O [min] org.spacks_cstalias.startup.VersionLogget 19:50:Jan 2022 J7:50:15.340 JB/O [min] org.spacks_cstalias.startup.versionLogget 19:50:Jan 2022 J7:50:15.340 JB/O [min] org.spacks_cstalias.startup.versionLogget 19:Jan 2022 J7:50:15.340 JB/O [min] org.spacks_cstalias.st	Listener.log Command line argument: -DCAM wistener.log Command line argument: -Djava vistener.log Command line argument: -Djava vistener.log Command line argument: -Diava wistener.log Command line argument: -Diava wistener.log Command line argument: -Ama25 wistener.log Command line argument: -Xma25 mene.lifecycleiowet The Agache Torach Mult (c)vropuns tiles (x60)/Agache Softaner for Sc:Vropuns tiles (x60)/Agache Jubest(: Nuse-Vroputs/Local/Wiccosoft/Windows/Agache Sc:Vropuns tiles (x60)/Agache Jubest(: Nuse-Vroputs/Local/WiccosoftWindows/Agache Sc:Vropuns tiles (x60)/Agache Jubest(: Nuse-Vroputs/Local/WiccosoftWindows/Agache Sc:Vroputs/Local/WiccosoftWindows/Agache Sc:Vroputs/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/WiccosoftWindows/Local/Wi
📓 Videos		16-Jan-2022 17:50:15.899 INFO [main] org.apache.catalina.core.StandardEngine. che Tomcat/9.0.56] 16.Jan.2023 17:50:15.042 INFO [main] org.apache.catalina.ctantum MostConfig.d.	startInternal Starting Servlet engine: [Ap

Note: If you encounter any error you can see here.

b ChPhogram Files 0/06/VApache Software Foundation/Tomcat 9/0/bin/Tomcat9.exe	- a x
* DBD 2822-01-DETBB0117/28 'system-process' create ong.htsp.dbis.scheduling.boConfiguration, name: Data statistics, judi 2006 and 2007	1: BFa3[Bobtd0 (AuditLogUt1.java [main]) TSTLS, cronsEmersion "0 & 2 / * *', delay='mall', jobParameters=mull, emahled=true, all, lastExecutedStatus=N07_STAGTED, lastExecuted=null) (BefaultSchedulingHanager.java
<pre>impo 2022-01-16T18103:17,303 Scheduled job: JobConFiguration[uid='8Fa3jOubtdD', name='Data statistics', jobType:DATA_STATE inMemoryJob=false, lastRumtimeExecution='mull', userUid='mull', leaderOnlyJob=true, jobStatus=SCHEUUED, mextExecutionTime=mul (asio))</pre>	ESTICS, cronExpression="0 0 2 ? * *', delay='null', jubParameters=mull, enabled=true, 11. lastExecutedStatus=NOT_STARTED, lastExecuted=mull} (DefaultSchedulingManager.java
* DFO 302.0 14578-08147.08 'system-proces' create org.hisp.dbis.schooling.202.001(journalise, name: Validation result and 1990 A02-001-16738:08147.398 Schooling.job: JotConfiguration(sid='s)4002MOC', name-'Validation result notification', journalise-trang, indexery1040-141e, lastAthatikeExecution-'null, sateVid='null, lasdArGhiyoSchroe, jobEstatu-'Sidation' in the second of	stification, uid: 354HzAMoG (AuditagHil.jova [main]) 3bType-MALIDATION_EXSUITS_BFIFICATION, creeExpression="0 0 7 ? * * *, delay='mall', jo 554EGALED_mextExecutionTime=mail, lastExecutedStatus=ADT_STARTED, lastExecuted=mall)
<pre>(ormatissmourismo Professional State Contract State State Contract State Contract State State Contract State Contract State Sta</pre>	oType-W4LIDATION_RESULTS_NOTIFICATION, cronExpression='0 0 7 ? * *', delay='null', job GCHEDULED, nextExecutionTime=mull, lastExecutedStatus=MOT_STARTED, lastExecuted=null}
1860 1822-01-16718(0):17.)31 System-process' create arg.hip.dbis.schooling.b&Configuration, asso: credentials expiry a BFG 2022-01-16718(0):17.933 Schooling.bbit D&Configuration(sch-sHooling.b&Configuration, asso: credentials expiry a BFG 2022-01-16718(0):17.933 Schooling.bbit D&Configuration(sch-sHooling.b&Configuration, asso: http://www.insexpiration.bailing.bbit.b&Configuration(sch-sHooling.b&Configuration).http://bailing.bbit.bbit.bbit.bbit.bbit.bbit.bbit.bbi	ələrt, vid: sMPedgE7VAs (AsotilogUtil.java (main)) CREDEMITALS_EXPERY_ALERT, ronExpression-10 0 2 3 ***, delay-"null', jobParameters-n SuffancultoiTime-null, lastExecuteStatus:MDD_STANTED, lastExecuted-null) (DafaslESche
Milingeneige: jew [examp] * JMC0 202:0-1-GT3805177,352 Scheduled job: lobConfiguration[uid-*sPFedQF7VYa', name-'Credentials expiry alert', jobType-C II, enabladitume, infeknoryJobifalse, lastRuntimeExecution="null', userDid="null', leaderOnlyJobiteue, jobStatus=SCHEDULED, nex allentmensmer inversions".	CREDENTIALS_EXPIRY_ALERT, cronExpression='0 0 2 ? * *', delay='null', jobParameters-nu etExecutionTime=null, lastExecutedStatus=NOT_STARTED, lastExecuted=null) (DefaultSched
Birlingunger Jaw 166701, BWF 2022-08-16670, BWF 2022-08-16570, 2017, 353 'system-process' create ang.htsp.dbis.schoduling.bbConfiguration, name: Bataset notification BWF 2022-08-16570, 2017, 2018 Scholar fight: Scholar ingration (scholar budwerghth, machine Dataset colification), job/prostDMA Bufletrume, informaryNob-false, lastMartimeterecution-innll, serviced innll, fieseRohDyNob-true, scholartas-SRED004, netticeur	n, uld: YokakarqatH (AuditiogUtil.java [main]) ≤ET±00TFFCATION, cronExpression:0007***, delay:'null', jobParameters=null, en tionTim=enull, lastExecuteStatus+AD_STANTED, lastExecuted=null) (DefaultSchedulingD
amager: java (mom.)) * NRO 2022-01-61588:09:17,377 Schuduled job: JobConfiguration(uid: YvAkokaraAtM', make='Dataset notification', jobType:DATA_ bled-true, inMemoryDob-false, lastRuntimeExecutions'null', userUid='null', leaderOnlyJob-true, jobStatus-SOHEDUED, nextExecut name: how (next).	SET_NOTIFICATION, crunixpression='0 0 2 7 * *', delay='null', jobParameters=null, ena tionTime=null, lastExecutedStatus=NOT_STARTED, lastExecuted=null} (DefaultSchedulingMo
¹ DEG 202.01:167383017.079 'system-process' create arg.hig.dbis.thdoiling.bdcofiguration, name: Remove ongived or use 1000 002-01:167383017.079 'system-process' create arg.hig.dbis.thdoiling.bdcofiguration, name.'Remove expired or used reserved val elga/"enll., jobWareters-enll, enblock-true, jobencyloch-size, lastRuntimeExecution-"null, userVid-"null, leaderOhy30+ fibrontaderOhlDefailStehuleInterfaces: Sec Teach)	sed reserved values, uid: uaMCT2DMMLa (AuditLagHtLi java [main]) Lues', johypaeABMMLISEG COLEDTEED EXEMENT MAULES, consequencesion-"0 0 2 ? * * *, d true, jobStatus-SCHEDULED, mextExecutionTime-null, lastExecutedStatus=MOT_STARTED, las
* BEO 2022-01-1013-00-17,400 Schedulef job: lobConfiguration(uid='MakT20Malg', name-'Remove expired or used reserved value lay-'null', jobParameters-mall, embolishtrue, inPrevoy306-false, lastRmitterixeculies-'null', userUid-'null', leaderOnlyJob-tr Executed-mall (MeFallSchedulingWanger_java (akin))	es", johType=KRMNE_USED_CR_DMPTRED_RESERVED_VMLUES, cronExpression="0.0.2.? * "', de 've, johStatus=SCHEDULED, nextExecutionTime=null, lastExecutedStatus=NOT_STARTED, last
* JM40 2022-01-16138-09:17,403 ALL startup routines done (betaultstartupRoutineExecutor.java [main]) 16-Jan-2022 18:03:21.288 JNFO [main] org.apache.catalina.startup.HostConfig.deploy4MR Deployment of web application anchive [mided in [111.402] me	[C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.8\webapps\dhis.war] has fi
16-Jan-2022 18:03:21.290 [NFO [msin] org.apache.catalina.startup.HostConfig.depLoyOirectory DepLoying web application directory In-Jan-2022 18:03:21.312 INFO [msin] org.apache.catalina.startup.HostConfig.depLoyDirectory DepLoyment of web application dire finished in (22) as	ry [C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\webapps\docs] ectory [C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\webapps\docs] has
16-Jan-2022 18:01:21.312 IMFO [main] org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory 16-Jan-2022 18:03:21.348 IMFO [main] org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application dire host finished in 1351 ms	ry [C:\Program Files (x80)\Apache Software Foundation\Tomcat 9.0\webapps\mmnager] cctory [C:\Program Files (x80)\Apache Software Foundation\Tomcat 9.0\webapps\mmnager]
16-Jan-2022 18:03:21.348 IM/O [msin] org.apache.catalina.startup.HostConfig.depLoyOirectory DepLoying web application director 16-Jan-2022 18:03:21.367 IM/O [main] org.apache.catalina.startup.HostConfig.depLoyOirectory DepLoyment of meb application dire finished in 109 ms	ry [C:\Program Files (x80)\Apache Software Foundation\Tomcat 9.0\webapps\R00T] cctory [C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\webapps\R00T] has
16-Jan-2022 18:03:21.370 INHO [main] org.apache.coyote.KbstractProtocol.start Starting ProtocolHundler ["http-nio-0000"] 16-Jan-2022 18:03:21.380 INHO [main] org.apache.catalina.startup.Catalina.start Server startup in [111300] milliseconds	

7.3 Run the tomcat: Right click on the Tomcat9w and run as administrator:



। 🖸 📜 रु File Home Share View	Manage bin Application Tools			
$\leftarrow \rightarrow \vee \uparrow$] > This PC > Winc	dows 10 (C:) > Program Files (x86) > Apache Soft	ware Foundation > Tom	cat9.0 ≻ bin	
 Cuick access Desktop Documents Documents Sound recordings OneDrive - Personal This PC 3D Objects Desktop Documents Decuments Decuments Decuments Decuments Documents Decuments Documents Documents Decuments Documents Decuments Decuments Decuments Decuments Decuments Music Retures Videos Unideos 10 (C) Local Disk (D) Local Disk (E) 	tows to (c.) > Program Hiles (x86) > Apache Soft Name Software	wate Foundation > Tom Date modified 12/2/2021 8:30 PM 12/2/2021 8:30 PM 12/2/2021 8:30 PM 12/2/2021 8:30 PM 12/2/2021 9 Apache 1 12/2/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/2021 12/20	cat 3.0 > bin Type Executable Jar File Windows Batch File Windows Batch File Windows Batch File Ornicat 9.0 Tomcat9 Prop og On Logging Java arre: Tomcat9 arre: Tomcat9 arre: Apache Tomcat mn: Apache Tomcat mn: Apache Tomcat tatus: Stopped tt Stop	Size 34 K8 17 K8 3 K8 verties X Startup Shutdown 9.0 TomcatS 9.0.55 Server - https://tomcat.apache ftware Foundation\Tomcat 9.0/bin\Tor
🥪 Software (F:)				OK Cancel Apply

Start the Tomcat:



🍗 Apache Tomcat 9.0 Tomcat9 Properties	\times
General Log On Logging Java Startup Shutdown	
Service Name: Tomcat9	
Display name: Apache Tomcat 9.0 Tomcat9	
Description: Apache Tomcat 9.0.56 Server - https://tomcat.apache	2
Path to executable:	
"C:\Program Files (x86)\Apache Software Foundation\Tomcat 9.0\bin\To	1
Startup type: Manual 🗸	
Service Status: Started	
Start Stop Pause Restart	
OK Cancel Apply	

Now, open your browser and type following address:

• Localhost:8080/dhis

Huu ree ree.... It has installed successfully!





Good luck!

If you need any support, don't hesitate to let me know: <u>https://julhas.com/</u>