

* INFO 2019-11-20 14:52:45,358 Populated table in 0.52 seconds:
analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-10])

* INFO 2019-11-20 14:52:45,599 Populated table in 0.23 seconds:
analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-10])

* INFO 2019-11-20 15:06:18,618 Scheduler initiated execution of job: b2WQI6qQVcx,
inMemoryAnalyticsJob, ANALYTICS_TABLE, (DefaultSchedulingManager.java [http-nio-8052-exec-
386])

* INFO 2019-11-20 15:06:18,619 Found 7 analytics table types: [COMPLETENESS_TARGET,
ENROLLMENT, ORG_UNIT_TARGET, VALIDATION_RESULT, DATA_VALUE, COMPLETENESS, EVENT]
(DefaultAnalyticsTableGenerator.java [taskScheduler-11])

* INFO 2019-11-20 15:06:18,621 Analytics table update: AnalyticsTableUpdateParams{last
years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT
2019} (DefaultAnalyticsTableGenerator.java [taskScheduler-11])

* INFO 2019-11-20 15:06:18,622 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:06:18 WAT 2019, message: Analytics table update process started] (InMemoryNotifier.java
[taskScheduler-11])

* INFO 2019-11-20 15:06:18,622 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:06:18 WAT 2019, message: Updating resource tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:21,211 Create table SQL: create table _orgunitstructure_temp
(organisationunitid integer not null primary key, organisationunituid character(11), level integer,
"idlevel1" integer, "uidlevel1" character(11), "namelevel1" text, "idlevel2" integer, "uidlevel2"
character(11), "namelevel2" text, "idlevel3" integer, "uidlevel3" character(11), "namelevel3" text,
"idlevel4" integer, "uidlevel4" character(11), "namelevel4" text, "idlevel5" integer, "uidlevel5"
character(11), "namelevel5" text, "idlevel6" integer, "uidlevel6" character(11), "namelevel6" text);
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:21,223 Populate table content rows: 40784 (JdbcResourceTableStore.java
[taskScheduler-11])

* INFO 2019-11-20 15:06:36,614 Create index SQL: create unique index
in_orgunitstructure_organisationunituid_nduWs on _orgunitstructure_temp(organisationunituid)
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:36,846 Swapped resource table: _orgunitstructure
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:36,847 Analyze table SQL: analyze _orgunitstructure;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:37,533 Analyzed resource table: _orgunitstructure, done in: 00:00:18.907
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,716 Create table SQL: create table
_datasetorganisationunitcategory_temp (datasetid integer not null, organisationunitid integer not

null, attributeoptioncomboid integer not null, costartdate date, coenddate date)
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,717 Populate table content rows: 3 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,720 Create index SQL: create unique index
in__datasetorganisationunitcategory_ZJ7TB on _datasetorganisationunitcategory_temp(datasetid,
organisationunitid, attributeoptioncomboid) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,751 Swapped resource table: _datasetorganisationunitcategory
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,752 Analyze table SQL: analyze _datasetorganisationunitcategory;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,752 Analyzed resource table: _datasetorganisationunitcategory, done
in: 00:00:00.039 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,760 Create table SQL: create table _categoryoptioncomboname_temp
(categoryoptioncomboid integer not null primary key, categoryoptioncomboname varchar(255),
approvallevel integer, startdate date, enddate date) (JdbcResourceTableStore.java [taskScheduler-
11])

* INFO 2019-11-20 15:06:38,765 Populate table content rows: 7 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,774 Swapped resource table: _categoryoptioncomboname
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,774 Analyze table SQL: analyze _categoryoptioncomboname;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,775 Analyzed resource table: _categoryoptioncomboname, done in:
00:00:00.017 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,785 Create table SQL: create table
_dataelementgroupsetstructure_temp (dataelementid integer not null, dataelementname
varchar(230), primary key (dataelementid)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,790 Populate table SQL: insert into
_dataelementgroupsetstructure_temp select d.dataelementid as dataelementid, d.name as
dataelementname from dataelement d (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,805 Swapped resource table: _dataelementgroupsetstructure
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,806 Analyze table SQL: analyze _dataelementgroupsetstructure;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,811 Analyzed resource table: _dataelementgroupsetstructure, done in:
00:00:00.028 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,822 Create table SQL: create table _indicatorgroupsetstructure_temp (indicatorid integer not null, indicatorname varchar(230), primary key (indicatorid)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,828 Populate table SQL: insert into _indicatorgroupsetstructure_temp select i.indicatorid as indicatorid, i.name as indicatorname from indicator i (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,834 Swapped resource table: _indicatorgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,835 Analyze table SQL: analyze _indicatorgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,835 Analyzed resource table: _indicatorgroupsetstructure, done in: 00:00:00.015 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,842 Create table SQL: create table _organisationunitgroupsetstructure_temp (organisationunitid integer not null, organisationunitname varchar(230), startdate date) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,844 Populate table SQL: insert into _organisationunitgroupsetstructure_temp select ou.organisationunitid as organisationunitid, ou.name as organisationunitname, null as startdate from organisationunit ou inner join _orgunitstructure ous on ous.organisationunitid = ou.organisationunitid (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:38,983 Create index SQL: create index in_orgunitgroupsetstructure_not_null_dZaNt on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is not null (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,003 Create index SQL: create index in_orgunitgroupsetstructure_null_oel17 on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is null (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,076 Swapped resource table: _organisationunitgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,076 Analyze table SQL: analyze _organisationunitgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,204 Analyzed resource table: _organisationunitgroupsetstructure, done in: 00:00:00.363 (JdbcResourceTableStore.java [taskScheduler-11])

debug2: channel 0: window 998529 sent adjust 50047

* INFO 2019-11-20 15:06:39,221 Create table SQL: create table _categorystructure_temp (categoryoptioncomboid integer not null, categoryoptioncomboname varchar(255), "Gender" varchar(230), "oCexmTm2srU" character(11), "Age" varchar(230), "V4eEkca3B5w" character(11), "Population at Risk" varchar(230), "ecrolgj8C0" character(11), "P falciparum" varchar(230), "cxVDMpYF5mE" character(11), "Malaria by microscopy" varchar(230), "aGGuES0BTYq"

character(11), "Malaria" varchar(230), "Dsqafvycxfj" character(11), primary key (categoryoptioncomboid)) (JdbcResourceTableStore.java [taskScheduler-11])

```
* INFO 2019-11-20 15:06:39,232 Populate table SQL: insert into _categorystructure_temp select
coc.categoryoptioncomboid as cocid, coc.name as cocname, (select co.name from
categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "Gender", (select co.uid from
categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "oCexmTm2srU", (select
co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption
co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "Age", (select co.uid from
categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "V4eEkca3B5w", (select
co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption
co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "Population at Risk", (select
co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co
on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "ecrolgJ8C0", (select co.name
from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "P falciparum", (select co.uid
from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "cxVDMpYF5mE", (select
co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption
co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as "Malaria by microscopy",
(select co.uid from categoryoptioncombos_categoryoptions cocco inner join
dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join
categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where
coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as
"aGGuES0BTYq", (select co.name from categoryoptioncombos_categoryoptions cocco inner join
dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join
categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where
```

coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "Malaria", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "Dsqafovycxfj" from categoryoptioncombo coc (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,250 Swapped resource table: _categorystructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,251 Analyze table SQL: analyze _categorystructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,252 Analyzed resource table: _categorystructure, done in: 00:00:00.033 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,311 Create table SQL: CREATE TABLE _dataelementstructure_temp (dataelementid INTEGER NOT NULL PRIMARY KEY, dataelementuid CHARACTER(11), dataelementname VARCHAR(230), datasetid INTEGER, datasetuid CHARACTER(11), datasetname VARCHAR(230), datasetapprovallevel INTEGER, workflowid INTEGER, periodtypeid INTEGER, periodtypename VARCHAR(230)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:39,320 Populate table content rows: 2018 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,346 Create index SQL: create unique index in_dataelementstructure_dataelementuid_GWn9z on _dataelementstructure_temp(dataelementuid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,362 Create index SQL: create index in_dataelementstructure_datasetid_LFO9T on _dataelementstructure_temp(datasetid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,371 Create index SQL: create index in_dataelementstructure_datasetuid_l3kVB on _dataelementstructure_temp(datasetuid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,382 Create index SQL: create index in_dataelementstructure_periodtypeid_ACAZm on _dataelementstructure_temp(periodtypeid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,390 Create index SQL: create index in_dataelementstructure_workflowid_OKaWe on _dataelementstructure_temp(workflowid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,403 Swapped resource table: _dataelementstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,403 Analyze table SQL: analyze _dataelementstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,418 Analyzed resource table: _dataelementstructure, done in: 00:00:01.116 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,483 Create table SQL: create table _periodstructure_temp (periodid integer not null primary key, iso varchar(15) not null, daysno integer not null, startdate date not null, enddate date not null, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,488 Populate table content rows: 8 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,496 Create index SQL: create unique index in_periodstructure_iso_UXwQu on _periodstructure_temp(iso) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,502 Swapped resource table: _periodstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,503 Analyze table SQL: analyze _periodstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:40,503 Analyzed resource table: _periodstructure, done in: 00:00:00.025 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:47,847 Create table SQL: create table _dateperiodstructure_temp (dateperiod date not null primary key, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:47,859 Populate table content rows: 18263 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,621 Create index SQL: create index in_dateperiodstructure_daily_WeBL5 on _dateperiodstructure_temp("daily") (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,646 Create index SQL: create index in_dateperiodstructure_weekly_r2XW4 on _dateperiodstructure_temp("weekly") (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,706 Create index SQL: create index in_dateperiodstructure_weeklywednesday_z1cF5 on _dateperiodstructure_temp("weeklywednesday") (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,756 Create index SQL: create index in_dateperiodstructure_weeklythursday_l9z23 on _dateperiodstructure_temp("weeklythursday") (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,812 Create index SQL: create index
in_dateperiodstructure_weeklysaturday_qRRky on _dateperiodstructure_temp("weeklysaturday")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,875 Create index SQL: create index
in_dateperiodstructure_weeklysunday_RqoN8 on _dateperiodstructure_temp("weeklysunday")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,924 Create index SQL: create index
in_dateperiodstructure_biweekly_n3gTU on _dateperiodstructure_temp("biweekly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,966 Create index SQL: create index
in_dateperiodstructure_monthly_IKFRh on _dateperiodstructure_temp("monthly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:48,989 Create index SQL: create index
in_dateperiodstructure_bimonthly_wzdMi on _dateperiodstructure_temp("bimonthly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,009 Create index SQL: create index
in_dateperiodstructure_quarterly_Qz9vj on _dateperiodstructure_temp("quarterly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,029 Create index SQL: create index
in_dateperiodstructure_sixmonthly_Sim0w on _dateperiodstructure_temp("sixmonthly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,056 Create index SQL: create index
in_dateperiodstructure_sixmonthlyapril_CB4wS on _dateperiodstructure_temp("sixmonthlyapril")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,080 Create index SQL: create index
in_dateperiodstructure_yearly_mK3DC on _dateperiodstructure_temp("yearly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,100 Create index SQL: create index
in_dateperiodstructure_financialapril_ybOUq on _dateperiodstructure_temp("financialapril")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,147 Create index SQL: create index
in_dateperiodstructure_financialjuly_CocUR on _dateperiodstructure_temp("financialjuly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,177 Create index SQL: create index
in_dateperiodstructure_financialoct_GRueh on _dateperiodstructure_temp("financialoct")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,235 Swapped resource table: _dateperiodstructure
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,235 Analyze table SQL: analyze _dateperiodstructure;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,450 Analyzed resource table: _dateperiodstructure, done in: 00:00:08.942 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,454 Create table SQL: CREATE TABLE _dataelementcategoryoptioncombo_temp (dataelementid INTEGER NOT NULL, dataelementuid VARCHAR(11) NOT NULL, categoryoptioncomboid INTEGER NOT NULL, categoryoptioncomboid VARCHAR(11) NOT NULL) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,456 Populate table SQL: insert into _dataelementcategoryoptioncombo_temp (dataelementid, dataelementuid, categoryoptioncomboid, categoryoptioncomboid) select de.dataelementid as dataelementid, de.uid as dataelementuid, coc.categoryoptioncomboid as categoryoptioncomboid, coc.uid as categoryoptioncomboid from dataelement de join categorycombos_optioncombos cc on de.categorycomboid = cc.categorycomboid join categoryoptioncombo coc on cc.categoryoptioncomboid = coc.categoryoptioncomboid (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,464 Create index SQL: create index in_dataelementcategoryoptioncombo_jcalU on _dataelementcategoryoptioncombo_temp(dataelementuid, categoryoptioncomboid) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,486 Swapped resource table: _dataelementcategoryoptioncombo (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,487 Analyze table SQL: analyze _dataelementcategoryoptioncombo; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,505 Analyzed resource table: _dataelementcategoryoptioncombo, done in: 00:00:00.054 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,535 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Updating tables: DATA_VALUE] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,536 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,537 Starting update: analytics, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,562 Table update start: analytics, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019}: 00:00:00.024 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,562 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,562 Performed pre-create table work: 00:00:00.025 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,563 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,565 Dropped temp tables: 00:00:00.027 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,565 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,565 Creating table: analytics_temp, columns: 38 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,575 Creating partition table: analytics_temp_2019 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,593 Created analytics tables: 00:00:00.055 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,593 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,594 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,665 Populated table in 0.06 seconds: analytics_temp_2019, [INTEGER, INTEGER_POSITIVE, INTEGER_NEGATIVE, INTEGER_ZERO_OR_POSITIVE, NUMBER, UNIT_INTERVAL, PERCENTAGE] (AbstractJdbcTableManager.java [taskScheduler-18])

* INFO 2019-11-20 15:06:49,691 Populated table in 0.02 seconds: analytics_temp_2019, [TRUE_ONLY, BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-18])

* INFO 2019-11-20 15:06:49,726 Populated table in 0.03 seconds: analytics_temp_2019, [BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-18])

* INFO 2019-11-20 15:06:49,756 Populated table in 0.03 seconds: analytics_temp_2019, [TEXT, LONG_TEXT, LETTER, TIME, USERNAME, EMAIL, PHONE_NUMBER, URL, DATE, DATETIME, AGE] (AbstractJdbcTableManager.java [taskScheduler-18])

* INFO 2019-11-20 15:06:49,757 Populated analytics tables: 00:00:00.220 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,757 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,758 Invoked analytics table hooks: 00:00:00.221 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,758 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,777 Applied aggregation levels: 00:00:00.240 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,777 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,777 Tables vacuumed: 00:00:00.240 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,777 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,777 No of analytics table indexes: 38 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,960 Created indexes: 00:00:00.423 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,961 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,965 Analyzed tables: 00:00:00.428 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,965 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,967 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,971 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,999 Table update done: analytics: 00:00:00.461 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:49,999 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:49 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,000 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Updating tables: COMPLETENESS] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,000 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,001 Starting update: analytics_completeness, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,004 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: No complete registrations exist, not updating completeness analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,004 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Updating tables: COMPLETENESS_TARGET] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,005 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,005 Starting update: analytics_completenessstarget, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,007 Table update start: analytics_completenessstarget, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019}: 00:00:00.001 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,007 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,007 Performed pre-create table work: 00:00:00.002 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,008 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,009 Dropped temp tables: 00:00:00.003 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,009 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,009 Creating table: analytics_completenessstarget_temp, columns: 12 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,010 Created analytics tables: 00:00:00.005 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,011 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,011 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,023 Populated table in 0.01 seconds: analytics_completenessstarget_temp (AbstractJdbcTableManager.java [taskScheduler-17])

* INFO 2019-11-20 15:06:50,024 Populated analytics tables: 00:00:00.018 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,024 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,026 Invoked analytics table hooks: 00:00:00.021 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,027 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,042 Applied aggregation levels: 00:00:00.036 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,042 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,043 Tables vacuumed: 00:00:00.037 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,043 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,043 No of analytics table indexes: 12 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,086 Created indexes: 00:00:00.081 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,087 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,088 Analyzed tables: 00:00:00.082 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,088 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,089 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_completenessstarget' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,092 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,099 Table update done: analytics_completenessstarget: 00:00:00.094 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,100 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,100 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Updating tables: ORG_UNIT_TARGET] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,100 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,100 Starting update: analytics_organittarget, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,101 Table update start: analytics_organittarget, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019}: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,101 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,101 Performed pre-create table work: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,101 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,102 Dropped temp tables: 00:00:00.001 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,102 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,102 Creating table: analytics_organittarget_temp, columns: 7 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,104 Created analytics tables: 00:00:00.003 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,104 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,104 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,106 Populated table in 0.00 seconds: analytics_organittarget_temp (AbstractJdbcTableManager.java [taskScheduler-27])

* INFO 2019-11-20 15:06:50,107 Populated analytics tables: 00:00:00.006 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,107 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,108 Invoked analytics table hooks: 00:00:00.007 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,108 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,114 Applied aggregation levels: 00:00:00.013 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,114 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,114 Tables vacuumed: 00:00:00.014 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,115 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,115 No of analytics table indexes: 7 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,130 Created indexes: 00:00:00.029 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,130 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,130 Analyzed tables: 00:00:00.030 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,131 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,131 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_organittarget' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,133 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,139 Table update done: analytics_organittarget: 00:00:00.038 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,139 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,139 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Updating tables: EVENT] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,139 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,139 Starting update: analytics_event, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,141 Get tables using earliest: null, spatial support: true (JdbcEventAnalyticsTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,787 Table update start: analytics_event, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:06:18 WAT 2019}: 00:00:00.647 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,788 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,788 Performed pre-create table work: 00:00:00.648 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,788 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,833 Dropped temp tables: 00:00:00.693 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,833 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:50 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,837 Creating table: analytics_event_temp_o2bx8rmofhk, columns: 612 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,866 Creating partition table: analytics_event_temp_2019_o2bx8rmofhk (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,906 Creating table: analytics_event_temp_bcvrc668a8p, columns: 706 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,932 Creating partition table: analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,969 Creating table: analytics_event_temp_dydivu4loxe, columns: 359 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:50,985 Creating partition table: analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,001 Created analytics tables: 00:00:00.861 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,001 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:51 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,001 Populate table task number: 2 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,318 [Level: ERROR, category: ANALYTICS_TABLE, time: Wed Nov 20 15:06:51 WAT 2019, message: Process failed: Exception during execution] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,322 'system-process' create org.hisp.dhis.message.MessageConversation, name: Analytics table process failed, uid: V6HuTtSrsua (AuditLogUtil.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,329 no recipient (SmsMessageSender.java [taskScheduler-26])

* INFO 2019-11-20 15:06:51,356 'system-process' create org.hisp.dhis.message.MessageConversation, name: Job 'inMemoryAnalyticsJob' failed, uid: oJ3wxxN7wsv (AuditLogUtil.java [taskScheduler-11])

* INFO 2019-11-20 15:06:51,359 no recipient (SmsMessageSender.java [taskScheduler-6])

* ERROR 2019-11-20 15:06:51,371 Job 'inMemoryAnalyticsJob' failed (DefaultJobInstance.java [taskScheduler-11])

java.lang.RuntimeException: Exception during execution

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:63)

```
    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.populateTables(DefaultAnalyticsTableService.java:254)

    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyticsTableService.java:149)

    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(DefaultAnalyticsTableGenerator.java:114)

    at
org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTableJob.java:70)
    at org.hisp.dhis.scheduling.DefaultJobInstance.executeJob(DefaultJobInstance.java:155)
    at org.hisp.dhis.scheduling.DefaultJobInstance.execute(DefaultJobInstance.java:69)

    at
org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$internalExecuteJobConfiguration$3(DefaultSchedulingManager.java:280)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)

    at
org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(DelegatingErrorHandlingRunnable.java:54)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)

    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(ScheduledThreadPoolExecutor.java:180)

    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:293)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Caused by: java.util.concurrent.ExecutionException:

```
org.springframework.jdbc.UncategorizedSQLException: StatementCallback; uncategorized
SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFu
```


nctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1","EScomments","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalProcWall","CuratConTot","FinanDocsA2","DistribuleC","actionplCas","RecClnLatFe","WeighScale3","MonMeetMint","Service0028","MonPerfSyst","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPlan","RlproductSe","CLcomments","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","BankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1","DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsurgery","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","BloodbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH001","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom","actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3","LBactionpla","StateName00","PatFilKeySt","otheFacName","ANCFomAdmn","SkinPinches","PatComfHygi","HIVTBScore0","actionplPat","FinanDocsAv","Service0020","Service0014","QuartBizPla","CashHandEnd","IndiComScor","HygAssur002","UpdStMovReg","CommentsWas","Service0005","Confidentia","Gencomments","Commentspre","NutriStatu5","Thactionpla","Staffanesth","Bizcomment1","VitaminAsup","PatComfH004","AdultsWeigh","HeaFundinRI","AbsExpDrugs","PAcomments","RBFComFacMg","ANCRregister","InfrasRehab","NumWorkENCC","Episiotobox","PentVacTemp","FunctThermom","CommentsCas","Min2UnBlood","stenumnum1","PerfBonuses","IntManChild","PAactionpla","GuardDutRos","Temprachart","Service0030","ndenumname2","shoActionpl","HygAssurInj","SurgeryCalc","PBFsubsidy0","KitClnpatAv","TotalFinanc","ARIProtocol","CliExamDone","Familpan003","MaintFreeze","GenImpressn","NumberBeds0","Familpan005","ACSevidence","FamPlanScor","InPatTota05","LastISSVisi","NumbrStaffs","InPatTota02","MatChildSer","Service0021","HIVCounslRm","CalcStaffs0","SuffH20Soap","BizPlaHygMn","SurveyLocat","Service0019","FuncVaccExt","AntTuberDrg","NutActionpl","TimePrioDis","ConsulRoomL","Service0037","SocialMarkt","PengSuctDev","UpdNominRol","MonSuperVis","ConsulRoomC","LabEquipPTB","CommentsSu1","CleanSchNex","WeighScale2","NonMedStaff","ParasitDemo","rdenumnum3","HighRiskPol","CommentsGud","AFP6Actions","GenImpress","H2OCont20L0","SkinPinchCh","AvailReagXM","BankBalEndO","ACS3monPrio","FloorFissLs","thenumpnum4","FoodDemonst","Service0029","Service0041","HealthFalmm","FacilityPic","thenumname5","GrpIECBCC00","DrugsStored","Service0017","Service0007","DQAResulReg","ColdChaiTot","ConsulRoom3","FindHealTot","OtherReceip","LabExamDiag","AdeqInPatRm","RingLactate","PropFileSy1","Thermometer","EmerTelNumb","ShowStafBed","Familpan008","TrStaffIMCI","FuncRefridg","ACSupervHF","start000000","DirecObsTot","SuperReport","Service0036","HMISReports","ANCFomHFav","PatComfH003","SterilizeCS","Familpan015","DiseasePost","Healtworker","RefSysTBPAT","ContribOthr","BizPlaFinCr","Sterilenorm","Monitorcard","Service0026","CLactionpla","Service0011","PartographF","PropConAnti","LGAName0000","InPatTota03","Service0013","INcomments","CliExamPedi","CareOgivers","DisinfClean","PatManTot00","Commentspr1","ACSpartners","DocIncExpBl","Service0024","Familpan007","ConWaitArea","FuncAmbulAv","MaternitCal","IYCFguideli","SurvelFocal","LaboraScore","WorkSchStaf","FacilitName","SimMalTreat","Service0016","MedLabSciAv","FeverPerInt","FuncLightng","NumBeds1000","EquipFurnit","Sixmessages","ShowRunH2OC","actionplTra","WasteEvacua","ConsulRoom4","actionplObs","UnitFeeDrug","DispHFWas04","INactionpla","Couccomments","Fal24HrServ","BizPlaRateC","PharDelivHF","PlanRoutImm","HMISDataAna","Familpan004","FunctionVDC","CommentsCom","Service0033","thenumname4","Service0009","ConsulRoom5","PentVaccine","TongueDepre","MissPriorit","PatFileSurg","Indcomments","NutriEducat","Theaterlamp","AvailScaleW","Suvellcalcu","Nurseonduty","ExTargetAge","howmanother","ColdchainEq","FunctLight0","thenumorg5","OtherExpens","FeedbackAFP","thenumpnum5","AppropWeigh","ndenumorg

g2","FunctnEquip","StethBPMac2","FinanDocsA1","Trained2yar","actionplaSu","CostIndigen","nden
umpnum2","Service0006","NumInPatReg","Service0002","ComplemtFed","GuideJobTot","HospitOrg
an","BenPerfLess","RepSurgProc","NoteDrDaily","BankBalOpsQ","Service0042","FurnitAvail","Servic
e0008","TheaterTabl","JobAidsAval","DocQuaExcel","GranPercent","HIVTreatICC","WardLiteAv0","E
xamBedOPDC","AFP3Diffren","DocQuaClInd","StethBPMach","ClinicActiv","HygAssur001","ACSoFHFL
GAs","InPatTota04","TotCashBalE","ExiWaitCard","DataToolsAv","StaffCounsl","NutriStaFem","Salari
eGovt","EquipNwborn","ScreenRecrd","DispHFWas02","Service0012","AdmActionpl","FAMILpanact",
"OneSyringeD","BizPlaMecGH","Growthmonit","TrainedFoca","DiagSignsSy","ClinicActin","ListTelCo
nR","PatComfH007","CouActionpl","PresLatTot0","ConductPlan","Service0018","WHOProcDiar","Blo
odbEme02","HeightMear","DispHFWas03","DisposSyrin","StaffDutRos","BizPlaMedCr","BizPlanScor
","FoodDemoMat","NumbRegistr","BizActiopl0","FeedbClinic","Service0025","CilnicRegis","CostRec
over","ChildHeCard","DiarSincOft","BenPerfLe01","LabOpen7Day","WasteMatern","AFP6Montths",
"ANCActionsP","Service0023","DelivrTable","AdminStaff0","FAMILpancom","ChildhealtS","WHOFlow
Diag","SalariesExp","SupFollPlan","ClenSchdNex","Service0015","StaffAttReg","HyMainTot01","IndC
ommMeet","CourtClean0","LGAmeetRept","morepersons","WeighScaleF","BloodbEme05","SerAvail
247","ClinicFAMIL","ScrenRecord","FuncThermAv","NutriStaUn5","HealtREWPla","HfRImonitor","Pla
nSesionM","ContinusEBF","ImmunoCalcu","CashHandQtr","DefiControl","Lbcommentss","AskIfFever
r","CommentsPat","PlanCareInd","IndPatSensi","ThDeworming","ConsulStaff","actionplGud","Admc
omments","Service0040","GarbBinCour","Bizcomments","LabExamVisi","ConsulRoom1","TallyVaccin
","FAMILpan016","BankBalDrug","MedStaff000","actionplaHI","ActivReport","Socwelfar01","VCMwo
rkSett","DRExamNote1","NutriWomenS","DelivRoomMn","Sterilesets","ListHospRef","MalariaRapT",
"BloodbEme04","Shocomments","ANCCommentS","AskDiarhoea","AdminTotal0","DiarObsTot0","Av
ailPartog","ClinicComme","DedicCommuP","VaccinStore","NetChngCash","PropFileTot","RegPostInf
e","WorkersENCC","BizPlaStrRi","Service0039","IMClguideli","AFPcase6mon","BloodbEme03","Func
Microsc","FuncAmbServ","InPatRegist","CommentsEqp","Service0022","TranspCosts","ObsRoutTota
","MateActions","nRespondent","precomments","TotalPopul0","theneorg4","AdultHeight","Pres
ShowTot","SubsContrac","StaffDressW","BusinessPla1","EssDrugScor","actionplCom","RodPestCtrl",
"ConsulRoom2","PatComfH005","GrandSummat","HFPurDrugPh","GenManAdmSc","SterilObsBx","HF
implement","Stoolcollec","UpdateChain","ConsulScore","DrExamNotes","CircumTapes","FacPractAN
C","FAMILpan009","QualfMedDoc","NutActionp1","HIVHepBTest","ChemTempLGA","TransCertSf","C
leanCosts0","Service0001","CopSupRepAv","TempMeasure","MonManSMeet","BizPlanTot1","IndAc
tionpl","MothersDiet","AFPspecimen","CliDiagJust","TheComments","ManTeamMeet","FAMILpan00
6","SevMalTreat","AFPmeaslesY","Nutcomments","CommunityRI","AnnWorkPlan","InfantsFeed","C
linicTot00","HygMedWasCl","GenTotal001","CommentsObs","PatFilePedS","DutyRosTelC","WastDis
Plan","NeonAmbubag","DoorLockIns","KnwTubDang0","PropFileSy3","Service0004","DelivPerson",
HTSCounsReg","SurgTotal01","Service0038","AvaiEquiTot","LiteDeliv24","BizActionpl","TotalExpens"
","PersWashPip","Colloidsbag","SterilGlove","DispHFWas01","rdeneorg3","CommentsTra","ActivC
asTot","DefineeAEFI","BizPlaStake","CommentsHIV","AskIFCoughh","FAMILpan002","TempMeasChi",
"NetCashAvai","Service0027","DoorLockCei","Service0035","actionplap1","FAMILplanTo","FinancScor
e","CaseDefinit","PriortDiseas","VaccinLedge","CorrectVacc","actionplaVa","psi","pi","ps","ao","enrol
lmentdate","incidentdate","executiondate","duedate","completeddate","created","lastupdated","pi
status","psistatus","geom","longitude","latitude","ou","ouname","oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps."
daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week
lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six
monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select
cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "H2OFunctLat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as "InPatScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as "stenumname1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as "EScommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as "ESactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribuIEC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DiarrProcAp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ResuscAreaN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AcuteMalnut",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SupervsPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RIproductSe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutrStatTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as "actionplEqp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Solacoldcha", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugRevenue", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelGuide", (select value from trackedentitydatavalue where wdebug2: channel 0: window 993147 sent adjust 55429

here programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan017", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Minorsurgery", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumorg1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan011", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CoughSinceW", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastePitHF0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntenatScor", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAwasteDis", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0", (select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MSFTreatGui",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecPreP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiluentVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$') as "end00000000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinanDocsAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0014",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QuartBizPla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandEnd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdStMovReg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RBFCOMFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisitoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitclnpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan005",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSevidence",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota05",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as "LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbrStaffs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MatChildSer",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as "Service0021",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVCounslRm",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CalcStaffs0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SuffH2OSoap",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaHygMn",(select ST_GeomFromGeoJSON('{ "type": "Point", "coordinates": ' || value || ', "crs": { "type": "name", "properties": { "name": "EPSG:4326" } } }') from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as "SurveyLocat",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as "Service0019",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AntTuberDrg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TimePrioDis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PengSuctDev",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumppnum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20L0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumppnum4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealthFalmm",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrpIECBCC00",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugsStored",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0017",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "DQAResulReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdChaiTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom3", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FindHealTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherRecep", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdeqInPatRm", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RingLactate", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Thermometer", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EmerTelNumb", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowStafBed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan008", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrStaffIMCI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncRefridg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSupervHF", (select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$') as "start000000", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DirecObsTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuperReport", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFrmHFav", (select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilizeCS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiseasePost",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Healthworker",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContribOthr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaFinCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilenorm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Monitorcard",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as "LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocIncExpBl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Sixmessages", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ShowRunH2OC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WasteEvacua", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom4", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UnitFeeDrug", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Fal24HrServ", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaRateC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PharDelivHF", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PlanRoutImm", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HMISDataAna", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan004", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctionVDC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0009", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriEducat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdchainEq",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctLight0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "thenumorg5",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "OtherExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbackAFP",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumpnum5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AppropWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndenumorg2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctnEquip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as

"FinanDocsA1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Trained2yar",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CostIndigen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumplnum2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Service0002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ComplemtFed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GuideJobTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HospitOrgan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BenPerfLess",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BankBalOpsQ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "FurnitAvail",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Service0008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TheaterTabl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "JobAidsAval",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaExcel",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GranPercent",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "HIVTreatICC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExamBedOPDC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP3Diffren",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaClInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StethBPMach",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as "NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as "DispHFWas02",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as "Service0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as "AdmActionpl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as "FAMILpanact",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as "CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeightMear",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisposSyrin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMedCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemoMat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbRegistr",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopl0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbClinic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CilnicRegis",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecover",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildHeCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarSincOf",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLe01",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabOpen7Day",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteMatern",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP6Monthths",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp",(select cast(value as bigint) from trackedededebug2: channel 0: window 987147 sent adjust 61429

ntitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0023",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivrTable",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "Famippancom",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildhealtS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOFLowDiag",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalariesExp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupFollPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClenSchdNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40867) as "Service0015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffAttReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HyMainTot01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndCommMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CourtClean0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAmeetRept",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WeighScaleF",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SerAvail247",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicFAMIL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScrenRecord",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncThermAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStaUn5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealtREWPla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HfRImonitor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefiControl",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "NutriWomens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterileSets",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListHospRef",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalariaRapT",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as "ANCCommentS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DedicCommuP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinStore",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetChngCash",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40578 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropFileTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40786) as "RegPostInfe",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40811 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkersENCC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStrRi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as "Service0039",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IMCguideli",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41068 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPcase6mon",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40903 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40737) as "FuncMicrosc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40610 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbServ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40763) as "InPatRegist",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as "CommentsEqp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as "Service0022",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TranspCosts",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as "ObsRoutTota",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as "MateActions",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as "nRespondent",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as "precomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalPopul0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as "theneorge4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultHeight",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BiznessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as

"PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFImplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdateChain",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulScore",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CircumTapes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FacPractANC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan009",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QualfMedDoc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVHepBTest",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChemTempLGA",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TransCertSf",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanCosts0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40853) as "Service0001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CopSupRepAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "TempMeasure",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonManSMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanTot1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as "IndActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MothersDiet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPspecimen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40769) as "CliDiagJust",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as "TheComments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ManTeamMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan006",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SevMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPmeaslesY",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CommunityRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40594 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AnnWorkPlan",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicTot00",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygMedWasCl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenTotal001",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DutyRosTelC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastDisPlan",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NeonAmbubag",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40668 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DoorLockIns",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "KnwTubDang0",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as
"PropFileSy3",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "Service0004",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "DelivPerson",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40851 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HTSCounsReg",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "SurgTotal01",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as
"Service0038",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "AvaiEquiTot",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40801 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LiteDeliv24",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40626) as "BizActionpl",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "TotalExpens",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PersWashPip",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "Colloidsbag",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterilGlove",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40658) as "DispHFWas01",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as
"rdenumorg3",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as
"CommentsTra",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ActivCasTot",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DefineeAEFI",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-

```

?[0-9]+)(\.[0-9]+)?$') as "BizPlaStake",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as
"CommentsHIV",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "AskIFCoughh",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "Familpan002",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "TempMeasChi",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "NetCashAvai",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40879) as "Service0027",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "DoorLockCei",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as
"actionplap1",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "FamilplanTo",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "FinancScore",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "CaseDefinit",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "PriotDiseas",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "VaccinLedge",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "CorrectVacc",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40961) as
"actionplaVa",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi.executiondate,psi.du
edate,psi.completeddate,psi.created,psi.lastupdated,pi.status,psi.status,psi.geometry,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN 'POINT'
= GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END,ou.uid,ou.name,ou.code
from programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and
pi.deleted is false inner join categoryoptioncombo ao on
psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous
on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs

```

on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate) as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:06:18' and pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at java.util.concurrent.FutureTask.report(FutureTask.java:122)

at java.util.concurrent.FutureTask.get(FutureTask.java:192)

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:59)

... 17 more

Caused by: org.springframework.jdbc.UncategorizedSQLException: StatementCallback; uncategorized SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk ("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFunctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1","EScomments","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalProcWall","CuratConTot","FinanDocsA2","DistribuleC","actionplCas","RecInLatFe","WeighScale3","MonMeetMint","Service0028","MonPerfSyst","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPlan","RIproductSe","CLcomments","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","BankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1","DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsurgery","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","BloodbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH001","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom","actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3","LBactionpla","StateName00","PatFilKeySt","otheFacName","ANCFomAdmn","SkinPinches","PatComfHygi","HIVTBScore0","actionplPat","FinanDocsAv","Service0020","Service0014","QuartBizPla","CashHandEnd","IndiComScor","HygAssur002","UpdStMovReg","CommentsWas","Service0005","Confidentia","Gencomments","Commentspre","NutriStatu5","Thactionpla","Staffanesth","Bizcomment1","VitaminAsup","PatComfH004","AdultsWeigh","HeaFundinRI","AbsExpDrugs","PAcomments","RBFComFacMg","ANCRRegister","InfrasRehab","NumWorkENCC","Episiotobox","PentVacTemp","FunctTherm","CommentsCas","Min2UnBlood","stenumnum1","PerfBonuses","IntManChild","PAactionpla","GuardDutRos","Temprachart","Service0030","ndenumname2","shoActionpl","HygAssurInj","SurgerCalc","PBFsubsidy0","KitcInpatAv","TotalFinanc","ARIProtocol","CliExamDone","Familpan003","MaintFreeze","GenImpressn","NumberBeds0","Familpan005","ACSevidence","FamPlanScor","InPatTota05","LastISSVisi","NumbrStaffs","InPatTota02","MatChildSer","Service0021","HIVCounslRm","CalcStaffs0","SuffH20Soap","BizPlaHygMn","SurveyLocat","Service0019","FuncVaccExt","AntTuberDrg","NutActionpl","TimePrioDis","ConsulRoomL","Service0037","SocialMarkt","PengSuctDev","UpdNominR

ol","MonSuperVis","ConsulRoomC","LabEquipPTB","CommentsSu1","CleanSchNex","WeighScale2","NonMedStaff","ParasitDemo","rdenumnum3","HighRiskPol","CommentsGud","AFP6Actions","GenelImpress","H2OCont20L0","SkinPinchCh","AvailReagXM","BankBalEndO","ACS3monPrio","FloorFissLs","thenumpnum4","FoodDemonst","Service0029","Service0041","HealthFalmm","FacilityPic","thenumname5","GrpIECBCC00","DrugsStored","Service0017","Service0007","DQAResulReg","ColdChaiTot","ConsulRoom3","FindHealTot","OtherReceip","LabExamDiag","AdeqInPatRm","RingLactate","PropFileSy1","Thermometer","EmerTelNumb","ShowStafBed","FAMILPAN008","TrStaffIMCI","FuncRefridg","ACSupervHF","start000000","DirecObsTot","SuperReport","Service0036","HMISReports","ANCFoormHFAV","PatComfH003","SterilezeCS","FAMILPAN015","DiseasePost","Healthworker","RefSysTBPAT","ContribOthr","BizPlaFinCr","Sterilenorm","Monitorcard","Service0026","CLactionpla","Service0011","PartographF","PropConAnti","LGANAME0000","InPatTota03","Service0013","INcomments","CliExamPedi","CareOgivers","DisinfClean","PatManTot00","Commentspr1","ACSparters","DocIncExpBl","Service0024","FAMILPAN007","ConWaitArea","FuncAmbulAv","MaternitCal","IYCFguideli","SurvelFocal","LaboraScore","WorkSchStaf","FacilitName","SimMalTreat","Service0016","MedLabSciAv","FeverPerInt","FuncLightng","NumBeds1000","EquipFurnit","Sixmessages","ShowRunH2OC","actionplTra","WasteEvacua","ConsulRoom4","actionplObs","UnitFeeDrug","DispHFWas04","INactionpla","Couccomments","Fal24HrServ","BizPlaRateC","PharDelivHF","PlanRoutImm","HMISDataAna","FAMILPAN004","FunctionVDC","CommentsCom","Service0033","thenumname4","Service0009","ConsulRoom5","PentVaccine","TongueDepre","MissPriorit","PatFileSurg","Indcomments","NutriEducat","Theaterlamp","AvailScaleW","Suvelcalcu","Nurseonduty","ExTargetAge","howmanother","ColdchainEq","FunctLight0","thenumeorg5","OtherExpens","FeedbackAFP","thenumpnum5","AppropWeigh","ndenumeor g2","FunctnEquip","StethBPMac2","FinanDocsA1","Trained2yar","actionplaSu","CostIndigen","ndenumpnum2","Service0006","NumInPatReg","Service0002","ComplemtFed","GuideJobTot","HospitOrgan","BenPerfLess","RepSurgProc","NoteDrDaily","BankBalOpsQ","Service0042","FurnitAvail","Service0008","TheaterTabl","JobAidsAval","DocQuaExcel","GranPercent","HIVTreatICC","WardLiteAv0","ExamBedOPDC","AFP3Diffren","DocQuaClInd","StethBPMach","ClinicActiv","HygAssur001","ACSoFHFLGAs","InPatTota04","TotCashBalE","ExiWaitCard","DataToolsAv","StaffCounsI","NutriStaFem","Salari eGovt","EquipNwborn","ScreenRecrd","DispHFWas02","Service0012","AdmActionpl","FAMILPANact","OneSyringeD","BizPlaMecGH","Growthmonit","TrainedFoca","DiagSignsSy","ClinicActin","ListTelCo nR","PatComfH007","CouActionpl","PresLatTot0","ConductPlan","Service0018","WHOProcDiar","Blo odbEme02","HeightMear","DispHFWas03","DisposSyrin","StaffDutRos","BizPlaMedCr","BizPlanScor","FoodDemoMat","NumbRegistr","BizActiopl0","FeedbClinic","Service0025","CilnicRegis","CostRec over","ChildHeCard","DiarSincOf","BenPerfLe01","LabOpen7Day","WasteMatern","AFP6Montths"," ANCAActionsp","Service0023","DelivrTable","AdminStaff0","FAMILPANcom","ChildhealtS","WHOFlow Diag","SalariesExp","SupFollPlan","ClenSchdNex","Service0015","StaffAttReg","HyMainTot01","IndC ommMeet","CourtClean0","LGAMeetRept","morepersons","WeighScaleF","BloodbEme05","SerAvail 247","ClinicFAMIL","ScrenRecord","FuncThermAv","NutriStaUn5","HealtREWPla","HfRImonitor","Pla nSesionM","ContinusEBF","ImmunoCalcu","CashHandQtr","DefiControl","Lbcomments","AskIfFever r","CommentsPat","PlanCareInd","IndPatSensi","ThDeworming","ConsulStaff","actionplGud","Admc omments","Service0040","GarbBinCour","Bizcomments","LabExamVisi","ConsulRoom1","TallyVaccin","FAMILPAN016","BankBalDrug","MedStaff000","actionplaHI","ActivReport","Socwelfar01","VCMwo rkSett","DRExamNote1","NutriWomenS","DelivRoomMn","Sterilesets","ListHospRef","MalariaRapT","BloodbEme04","Shocomments","ANCComments","AskDiarhoea","AdminTotal0","DiarObsTot0","Av ailPartog","ClinicComme","DedicCommuP","VaccinStore","NetChngCash","PropFileTot","RegPostInf e","WorkersENCC","BizPlaStrRi","Service0039","IMClguideli","AFPcase6mon","BloodbEme03","Func Microsc","FuncAmbServ","InPatRegist","CommentsEqp","Service0022","TranspCosts","ObsRoutTota","MateActions","nRespondent","precomments","TotalPopul0","thenumeorg4","AdultHeight","Pres ShowTot","SubsContrac","StaffDressW","BiznessPla1","EssDrugScor","actionplCom","RodPestCtrl","

ConsulRoom2","PatComfH005","GrandSummat","HFPurDrugPh","GenManAdmSc","SterilObsBx","HF
implement","Stoolcollec","UpdateChain","ConsulScore","DrExamNotes","CircumTapes","FacPractAN
C","Familpan009","QualfMedDoc","NutActionp1","HIVHepBTest","ChemTempLGA","TransCertSf","C
leanCosts0","Service0001","CopSupRepAv","TempMeasure","MonManSMeet","BizPlanTot1","IndAc
tionpl","MothersDiet","AFPspecimen","CliDiagJust","TheComments","ManTeamMeet","Familpan00
6","SevMalTreat","AFPmeaslesY","Nutcomments","CommunityRI","AnnWorkPlan","InfantsFeed","C
linicTot00","HygMedWasCl","GenTotal001","CommentsObs","PatFilePedS","DutyRosTelC","WastDis
Plan","NeonAmbubag","DoorLockIns","KnwTubDang0","PropFileSy3","Service0004","DelivPerson","
HTSCounsReg","SurgTotal01","Service0038","AvaiEquiTot","LiteDeliv24","BizActionpl","TotalExpens"
,"PersWashPip","Colloidsbag","SterilGlove","DispHFWas01","rdenumeorg3","CommentsTra","ActivC
asTot","DefineeAEFI","BizPlaStake","CommentsHIV","AskIFCoughh","Familpan002","TempMeasChi",
"NetCashAvai","Service0027","DoorLockCei","Service0035","actionplap1","FamilplanTo","FinancScor
e","CaseDefinit","PriortDiseas","VaccinLedge","CorrectVacc","actionplaVa","psi","pi","ps","ao","enrol
lmentdate","incidentdate","executiondate","duedate","completeddate","created","lastupdated","pi
status","psistatus","geom","longitude","latitude","ou","ouname","oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps."
daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week
lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six
monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select
cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "H2OFuncLat",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as
"InPatScore0",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as
"stenumname1",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as
"EScomments",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as
"ESactionpla",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as
"MateComment",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as
"GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribuEC",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41053) as "actionplCas",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RecClnLatFe",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonMeetMint",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "MonPerfSyst",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarrProcAp",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "ResuscAreaN",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AcuteMalnut",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "SupervsPlan",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RlproductSe",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutrStatTot",(select cast(value as
double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as "actionplEq",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Solacoldcha",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugRevenue",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelGuide",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan017",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Minorsurgery",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan011",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CoughSinceW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastePitHFO",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntenatScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAwasteDis",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MSFTreatGui",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecPreP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiluentVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=41062) as "FeedbaLoTot", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032", (select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^\\d{4}-\\d{2}-\\d{2}(\\s|T)?(\\d{2}:\\d{2}:\\d{2})?\$') as "end00000000", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "Antigen3mon", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "ANCFORMAdmn", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "SkinPinches", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "HIVTBScore0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "FinanDocsAv", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "Service0014", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "QuartBizPla", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?\$') as "CashHandEnd", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "UpdStMovReg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RBFComFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceiddebug2: channel 0: window 983040 sent adjust 65536

and dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisiotoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAActionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitInpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan005",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACSevidence",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FamPlanScor",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "InPatTota05",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as
"LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "NumbrStaffs",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota02",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "MatChildSer",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as
"Service0021",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "HIVCounslRm",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CalcStaffs0",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "SuffH2OSoap",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaHygMn",(select
ST_GeomFromGeoJSON('{"type":"Point", "coordinates":| | value | | ', "crs":{"type":"name",
"properties":{"name":"EPSG:4326"}}}') from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as
"SurveyLocat",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as
"Service0019",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "FuncVaccExt",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AntTuberDrg",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TimePrioDis",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomL",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as
"Service0037",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?

?[0-9]+)(\.[0-9]+)?\$') as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PengSuctDev",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumprum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Genelmpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20LO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumprum4",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HealthFalmm",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GrpIECBCC00",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DrugsStored",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0017",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DQAResulReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdChaiTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FindHealTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "OtherReceip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AdeqInPatRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RingLactate",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Thermometer",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "EmerTelNumb",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ShowStafBed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan008",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TrStaffIMCI",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncRefridg",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ACSupervHF",(select cast(value as timestamp) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$)' as
"start000000",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "DirecObsTot",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SuperReport",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40888) as "Service0036",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as
"HMISReports",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ANCFrmHFav",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as
"PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "SterilezeCS",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan015",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "DiseasePost",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Healthworker",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "ContribOthr",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaFinCr",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "Sterilenorm",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Monitorcard",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as
"CLactionpla",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as "LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocIncExpBl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sixmessages", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowRunH2OC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteEvacua", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom4", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UnitFeeDrug", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Fal24HrServ", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaRateC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PharDelivHF", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PlanRoutImm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HMISDataAna",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctionVDC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0009",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriEducate",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdchainEq",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctLight0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "thenumorg5",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbackAFP",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumprnum5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AppropWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndenumorg2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctnEquip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as "FinanDocsA1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Trained2yar",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostIndigen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumprnum2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ComplemtFed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuideJobTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HospitOrgan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLess",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalOpsQ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FurnitAvail",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TheaterTabl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "JobAidsAval",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaExcel",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GranPercent",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTreatICC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExamBedOPDC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP3Diffren",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaClInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StethBPMach",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHFLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as
"NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as
"DispHFWas02",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as
"Service0012",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as
"AdmActionpl",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as
"Familpanact",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as
"CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue

where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BloodbEme02", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HeightMear", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DisposSyrin", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StaffDutRos", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaMedCr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlanScor", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FoodDemoMat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NumbRegistr", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopI0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbClinic", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CilnicRegis", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CostRecover", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ChildHeCard", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DiarSincOf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BenPerfLe01", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LabOpen7Day", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WasteMatern", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFP6Monthhs", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0023", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DelivrTable",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "Familpancom",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Childhealt5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WHOFLowDiag",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SalariesExp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SupFollPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClenSchdNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StaffAttReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HyMainTot01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "IndCommMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CourtClean0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LGAmeetRept",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WeighScaleF",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SerAvail247",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicFamill",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ScrenRecord",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncThermAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "NutriStaUn5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealtREWPla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HfRlmonitor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefiControl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriWomenS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilesets",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListHospRef",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalariaRapT",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as "ANCCommentS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DedicCommup",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "VaccinStore", (select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "NetChngCash", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40578 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "PropFileTot", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40786) as "RegPostInfe", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40811 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "WorkersENCC", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?
[0-9]+)(\[0-9\])?\$', as "BizPlaStrRi", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as
"Service0039", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?
[0-9]+)(\[0-9\])?\$', as "IMCguideli", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41068 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "AFPcase6mon", (select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40903 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "BloodbEme03", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40737) as "FuncMicrosc", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40610 and value ~* '^(-?[0-9]+)(\[0-9\])?\$', as "FuncAmbServ", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40763) as "InPatRegist", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as
"CommentsEqp", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as
"Service0022", (select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?
[0-9]+)(\[0-9\])?\$', as "TranspCosts", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as
"ObsRoutTota", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as
"MateActions", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as
"nRespondent", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as
"precomments", (select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?
[0-9]+)(\[0-9\])?\$', as "TotalPopul0", (select valdebug2: channel 0: window 983040 sent adjust
65536

ue from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41117) as "thenumorg4", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultHeight",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BiznessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFimplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdateChain",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulScore",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CircumTapes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FacPractANC",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan009", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "QualfMedDoc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HIVHepBTest", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ChemTempLGA", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TransCertSf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CleanCosts0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40853) as "Service0001", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CopSupRepAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TempMeasure", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonManSMMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlanTot1", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as "IndActionpl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MothersDiet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPspecimen", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40769) as "CliDiagJust", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as "TheComments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ManTeamMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan006", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SevMalTreat", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPmeaslesY", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments", (select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "CommunityRI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40594 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "AnnWorkPlan", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "ClinicTot00", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "HygMedWasCl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "GenTotal001", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "DutyRosTelC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "WastDisPlan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "NeonAmbubag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40668 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "DoorLockIns", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "KnwTubDang0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as "PropFileSy3", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "Service0004", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "DelivPerson", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40851 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "HTSCounsReg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "SurgTotal01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as "Service0038", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "AvaiEquiTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40801 and value ~* '^(-?[0-9]+)(\[0-9\]+)?\$') as "LiteDeliv24", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40626) as "BizActionpl", (select cast(value as bigint) from trackedentitydatavalue

where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TotalExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PersWashPip",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Colloidsbag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterilGlove",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40658) as "DispHFWas01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as "rdenumeorg3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as "CommentsTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ActivCasTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DefineeAEFI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaStake",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as "CommentsHIV",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AskIFCoughh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TempMeasChi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NetCashAvai",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40879) as "Service0027",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DoorLockCei",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as "actionplap1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FamilplanTo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FinancScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CaseDefinit",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$' as "PriotDiseas", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$' as "VaccinLedge", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$' as "CorrectVacc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40961) as "actionplaVa", psi.uid, pi.uid, ps.uid, ao.uid, pi.enrollmentdate, pi.incidentdate, psi.executiondate, psi.du edate, psi.completeddate, psi.created, psi.lastupdated, pi.status, psi.status, psi.geometry, CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END, CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END, ou.uid, ou.name, ou.code from programstageinstance psi inner join programinstance pi on psi.programinstanceid=pi.programinstanceid inner join programstage ps on psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate) as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:06:18' and pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:90)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)

at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:419)

at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:445)

at

org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateAndLog(AbstractJdbcTableManager.java:488)

at
org.hisp.dhis.analytics.table.JdbcEventAnalyticsTableManager.populateTable(JdbcEventAnalyticsTableManager.java:177)

at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateTablesAsync(AbstractJdbcTableManager.java:232)

at sun.reflect.GeneratedMethodAccessor2494.invoke(Unknown Source)

at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:333)

at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:190)

at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157)

at
org.springframework.aop.interceptor.AsyncExecutionInterceptor\$1.call(AsyncExecutionInterceptor.java:115)

... 6 more

Caused by: org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.java:2440)

at org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:2183)

at org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:308)

at org.postgresql.jdbc.PgStatement.executeInternal(PgStatement.java:441)

at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:365)

at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:307)

at org.postgresql.jdbc.PgStatement.executeCachedSql(PgStatement.java:293)

at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:270)

at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:266)

at com.mchange.v2.c3p0.impl.NewProxyStatement.execute(NewProxyStatement.java:75)

at
org.springframework.jdbc.core.JdbcTemplate\$1ExecuteStatementCallback.doInStatement(JdbcTemplate.java:436)

at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:408)

... 17 more

- * INFO 2019-11-20 15:06:51,710 Populated table in 0.56 seconds:
analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-19])
- * INFO 2019-11-20 15:06:51,938 Populated table in 0.22 seconds:
analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-19])
- * INFO 2019-11-20 15:18:38,396 Scheduler initiated execution of job: BMQtVO8tJPR,
inMemoryAnalyticsJob, ANALYTICS_TABLE, (DefaultSchedulingManager.java [http-nio-8052-exec-393])
- * INFO 2019-11-20 15:18:38,398 Found 7 analytics table types: [COMPLETENESS_TARGET,
ENROLLMENT, ORG_UNIT_TARGET, VALIDATION_RESULT, DATA_VALUE, COMPLETENESS, EVENT]
(DefaultAnalyticsTableGenerator.java [taskScheduler-9])
- * INFO 2019-11-20 15:18:38,402 Analytics table update: AnalyticsTableUpdateParams{last
years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT
2019} (DefaultAnalyticsTableGenerator.java [taskScheduler-9])
- * INFO 2019-11-20 15:18:38,403 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:18:38 WAT 2019, message: Analytics table update process started] (InMemoryNotifier.java
[taskScheduler-9])
- * INFO 2019-11-20 15:18:38,403 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:18:38 WAT 2019, message: Updating resource tables] (InMemoryNotifier.java [taskScheduler-9])
- * INFO 2019-11-20 15:18:40,660 Create table SQL: create table _orgunitstructure_temp
(organisationunitid integer not null primary key, organisationunituid character(11), level integer,
"idlevel1" integer, "uidlevel1" character(11), "namelevel1" text, "idlevel2" integer, "uidlevel2"
character(11), "namelevel2" text, "idlevel3" integer, "uidlevel3" character(11), "namelevel3" text,
"idlevel4" integer, "uidlevel4" character(11), "namelevel4" text, "idlevel5" integer, "uidlevel5"
character(11), "namelevel5" text, "idlevel6" integer, "uidlevel6" character(11), "namelevel6" text);
(JdbcResourceTableStore.java [taskScheduler-9])
- * INFO 2019-11-20 15:18:40,676 Populate table content rows: 40784 (JdbcResourceTableStore.java
[taskScheduler-9])
- * INFO 2019-11-20 15:18:56,394 Create index SQL: create unique index
in_orgunitstructure_organisationunituid_lv4Rz on _orgunitstructure_temp(organisationunituid)
(JdbcResourceTableStore.java [taskScheduler-9])
- * INFO 2019-11-20 15:18:56,660 Swapped resource table: _orgunitstructure
(JdbcResourceTableStore.java [taskScheduler-9])
- * INFO 2019-11-20 15:18:56,661 Analyze table SQL: analyze _orgunitstructure;
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:57,353 Analyzed resource table: _orgunitstructure, done in: 00:00:18.938 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,469 Create table SQL: create table _datasetorganisationunitcategory_temp (datasetid integer not null, organisationunitid integer not null, attributeoptioncomboid integer not null, costartdate date, coenddate date) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,471 Populate table content rows: 3 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,474 Create index SQL: create unique index in__datasetorganisationunitcategory_eFXIz on _datasetorganisationunitcategory_temp(datasetid, organisationunitid, attributeoptioncomboid) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,483 Swapped resource table: _datasetorganisationunitcategory (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,483 Analyze table SQL: analyze _datasetorganisationunitcategory; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,484 Analyzed resource table: _datasetorganisationunitcategory, done in: 00:00:00.018 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,502 Create table SQL: create table _categoryoptioncomboname_temp (categoryoptioncomboid integer not null primary key, categoryoptioncomboname varchar(255), approvallevel integer, startdate date, enddate date) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,510 Populate table content rows: 7 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,518 Swapped resource table: _categoryoptioncomboname (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,519 Analyze table SQL: analyze _categoryoptioncomboname; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,520 Analyzed resource table: _categoryoptioncomboname, done in: 00:00:00.030 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,527 Create table SQL: create table _dataelementgroupsetstructure_temp (dataelementid integer not null, dataelementname varchar(230), primary key (dataelementid)) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,532 Populate table SQL: insert into _dataelementgroupsetstructure_temp select d.dataelementid as dataelementid, d.name as dataelementname from dataelement d (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,546 Swapped resource table: _dataelementgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,547 Analyze table SQL: analyze _dataelementgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,553 Analyzed resource table: _dataelementgroupsetstructure, done in: 00:00:00.027 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,562 Create table SQL: create table _indicatorgroupsetstructure_temp (indicatorid integer not null, indicatorname varchar(230), primary key (indicatorid)) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,567 Populate table SQL: insert into _indicatorgroupsetstructure_temp select i.indicatorid as indicatorid, i.name as indicatorname from indicator i (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,572 Swapped resource table: _indicatorgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,573 Analyze table SQL: analyze _indicatorgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,574 Analyzed resource table: _indicatorgroupsetstructure, done in: 00:00:00.014 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,581 Create table SQL: create table _organisationunitgroupsetstructure_temp (organisationunitid integer not null, organisationunitname varchar(230), startdate date) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,583 Populate table SQL: insert into _organisationunitgroupsetstructure_temp select ou.organisationunitid as organisationunitid, ou.name as organisationunitname, null as startdate from organisationunit ou inner join _orgunitstructure ous on ous.organisationunitid = ou.organisationunitid (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,677 Create index SQL: create index in_orgunitgroupsetstructure_not_null_GplxJ on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is not null (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,689 Create index SQL: create index in_orgunitgroupsetstructure_null_Aehsu on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is null (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,754 Swapped resource table: _organisationunitgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,754 Analyze table SQL: analyze _organisationunitgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,863 Analyzed resource table: _organisationunitgroupsetstructure, done in: 00:00:00.283 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,894 Create table SQL: create table _categorystructure_temp (categoryoptioncomboid integer not null, categoryoptioncomboname varchar(255), "Gender" varchar(230), "oCexmTm2srU" character(11), "Age" varchar(230), "V4eEkca3B5w" character(11), "Population at Risk" varchar(230), "ecrolgj8C0" character(11), "P falciparum" varchar(230), "cxVDMpYF5mE" character(11), "Malaria by microscopy" varchar(230), "aGGuES0BTYq"

character(11), "Malaria" varchar(230), "Dsqafvycxfj" character(11), primary key (categoryoptioncomboid)) (JdbcResourceTableStore.java [taskScheduler-9])

```
* INFO 2019-11-20 15:18:58,944 Populate table SQL: insert into _categorystructure_temp select
coc.categoryoptioncomboid as cocid, coc.name as cocname, (select co.name from
categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "Gender", (select co.uid from
categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "oCexmTm2srU", (select
co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption
co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "Age", (select co.uid from
categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "V4eEkca3B5w", (select
co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption
co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "Population at Risk", (select
co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co
on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "ecrolgjJ8C0", (select co.name
from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "P falciparum", (select co.uid
from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on
cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "cxVDMpYF5mE", (select
co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption
co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on
co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =
cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as "Malaria by microscopy",
(select co.uid from categoryoptioncombos_categoryoptions cocco inner join
dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join
categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where
coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as
"aGGuES0BTYq", (select co.name from categoryoptioncombos_categoryoptions cocco inner join
dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join
categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where
```

coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "Malaria", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "Dsqafovycxfj" from categoryoptioncombo coc (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,958 Swapped resource table: _categorystructure (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,958 Analyze table SQL: analyze _categorystructure; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:58,959 Analyzed resource table: _categorystructure, done in: 00:00:00.070 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:59,021 Create table SQL: CREATE TABLE _dataelementstructure_temp (dataelementid INTEGER NOT NULL PRIMARY KEY, dataelementuid CHARACTER(11), dataelementname VARCHAR(230), datasetid INTEGER, datasetuid CHARACTER(11), datasetname VARCHAR(230), datasetapprovallevel INTEGER, workflowid INTEGER, periodtypeid INTEGER, periodtypename VARCHAR(230)) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:18:59,049 Populate table content rows: 2018 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,275 Create index SQL: create unique index in_dataelementstructure_dataelementuid_CHez0 on _dataelementstructure_temp(dataelementuid); (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,297 Create index SQL: create index in_dataelementstructure_datasetid_ircWv on _dataelementstructure_temp(datasetid); (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,310 Create index SQL: create index in_dataelementstructure_datasetuid_ZPtqJ on _dataelementstructure_temp(datasetuid); (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,326 Create index SQL: create index in_dataelementstructure_periodtypeid_TDLH1 on _dataelementstructure_temp(periodtypeid); (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,338 Create index SQL: create index in_dataelementstructure_workflowid_w08qx on _dataelementstructure_temp(workflowid); (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,355 Swapped resource table: _dataelementstructure (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,355 Analyze table SQL: analyze _dataelementstructure; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,368 Analyzed resource table: _dataelementstructure, done in: 00:00:01.356 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,422 Create table SQL: create table _periodstructure_temp (periodid integer not null primary key, iso varchar(15) not null, daysno integer not null, startdate date not null, enddate date not null, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,429 Populate table content rows: 8 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,437 Create index SQL: create unique index in_periodstructure_iso_SrNQG on _periodstructure_temp(iso) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,444 Swapped resource table: _periodstructure (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,444 Analyze table SQL: analyze _periodstructure; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:00,445 Analyzed resource table: _periodstructure, done in: 00:00:00.028 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:07,209 Create table SQL: create table _dateperiodstructure_temp (dateperiod date not null primary key, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:07,216 Populate table content rows: 18263 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,027 Create index SQL: create index in_dateperiodstructure_daily_Au0j9 on _dateperiodstructure_temp("daily") (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,057 Create index SQL: create index in_dateperiodstructure_weekly_w4zeN on _dateperiodstructure_temp("weekly") (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,104 Create index SQL: create index in_dateperiodstructure_weeklywednesday_y3USX on _dateperiodstructure_temp("weeklywednesday") (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,198 Create index SQL: create index in_dateperiodstructure_weeklythursday_R9HIL on _dateperiodstructure_temp("weeklythursday") (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,268 Create index SQL: create index
in_dateperiodstructure_weeklysaturday_fxgKM on _dateperiodstructure_temp("weeklysaturday")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,318 Create index SQL: create index
in_dateperiodstructure_weeklysunday_sqHf6 on _dateperiodstructure_temp("weeklysunday")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,381 Create index SQL: create index
in_dateperiodstructure_biweekly_aMWSb on _dateperiodstructure_temp("biweekly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,420 Create index SQL: create index
in_dateperiodstructure_monthly_GPHSk on _dateperiodstructure_temp("monthly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,442 Create index SQL: create index
in_dateperiodstructure_bimonthly_wFUND on _dateperiodstructure_temp("bimonthly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,465 Create index SQL: create index
in_dateperiodstructure_quarterly_mKdva on _dateperiodstructure_temp("quarterly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,489 Create index SQL: create index
in_dateperiodstructure_sixmonthly_KYiYG on _dateperiodstructure_temp("sixmonthly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,508 Create index SQL: create index
in_dateperiodstructure_sixmonthlyapril_EfLvb on _dateperiodstructure_temp("sixmonthlyapril")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,530 Create index SQL: create index
in_dateperiodstructure_yearly_tZEK2 on _dateperiodstructure_temp("yearly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,550 Create index SQL: create index
in_dateperiodstructure_financialapril_gUu6D on _dateperiodstructure_temp("financialapril")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,703 Create index SQL: create index
in_dateperiodstructure_financialjuly_QYUs0 on _dateperiodstructure_temp("financialjuly")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,738 Create index SQL: create index
in_dateperiodstructure_financialoct_MMct4 on _dateperiodstructure_temp("financialoct")
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,813 Swapped resource table: _dateperiodstructure
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:08,813 Analyze table SQL: analyze _dateperiodstructure;
(JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,010 Analyzed resource table: _dateperiodstructure, done in: 00:00:08.560 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,013 Create table SQL: CREATE TABLE _dataelementcategoryoptioncombo_temp (dataelementid INTEGER NOT NULL, dataelementuid VARCHAR(11) NOT NULL, categoryoptioncomboid INTEGER NOT NULL, categoryoptioncomboid VARCHAR(11) NOT NULL) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,014 Populate table SQL: insert into _dataelementcategoryoptioncombo_temp (dataelementid, dataelementuid, categoryoptioncomboid, categoryoptioncomboid) select de.dataelementid as dataelementid, de.uid as dataelementuid, coc.categoryoptioncomboid as categoryoptioncomboid, coc.uid as categoryoptioncomboid from dataelement de join categorycombos_optioncombos cc on de.categorycomboid = cc.categorycomboid join categoryoptioncombo coc on cc.categoryoptioncomboid = coc.categoryoptioncomboid (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,020 Create index SQL: create index in_dataelementcategoryoptioncombo_y9hDm on _dataelementcategoryoptioncombo_temp(dataelementuid, categoryoptioncomboid) (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,033 Swapped resource table: _dataelementcategoryoptioncombo (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,034 Analyze table SQL: analyze _dataelementcategoryoptioncombo; (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,040 Analyzed resource table: _dataelementcategoryoptioncombo, done in: 00:00:00.029 (JdbcResourceTableStore.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,065 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Updating tables: DATA_VALUE] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,065 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,066 Starting update: analytics, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,079 Table update start: analytics, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019}: 00:00:00.013 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,079 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,079 Performed pre-create table work: 00:00:00.013 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,080 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,082 Dropped temp tables: 00:00:00.016 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,082 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,082 Creating table: analytics_temp, columns: 38 (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,096 Creating partition table: analytics_temp_2019 (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,107 Created analytics tables: 00:00:00.041 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,107 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,107 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,178 Populated table in 0.06 seconds: analytics_temp_2019, [INTEGER, INTEGER_POSITIVE, INTEGER_NEGATIVE, INTEGER_ZERO_OR_POSITIVE, NUMBER, UNIT_INTERVAL, PERCENTAGE] (AbstractJdbcTableManager.java [taskScheduler-8])

* INFO 2019-11-20 15:19:09,210 Populated table in 0.03 seconds: analytics_temp_2019, [TRUE_ONLY, BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-8])

* INFO 2019-11-20 15:19:09,258 Populated table in 0.05 seconds: analytics_temp_2019, [BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-8])

* INFO 2019-11-20 15:19:09,309 Populated table in 0.05 seconds: analytics_temp_2019, [TEXT, LONG_TEXT, LETTER, TIME, USERNAME, EMAIL, PHONE_NUMBER, URL, DATE, DATETIME, AGE] (AbstractJdbcTableManager.java [taskScheduler-8])

* INFO 2019-11-20 15:19:09,310 Populated analytics tables: 00:00:00.244 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,310 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,313 Invoked analytics table hooks: 00:00:00.247 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,313 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,403 Applied aggregation levels: 00:00:00.337 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,403 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,404 Tables vacuumed: 00:00:00.338 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,405 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,405 No of analytics table indexes: 38 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,546 Created indexes: 00:00:00.480 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,546 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,550 Analyzed tables: 00:00:00.484 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,551 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-9])

debug2: channel 0: window 999409 sent adjust 49167

* INFO 2019-11-20 15:19:09,553 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,557 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,605 Table update done: analytics: 00:00:00.539 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,606 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,606 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Updating tables: COMPLETENESS] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,606 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,606 Starting update: analytics_completeness, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,611 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: No complete registrations exist, not updating completeness analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,611 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Updating tables: COMPLETENESS_TARGET] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,612 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,612 Starting update: analytics_completenessstarget, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,613 Table update start: analytics_completenessstarget, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019}: 00:00:00.001 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,613 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,614 Performed pre-create table work: 00:00:00.001 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,614 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,619 Dropped temp tables: 00:00:00.007 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,619 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,620 Creating table: analytics_completenessstarget_temp, columns: 12 (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,621 Created analytics tables: 00:00:00.009 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,621 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,621 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,653 Populated table in 0.03 seconds:
analytics_completenessstarget_temp (AbstractJdbcTableManager.java [taskScheduler-12])

* INFO 2019-11-20 15:19:09,654 Populated analytics tables: 00:00:00.041 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,654 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,655 Invoked analytics table hooks: 00:00:00.043 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,656 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,665 Applied aggregation levels: 00:00:00.053 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,665 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,665 Tables vacuumed: 00:00:00.053 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,665 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,666 No of analytics table indexes: 12 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,717 Created indexes: 00:00:00.104 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,717 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,719 Analyzed tables: 00:00:00.107 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,719 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,721 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_completenessstarget' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,727 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,741 Table update done: analytics_completenessstarget: 00:00:00.129 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,742 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,742 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Updating tables: ORG_UNIT_TARGET] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,743 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,743 Starting update: analytics_organittarget, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,744 Table update start: analytics_organittarget, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019}: 00:00:00.001 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,745 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,745 Performed pre-create table work: 00:00:00.001 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,745 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,746 Dropped temp tables: 00:00:00.003 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,746 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,747 Creating table: analytics_organittarget_temp, columns: 7 (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,751 Created analytics tables: 00:00:00.008 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,751 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,752 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,755 Populated table in 0.00 seconds: analytics_organittarget_temp (AbstractJdbcTableManager.java [taskScheduler-17])

* INFO 2019-11-20 15:19:09,756 Populated analytics tables: 00:00:00.012 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,756 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,758 Invoked analytics table hooks: 00:00:00.015 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,758 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,771 Applied aggregation levels: 00:00:00.028 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,771 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,772 Tables vacuumed: 00:00:00.029 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,772 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,772 No of analytics table indexes: 7 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,806 Created indexes: 00:00:00.062 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,806 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,807 Analyzed tables: 00:00:00.064 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,808 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,809 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_orgunittarget' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,812 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,820 Table update done: analytics_orgunittarget: 00:00:00.076 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,820 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,820 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:09 WAT 2019, message: Updating tables: EVENT] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,820 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,821 Starting update: analytics_event, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:09,824 Get tables using earliest: null, spatial support: true (JdbcEventAnalyticsTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,470 Table update start: analytics_event, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:18:38 WAT 2019}: 00:00:00.649 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,470 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:10 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,470 Performed pre-create table work: 00:00:00.649 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,470 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:10 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,557 Dropped temp tables: 00:00:00.736 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,557 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:10 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,563 Creating table: analytics_event_temp_o2bx8rmofhk, columns: 612 (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,632 Creating partition table:
analytics_event_temp_2019_o2bx8rmofhk (AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,661 Creating table: analytics_event_temp_bcvrc668a8p, columns: 706
(AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,693 Creating partition table: analytics_event_temp_2019_bcvrc668a8p
(AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,719 Creating table: analytics_event_temp_dydivu4loxe, columns: 359
(AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,732 Creating partition table: analytics_event_temp_2019_dydivu4loxe
(AbstractJdbcTableManager.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,745 Created analytics tables: 00:00:00.924 (Clock.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,745 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:10 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:10,746 Populate table task number: 2 (DefaultAnalyticsTableService.java [taskScheduler-9])

* INFO 2019-11-20 15:19:11,311 Populated table in 0.47 seconds:
analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-7])

* INFO 2019-11-20 15:19:11,584 Populated table in 0.26 seconds:
analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-7])

* INFO 2019-11-20 15:19:11,586 [Level: ERROR, category: ANALYTICS_TABLE, time: Wed Nov 20 15:19:11 WAT 2019, message: Process failed: Exception during execution] (InMemoryNotifier.java [taskScheduler-9])

* INFO 2019-11-20 15:19:11,597 'system-process' create
org.hisp.dhis.message.MessageConversation, name: Analytics table process failed, uid:
ETHOvuuVPVR (AuditLogUtil.java [taskScheduler-9])

* INFO 2019-11-20 15:19:11,604 no recipient (SmsMessageSender.java [taskScheduler-10])

* INFO 2019-11-20 15:19:11,636 'system-process' create
org.hisp.dhis.message.MessageConversation, name: Job 'inMemoryAnalyticsJob' failed, uid:
IKGknN2Oyuo (AuditLogUtil.java [taskScheduler-9])

* INFO 2019-11-20 15:19:11,641 no recipient (SmsMessageSender.java [taskScheduler-8])

* ERROR 2019-11-20 15:19:11,662 Job 'inMemoryAnalyticsJob' failed (DefaultJobInstance.java [taskScheduler-9])

java.lang.RuntimeException: Exception during execution

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:63)

```
    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.populateTables(DefaultAnalyticsTableService.java:254)

    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyticsTableService.java:149)

    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(DefaultAnalyticsTableGenerator.java:114)

    at
org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTableJob.java:70)
    at org.hisp.dhis.scheduling.DefaultJobInstance.executeJob(DefaultJobInstance.java:155)
    at org.hisp.dhis.scheduling.DefaultJobInstance.execute(DefaultJobInstance.java:69)

    at
org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$internalExecuteJobConfiguration$3(DefaultSchedulingManager.java:280)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)

    at
org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(DelegatingErrorHandlingRunnable.java:54)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)

    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(ScheduledThreadPoolExecutor.java:180)

    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:293)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Caused by: java.util.concurrent.ExecutionException:

```
org.springframework.jdbc.UncategorizedSQLException: StatementCallback; uncategorized
SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFu
```

nctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1","EScomments","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalProcWall","CuratConTot","FinanDocsA2","DistribuleC","actionplCas","RecClInLatFe","WeighScale3","MonMeetMint","Service0028","MonPerfSyst","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPlan","RlproductSe","CLcomments","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","BankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1","DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsurgery","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","BloodbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH001","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom","actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3","LBactionpla","StateName00","PatFilKeySt","otheFacName","ANCFomAdmn","SkinPinches","PatComfHygi","HIVTBScore0","actionplPat","FinanDocsAv","Service0020","Service0014","QuartBizPla","CashHandEnd","IndiComScor","HygAssur002","UpdStMovReg","CommentsWas","Service0005","Confidentia","Gencomments","Commentspre","NutriStatu5","Thactionpla","Staffanesth","Bizcomment1","VitaminAsup","PatComfH004","AdultsWeigh","HeaFundinRI","AbsExpDrugs","PAcomments","RBFComFacMg","ANCRregister","InfrasRehab","NumWorkENCC","Episiotobox","PentVacTemp","FunctThermom","CommentsCas","Min2UnBlood","stenumnum1","PerfBonuses","IntManChild","PAactionpla","GuardDutRos","Temprachart","Service0030","ndenumname2","shoActionpl","HygAssurInj","SurgeryCalc","PBFsubsidy0","KitclnpatAv","TotalFinanc","ARIProtocol","CliExamDone","Familpan003","MaintFreeze","GenImpressn","NumberBeds0","Familpan005","ACSevidence","FamPlanScor","InPatTota05","LastISSVisi","NumbrStaffs","InPatTota02","MatChildSer","Service0021","HIVCounslRm","CalcStaffs0","SuffH20Soap","BizPlaHygMn","SurveyLocat","Service0019","FuncVaccExt","AntTuberDrg","NutActionpl","TimePrioDis","ConsulRoomL","Service0037","SocialMarkt","PengSuctDev","UpdNominRol","MonSuperVis","ConsulRoomC","LabEquipPTB","CommentsSu1","CleanSchNex","WeighScale2","NonMedStaff","ParasitDemo","rdenumnum3","HighRiskPol","CommentsGud","AFP6Actions","GenImpress","H2OCont20L0","SkinPinchCh","AvailReagXM","BankBalEndO","ACS3monPrio","FloorFissLs","thenumpnum4","FoodDemonst","Service0029","Service0041","HealthFalmm","FacilityPic","thenumname5","GrpIECBCC00","DrugsStored","Service0017","Service0007","DQAResulReg","ColdChaiTot","ConsulRoom3","FindHealTot","OtherRecep","LabExamDiag","AdeqInPatRm","RingLactate","PropFileSy1","Thermometer","EmerTelNumb","ShowStafBed","Familpan008","TrStaffIMCI","FuncRefridg","ACSupervHF","start000000","DirecObsTot","SuperReport","Service0036","HMISReports","ANCFomHFav","PatComfH003","SterilizeCS","Familpan015","DiseasePost","Healtworker","RefSysTBPat","ContribOthr","BizPlaFinCr","Sterilenorm","Monitorcard","Service0026","CLactionpla","Service0011","PartographF","PropConAnti","LGAName0000","InPatTota03","Service0013","INcomments","CliExamPedi","CareOgivers","DisinfClean","PatManTot00","Commentspr1","ACSparters","DocIncExpBl","Service0024","Familpan007","ConWaitArea","FuncAmbulAv","MaternitCal","IYCFguideli","SurvelFocal","LaboraScore","WorkSchStaf","FacilitName","SimMalTreat","Service0016","MedLabSciAv","FeverPerInt","FuncLightng","NumBeds1000","EquipFurnit","Sixmessages","ShowRunH2OC","actionplTra","WasteEvacua","ConsulRoom4","actionplObs","UnitFeeDrug","DispHFWas04","INactionpla","Couccomments","Fal24HrServ","BizPlaRateC","PharDelivHF","PlanRoutImm","HMISDataAna","Familpan004","FunctionVDC","CommentsCom","Service0033","thenumname4","Service0009","ConsulRoom5","PentVaccine","TongueDepre","MissPriorit","PatFileSurg","Indcomments","NutriEducat","Theaterlamp","AvailScaleW","Suvellcalcu","Nurseonduty","ExTargetAge","howmanother","ColdchainEq","FunctLight0","thenumorg5","OtherExpens","FeedbackAFP","thenumpnum5","AppropWeigh","ndenumorg

g2","FunctnEquip","StethBPMac2","FinanDocsA1","Trained2yar","actionplaSu","CostIndigen","nden
umpnum2","Service0006","NumInPatReg","Service0002","ComplemtFed","GuideJobTot","HospitOrg
an","BenPerfLess","RepSurgProc","NoteDrDaily","BankBalOpsQ","Service0042","FurnitAvail","Servic
e0008","TheaterTabl","JobAidsAval","DocQuaExcel","GranPercent","HIVTreatICC","WardLiteAv0","E
xamBedOPDC","AFP3Diffren","DocQuaClInd","StethBPMach","ClinicActiv","HygAssur001","ACSoFHFL
GAs","InPatTota04","TotCashBalE","ExiWaitCard","DataToolsAv","StaffCounsl","NutriStaFem","Salari
eGovt","EquipNwborn","ScreenRecrd","DispHFWas02","Service0012","AdmActionpl","Familpanact",
"OneSyringeD","BizPlaMecGH","Growthmonit","TrainedFoca","DiagSignsSy","ClinicActin","ListTelCo
nR","PatComfH007","CouActionpl","PresLatTot0","ConductPlan","Service0018","WHOProcDiar","Blo
odbEme02","HeightMear","DispHFWas03","DisposSyrin","StaffDutRos","BizPlaMedCr","BizPlanScor
","FoodDemoMat","NumbRegistr","BizActiopl0","FeedbClinic","Service0025","CilnicRegis","CostRec
over","ChildHeCard","DiarSincOfT","BenPerfLe01","LabOpen7Day","WasteMatern","AFP6Montths",
"ANCAActionsp","Service0023","DelivrTable","AdminStaff0","Familpancom","ChildhealtS","WHOFlow
Diag","SalariesExp","SupFollPlan","ClenSchdNex","Service0015","StaffAttReg","HyMainTot01","IndC
ommMeet","CourtClean0","LGAmeetRept","morepersons","WeighScaleF","BloodbEme05","SerAvail
247","ClinicFamil","ScrenRecord","FuncThermAv","NutriStaUn5","HealtREWPla","HfRlmonitor","Pla
nSesionM","ContinusEBF","ImmunoCalcu","CashHandQtr","DefiControl","Lbcommentss","AskIfFever
r","CommentsPat","PlanCareInd","IndPatSensi","ThDeworming","ConsulStaff","actionplGud","Admc
omments","Service0040","GarbBinCour","Bizcomments","LabExamVisi","ConsulRoom1","TallyVaccin
","Familpan016","BankBalDrug","MedStaff000","actionplaHI","ActivReport","Socwelfar01","VCMwo
rkSett","DRExamNote1","NutriWomenS","DelivRoomMn","Sterilesets","ListHospRef","MalariaRapT",
"BloodbEme04","Shocomments","ANCCommentS","AskDiarhoea","AdminTotal0","DiarObsTot0","Av
ailPartog","ClinicComme","DedicCommuP","VaccinStore","NetChngCash","PropFileTot","RegPostInf
e","WorkersENCC","BizPlaStrRi","Service0039","IMClguideli","AFPcase6mon","BloodbEme03","Func
Microsc","FuncAmbServ","InPatRegist","CommentsEqp","Service0022","TranspCosts","ObsRoutTota
","MateActions","nRespondent","precomments","TotalPopul0","theneorg4","AdultHeight","Pres
ShowTot","SubsContrac","StaffDressW","BusinessPla1","EssDrugScor","actionplCom","RodPestCtrl",
"ConsulRoom2","PatComfH005","GrandSummat","HFPurDrugPh","GenManAdmSc","SterilObsBx","HF
implement","Stoolcollec","UpdateChain","ConsulScore","DrExamNotes","CircumTapes","FacPractAN
C","Familpan009","QualfMedDoc","NutActionp1","HIVHepBTest","ChemTempLGA","TransCertSf","C
leanCosts0","Service0001","CopSupRepAv","TempMeasure","MonManSMeet","BizPlanTot1","IndAc
tionpl","MothersDiet","AFPspecimen","CliDiagJust","TheComments","ManTeamMeet","Familpan00
6","SevMalTreat","AFPmeaslesY","Nutcomments","CommunityRI","AnnWorkPlan","InfantsFeed","C
linicTot00","HygMedWasCl","GenTotal001","CommentsObs","PatFilePedS","DutyRosTelC","WastDis
Plan","NeonAmbubag","DoorLockIns","KnwTubDang0","PropFileSy3","Service0004","DelivPerson",
HTSCounsReg","SurgTotal01","Service0038","AvaiEquiTot","LiteDeliv24","BizActionpl","TotalExpens"
","PersWashPip","Colloidsbag","SterilGlove","DispHFWas01","rdeneorg3","CommentsTra","ActivC
asTot","DefineeAEFI","BizPlaStake","CommentsHIV","AskIFCoughh","Familpan002","TempMeasChi",
"NetCashAvai","Service0027","DoorLockCei","Service0035","actionplap1","FamilplanTo","FinancScor
e","CaseDefinit","PriortDiseas","VaccinLedge","CorrectVacc","actionplaVa","psi","pi","ps","ao","enrol
lmentdate","incidentdate","executiondate","duedate","completeddate","created","lastupdated","pi
status","psistatus","geom","longitude","latitude","ou","ouname","oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps."
daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week
lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six
monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select
cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "H2OFunctLat", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40682) as "preActionpl", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as "InPatScore0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as "stenumname1", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as "EScommentss", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40559) as "WardName000", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as "ESactionpla", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribuIEC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DiarrProcAp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ResuscAreaN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AcuteMalnut",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SupervsPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RIproductSe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutrStatTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as "actionplEqp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecPreP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiluentVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$') as "end00000000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinanDocsAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0014",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QuartBizPla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandEnd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdStMovReg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RBFComFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisiotoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) debug2: channel 0: window 999281 sent adjust 49295

as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitInpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan005",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSevidence",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota05",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as "LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbrStaffs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MatChildSer",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as "Service0021",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVCounslRm",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CalcStaffs0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SuffH2OSoap",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaHygMn",(select ST_GeomFromGeoJSON('{ "type": "Point", "coordinates": ' || value || ', "crs": { "type": "name", "properties": { "name": "EPSG:4326" } } }') from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as "SurveyLocat",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as "Service0019",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AntTuberDrg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TimePrioDis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PengSuctDev",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumppnum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Genelmpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20L0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumppnum4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealthFalmm",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrpIECBCC00",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugsStored",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0017",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "DQAResulReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdChaiTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FindHealTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherReceip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdeqInPatRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RingLactate",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Thermometer",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EmerTelNumb",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowStafBed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrStaffIMCI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncRefridg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSupervHF",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?') as "start000000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DirecObsTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuperReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFrmHFav",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilizeCS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiseasePost",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Healthworker",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContribOthr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaFinCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilenorm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Monitorcard",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as "LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocIncExpBl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Sixmessages",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ShowRunH2OC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WasteEvacua",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom4",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UnitFeeDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Fal24HrServ",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaRateC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PharDelivHF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PlanRoutImm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HMISDataAna",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctionVDC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0009",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriEducat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdchainEq",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctLight0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "thenumorg5",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "OtherExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbackAFP",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumprum5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AppropWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndenumorg2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctnEquip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as

"FinanDocsA1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Trained2yar",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CostIndigen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumplnum2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Service0002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ComplemtFed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GuideJobTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HospitOrgan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BenPerfLess",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BankBalOpsQ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "FurnitAvail",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Service0008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TheaterTabl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "JobAidsAval",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaExcel",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GranPercent",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "HIVTreatICC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExamBedOPDC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP3Diffren",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaClInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StethBPMach",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHFLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as "NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as "DispHFWas02",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as "Service0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as "AdmActionpl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as "FAMILpanact",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as "CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeightMear",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisposSyrin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMedCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemoMat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbRegistr",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopI0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbClinic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CilnicRegis",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecover",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildHeCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarSincOfT",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLe01",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabOpen7Day",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteMatern",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP6Monthths",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0023",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivrTable",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "Familpancom",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildhealtS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOFLowDiag",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalariesExp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupFollPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClenSchdNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffAttReg",(select cast(value as

bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HyMainTot01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "IndCommMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CourtClean0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LGAmeeetRept", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WeighScaleF", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SerAvail247", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicFamil", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ScrenRecord", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncThermAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriStaUn5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HealtREWPla", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HfRImonitor", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PlanSesionM", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ContinusEBF", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ImmunoCalcu", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CashHandQtr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DefiControl", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcommentss", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriWomenS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterileSets", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ListHospRef", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "MalariaRapT", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as
"BloodbEme04", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as
"Shocomments", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as
"ANCCCommentS", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "AskDiarhoea", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AdminTotal0", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "DiarObsTot0", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailPartog", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41072) as "ClinicComme", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DedicCommuP", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "VaccinStore", (select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "NetChngCash", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40578 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PropFileTot", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40786) as "RegPostInfe", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40811 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WorkersENCC", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "BizPlaStrRi", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as
"Service0039", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "IMCguideli", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41068 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPcase6mon", (select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40903 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme03", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40737) as "FuncMicrosc", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40610 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbServ", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40763) as "InPatRegist", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as "CommentsEqp", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as "Service0022", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TranspCosts", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as "ObsRoutTota", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as "MateActions", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as "nRespondent", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as "precomments", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalPopul0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as "theneorge4", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultHeight", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresShowTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SubsContrac", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDressW", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BiznessPla1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EssDrugScor", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actiondebug2: channel 0: window 983048 sent adjust 65528 plCom", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005", (select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrandSummat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilObsBx", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFImplement", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Stoolcollec", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdateChain", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulScore", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CircumTapes", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FacPractANC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FAMILPAN009", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QualfMedDoc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVHepBTest", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChemTempLGA", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TransCertSf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanCosts0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40853) as "Service0001", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CopSupRepAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasure", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40600 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "MonManSMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "BizPlanTot1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as "IndActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "MothersDiet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41059 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AFPspecimen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40769) as "CliDiagJust",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as "TheComments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ManTeamMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "Familpan006",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "SevMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AFPmeaslesY",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "CommunityRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40594 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AnnWorkPlan",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ClinicTot00",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "HygMedWasCl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "GenTotal001",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "DutyRosTelC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "WastDisPlan",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NeonAmbubag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40668 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DoorLockIns", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "KnwTubDang0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as "PropFileSy3", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0004", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivPerson", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40851 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HTSCounsReg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgTotal01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as "Service0038", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvaiEquiTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40801 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LiteDeliv24", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40626) as "BizActionpl", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalExpens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PersWashPip", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Colloidsbag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilGlove", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40658) as "DispHFWas01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as "rdnumeorg3", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as "CommentsTra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivCasTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefineeAEFI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStake", (select value from trackedentitydatavalue where

```

programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as
"CommentsHIV",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "AskIFCoughh",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "Familpan002",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "TempMeasChi",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "NetCashAvai",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40879) as "Service0027",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "DoorLockCei",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as
"actionplap1",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "FamilplanTo",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "FinancScore",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "CaseDefinit",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "PriotDiseas",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?$') as "VaccinLedge",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "CorrectVacc",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40961) as
"actionplaVa",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi.executiondate,psi.du
edate,psi.completeddate,psi.created,psi.lastupdated,pi.status,psi.status,psi.geometry,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN 'POINT'
= GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END,ou.uid,ou.name,ou.code
from programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and
pi.deleted is false inner join categoryoptioncombo ao on
psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous
on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs
on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate)

```

as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on
psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on
cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and
psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:18:38' and
pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and
psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at
offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ','
expected (at offset 49)

at java.util.concurrent.FutureTask.report(FutureTask.java:122)

at java.util.concurrent.FutureTask.get(FutureTask.java:192)

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:59)

... 17 more

Caused by: org.springframework.jdbc.UncategorizedSQLException: StatementCallback;
uncategorized SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywed
nesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","qu
arterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFu
nctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1
","EScommentss","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","
Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalPro
cWall","CuratConTot","FinanDocsA2","DistribuleC","actionplCas","RecInLatFe","WeighScale3","Mo
nMeetMint","Service0028","MonPerfSys","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPl
an","RlproductSe","CLcommentss","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","B
ankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-
Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1",
"DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsur
gry","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","Blo
odbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH0
01","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom",
"actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0
032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3",
"LBactionpla","StateName00","PatFilKeySt","otheFacName","ANCFomAdmn","SkinPinches","PatCo
mfHygi","HIVTBScore0","actionplPat","FinanDocsAv","Service0020","Service0014","QuartBizPla","Ca
shHandEnd","IndiComScor","HygAssur002","UpdStMovReg","CommentsWas","Service0005","Confid
entia","Gencomments","Commentspre","NutriStatu5","Thactionpla","Staffanesth","Bizcomment1",
"VitaminAsup","PatComfH004","AdultsWeigh","HeaFundinRI","AbsExpDrugs","PAcommentss","RBFC
omFacMg","ANCRRegister","InfrasRehab","NumWorkENCC","EpisitoBox","PentVacTemp","FunctThe
rmo","CommentsCas","Min2UnBlood","stenumnum1","PerfBonuses","IntManChild","PAactionpla",
"GuardDutRos","Temprachart","Service0030","ndenumname2","shoActionpl","HygAssurInj","Surger
yCalc","PBFSubsidy0","KitcInpatAv","TotalFinanc","ARIProtocol","CliExamDone","Familpan003","Mai
ntFreeze","GenImpressn","NumberBeds0","Familpan005","ACSevidence","FamPlanScor","InPatTota
05","LastISSVisi","NumbrStaffs","InPatTota02","MatChildSer","Service0021","HIVCounslRm","CalcSt
affs0","SuffH20Soap","BizPlaHygMn","SurveyLocat","Service0019","FuncVaccExt","AntTuberDrg","N
utActionpl","TimePrioDis","ConsulRoomL","Service0037","SocialMarkt","PengSuctDev","UpdNominR
ol","MonSuperVis","ConsulRoomC","LabEquipPTB","CommentsSu1","CleanSchNex","WeighScale2",

NonMedStaff", "ParasitDemo", "rdenumprnum3", "HighRiskPol", "CommentsGud", "AFP6Actions", "GenelImpress", "H2OCont20L0", "SkinPinchCh", "AvailReagXM", "BankBalEndO", "ACS3monPrio", "FloorFissLs", "thenumpnum4", "FoodDemonst", "Service0029", "Service0041", "HealthFalmm", "FacilityPic", "thenumname5", "GrpIECBC00", "DrugsStored", "Service0017", "Service0007", "DQAResulReg", "ColdChaiTot", "ConsulRoom3", "FindHealTot", "OtherReceip", "LabExamDiag", "AdeqInPatRm", "RingLactate", "PropFileSy1", "Thermometer", "EmerTelNumb", "ShowStafBed", "Familpan008", "TrStaffIMCI", "FuncRefridg", "ACSupervHF", "start000000", "DirecObsTot", "SuperReport", "Service0036", "HMISReports", "ANCFo rmHFAv", "PatComfH003", "SterilezeCS", "Familpan015", "DiseasePost", "Healtworker", "RefSysTBPat", "ContribOthr", "BizPlaFinCr", "Sterilenorm", "Monitorcard", "Service0026", "CLactionpla", "Service0011", "PartographF", "PropConAnti", "LGAName0000", "InPatTota03", "Service0013", "INcomments", "CliExamPedi", "CareOgivers", "DisinfClean", "PatManTot00", "Commentspr1", "ACSpartners", "DocIncExpBl", "Service0024", "Familpan007", "ConWaitArea", "FuncAmbulAv", "MaternitCal", "IYCFguideli", "SurvelFocal", "LaboraScore", "WorkSchStaf", "FacilitName", "SimMalTreat", "Service0016", "MedLabSciAv", "FeverPerInt", "FuncLightng", "NumBeds1000", "EquipFurnit", "Sixmessages", "ShowRunH2OC", "actionplTra", "WasteEvacua", "ConsulRoom4", "actionplObs", "UnitFeeDrug", "DispHFWas04", "INactionpla", "Couc ommments", "Fal24HrServ", "BizPlaRateC", "PharDelivHF", "PlanRoutImm", "HMISDataAna", "Familpan004", "FunctionVDC", "CommentsCom", "Service0033", "thenumname4", "Service0009", "ConsulRoom5", "P entVaccine", "TongueDepre", "MissPriorit", "PatFileSurg", "Indcomments", "NutriEducat", "Theaterlamp", "AvailScaleW", "Suvellcalcu", "Nurseonduty", "ExTargetAge", "howmanother", "ColdchainEq", "FunctLi ght0", "theneorge5", "OtherExpens", "FeedbackAFP", "thenumpnum5", "AppropWeigh", "ndenumeor g2", "FunctnEquip", "StethBPMac2", "FinanDocsA1", "Trained2yar", "actionplaSu", "CostIndigen", "nden umpnum2", "Service0006", "NumInPatReg", "Service0002", "ComplemtFed", "GuideJobTot", "HospitOrg an", "BenPerfLess", "RepSurgProc", "NoteDrDaily", "BankBalOpsQ", "Service0042", "FurnitAvail", "Servic e0008", "TheaterTabl", "JobAidsAval", "DocQuaExcel", "GranPercent", "HIVTreatICC", "WardLiteAv0", "E xamBedOPDC", "AFP3Diffren", "DocQuaClInd", "StethBPMach", "ClinicActiv", "HygAssur001", "ACSoFHFL GAs", "InPatTota04", "TotCashBalE", "ExiWaitCard", "DataToolsAv", "StaffCounsI", "NutriStaFem", "Salari eGovt", "EquipNwborn", "ScreenRecrd", "DispHFWas02", "Service0012", "AdmActionpl", "Familpanact", "OneSyringeD", "BizPlaMecGH", "Growthmonit", "TrainedFoca", "DiagSignsSy", "ClinicActin", "ListTelCo nR", "PatComfH007", "CouActionpl", "PresLatTot0", "ConductPlan", "Service0018", "WHOProcDiar", "Blo odbEme02", "HeightMear", "DispHFWas03", "DisposSyrin", "StaffDutRos", "BizPlaMedCr", "BizPlanScor", "FoodDemoMat", "NumbRegistr", "BizActiopl0", "FeedbClinic", "Service0025", "CilnicRegis", "CostRec over", "ChildHeCard", "DiarSincOft", "BenPerfLe01", "LabOpen7Day", "WasteMatern", "AFP6Montths", " ANCActions", "Service0023", "DelivrTable", "AdminStaff0", "Familpancom", "ChildhealtS", "WHOFlow Diag", "SalariesExp", "SupFollPlan", "ClenSchdNex", "Service0015", "StaffAttReg", "HyMainTot01", "IndC ommMeet", "CourtClean0", "LGAMeetRept", "morepersons", "WeighScaleF", "BloodbEme05", "SerAvail 247", "ClinicFamil", "ScrenRecord", "FuncThermAv", "NutriStaUn5", "HealtREWPla", "HfRImonitor", "Pla nSesionM", "ContinusEBF", "ImmunoCalcu", "CashHandQtr", "DefiControl", "Lbcomments", "AskIfFever r", "CommentsPat", "PlanCareInd", "IndPatSensi", "ThDeworming", "ConsulStaff", "actionplGud", "Admc omments", "Service0040", "GarbBinCour", "Bizcomments", "LabExamVisi", "ConsulRoom1", "TallyVaccin", "Familpan016", "BankBalDrug", "MedStaff000", "actionplaHI", "ActivReport", "Socwelfar01", "VCMwo rkSett", "DRExamNote1", "NutriWomenS", "DelivRoomMn", "Sterilesets", "ListHospRef", "MalariaRapT", "BloodbEme04", "Shocomments", "ANCComments", "AskDiarhoea", "AdminTotal0", "DiarObsTot0", "Av ailPartog", "ClinicComme", "DedicCommup", "VaccinStore", "NetChngCash", "PropFileTot", "RegPostInf e", "WorkersENCC", "BizPlaStrRi", "Service0039", "IMCIguideli", "AFPcase6mon", "BloodbEme03", "Func Microsc", "FuncAmbServ", "InPatRegist", "CommentsEqp", "Service0022", "TranspCosts", "ObsRoutTota", "MateActions", "nRespondent", "precomments", "TotalPopul0", "theneorge4", "AdultHeight", "Pres ShowTot", "SubsContrac", "StaffDressW", "BusinessPla1", "EssDrugScor", "actionplCom", "RodPestCtrl", " ConsulRoom2", "PatComfH005", "GrandSummat", "HFPurDrugPh", "GenManAdmSc", "SterilObsBx", "HF

implement", "Stoolcollec", "UpdateChain", "ConsulScore", "DrExamNotes", "CircumTapes", "FacPractANC", "Familpan009", "QualfMedDoc", "NutActionp1", "HIVHepBTest", "ChemTempLGA", "TransCertSf", "CleanCosts0", "Service0001", "CopSupRepAv", "TempMeasure", "MonManSMeet", "BizPlanTot1", "IndActionpl", "MothersDiet", "AFPspecimen", "CliDiagJust", "TheComments", "ManTeamMeet", "Familpan006", "SevMalTreat", "AFPmeaslesY", "Nutcomments", "CommunityRI", "AnnWorkPlan", "InfantsFeed", "ClinicTot00", "HygMedWasCl", "GenTotal001", "CommentsObs", "PatFilePedS", "DutyRosTelC", "WastDisPlan", "NeonAmbubag", "DoorLockIns", "KnwTubDang0", "PropFileSy3", "Service0004", "DelivPerson", "HTSCounsReg", "SurgTotal01", "Service0038", "AvaiEquiTot", "LiteDeliv24", "BizActionpl", "TotalExpens", "PersWashPip", "Colloidsbag", "SterilGlove", "DispHFWas01", "rdenumeorg3", "CommentsTra", "ActivCasTot", "DefineeAEFI", "BizPlaStake", "CommentsHIV", "AskIFCoughh", "Familpan002", "TempMeasChi", "NetCashAvai", "Service0027", "DoorLockCei", "Service0035", "actionplap1", "FamilplanTo", "FinancScore", "CaseDefinit", "PriortDiseas", "VaccinLedge", "CorrectVacc", "actionplaVa", "psi", "pi", "ps", "ao", "enrolmentdate", "incidentdate", "executiondate", "duedate", "completeddate", "created", "lastupdated", "pi status", "psistatus", "geom", "longitude", "latitude", "ou", "ouname", "oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps."daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."weeklysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."sixmonthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select
cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "H2OFuncLat",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as
"InPatScore0",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as
"stenumname1",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as
"EScommentss",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos",(select cast(value as
double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as "ESactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribuIEC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarrProcAp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ResuscAreaN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AcuteMalnut",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupervsPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RIproductSe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutrStatTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as "actionplIEqp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Solacoldcha",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugRevenue",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelGuide",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan017",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Minorsurgery",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "Familpan011",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CoughSinceW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastePitHF0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntenatScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAwasteDis",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MSFTreatGui",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecPreP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiluentVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionpIWas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$', as "end00000000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "FinanDocsAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "Service0014",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "QuartBizPla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "CashHandEnd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$', as "UpdStMovReg",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as
"CommentsWas",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as
"Service0005",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as
"Gencomments",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as
"Commentspre",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as
"Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as
"Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as
"PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as
"PAcomments",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "RBFComFacMg",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value
as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid
and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisiotoBox",(select cast(value
as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as
"FunctThermo",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as
"CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitclnpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan005",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSevidence",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FamPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota05",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as "LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NumbrStaffs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MatChildSer",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as "Service0021",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HIVCounslRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CalcStaffs0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SuffH2OSoap",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaHygMn",(select ST_GeomFromGeoJSON('{"type":"Point", "coordinates":' || value || ', "crs":{"type":"name", "properties":{"name":"EPSG:4326"}}}') from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as "SurveyLocat",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as "Service0019",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AntTuberDrg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TimePrioDis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PengSuctDev",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumnum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Genelmpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "H2OCont20LO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SkinPinchCh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumnum4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "HealthFalmm",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GrpIECBC00",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DrugsStored",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Service0017",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DQAResulReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ColdChaiTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ConsulRoom3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "FindHealTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "OtherReceipt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AdeqInPatRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "RingLactate",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Thermometer",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "EmerTelNumb",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ShowStafBed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan008",(select cast(value as double precision) fdebug2: channel 0: window 983040 sent adjust 65536

rom trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TrStaffIMCI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncRefridg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACSSupervHF", (select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$)' as "start000000", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DirecObsTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SuperReport", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ANCFrmHFAv", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterilezeCS", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan015", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DiseasePost", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Healthworker", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RefSysTBPAT", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ContribOthr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaFinCr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Sterilenorm", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Monitorcard", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla", (select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as "LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocIncExpBl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sixmessages", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowRunH2OC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionpITra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteEvacua", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom4", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UnitFeeDrug", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Fal24HrServ", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaRateC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PharDelivHF", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PlanRoutImm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HMISDataAna",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctionVDC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0009",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriEducate",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdchainEq",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctLight0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "theneorg5",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbackAFP",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumprum5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AppropWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndeneorg2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctnEquip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as "FinanDocsA1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Trained2yar",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostIndigen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumprum2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ComplemtFed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuideJobTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HospitOrgan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLess",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalOpsQ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FurnitAvail",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TheaterTabl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "JobAidsAval",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaExcel",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GranPercent",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTreatICC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExamBedOPDC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP3Diffren",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaClInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StethBPMach",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHFLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as
"NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as
"DispHFWas02",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as
"Service0012",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as
"AdmActionpl",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as
"Familpanact",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as
"CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue

where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BloodbEme02", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HeightMear", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DisposSyrin", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StaffDutRos", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaMedCr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlanScor", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FoodDemoMat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NumbRegistr", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopI0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbClinic", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CilnicRegis", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CostRecover", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ChildHeCard", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DiarSincOf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BenPerfLe01", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LabOpen7Day", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WasteMatern", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFP6Monthts", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0023", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DelivrTable",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "FAMILPANCOM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Childhealt5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WHOFLowDiag",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SalariesExp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SupFollPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClenSchdNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StaffAttReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HyMainTot01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "IndCommMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CourtClean0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LGAmeetRept",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WeighScaleF",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SerAvail247",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicFAMIL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ScrenRecord",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncThermAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "NutriStaUn5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealtREWPla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HfRlmonitor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefiControl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriWomenS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilesets",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListHospRef",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalariaRapT",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as "ANCCommentS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DedicCommup",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "VaccinStore",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NetChngCash",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40578 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PropFileTot",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40786) as "RegPostInfe",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40811 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WorkersENCC",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "BizPlaStrRi",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as
"Service0039",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "IMCIGuideli",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41068 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPcase6mon",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40903 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BloodbEme03",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40737) as "FuncMicrosc",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40610 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncAmbServ",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40763) as "InPatRegist",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as
"CommentsEqp",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as
"Service0022",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "TranspCosts",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as
"ObsRoutTota",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as
"MateActions",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as
"nRespondent",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as
"precomments",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "TotalPopul0",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as
"thenumorg4",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "AdultHeight",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BusinessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HFImplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UpdateChain",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulScore",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CircumTapes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FacPractANC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FAMILPAN009",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QualfMedDoc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVHepBTest", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChemTempLGA", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TransCertSf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanCosts0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40853) as "Service0001", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CopSupRepAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasure", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonManSMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanTot1", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as "IndActionpl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MothersDiet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPspecimen", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40769) as "CliDiagJust", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as "TheComments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ManTeamMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan006", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SevMalTreat", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPmeaslesY", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CommunityRI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40594 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AnnWorkPlan",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicTot00",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HygMedWasCl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GenTotal001",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DutyRosTelC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WastDisPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NeonAmbubag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40668 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DoorLockIns",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "KnwTubDang0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as "PropFileSy3",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0004",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DelivPerson",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40851 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HTSCounsReg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SurgTotal01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as "Service0038",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvaiEquiTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40801 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LiteDeliv24",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40626) as "BizActionpl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TotalExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PersWashPip", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Colloidsbag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterilGlove", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40658) as "DispHFWas01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as "rdenumorg3", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as "CommentsTra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ActivCasTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DefineeAEFI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaStake", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as "CommentsHIV", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AskIFCoughh", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TempMeasChi", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NetCashAvai", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40879) as "Service0027", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DoorLockCeI", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40887) as "Service0035", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as "actionplap1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FamilplanTo", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FinancScore", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CaseDefinit", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PriotDiseas", (select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinLedge", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CorrectVacc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40961) as "actionplaVa", psi.uid, pi.uid, ps.uid, ao.uid, pi.enrollmentdate, pi.incidentdate, psi.executiondate, psi.duedate, psi.completeddate, psi.created, psi.lastupdated, pi.status, psi.status, psi.geometry, CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END, CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_Y(pdebug2: channel 0: window 983040 sent adjust 65536 si.geometry) ELSE null END, ou.uid, ou.name, ou.code from programstageinstance psi inner join programinstance pi on psi.programinstanceid=pi.programinstanceid inner join programstage ps on psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate) as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:18:38' and pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:90)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)

at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:419)

at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:445)

at

org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateAndLog(AbstractJdbcTableManager.java:488)

at
org.hisp.dhis.analytics.table.JdbcEventAnalyticsTableManager.populateTable(JdbcEventAnalyticsTableManager.java:177)

at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateTablesAsync(AbstractJdbcTableManager.java:232)

at sun.reflect.GeneratedMethodAccessor2494.invoke(Unknown Source)

at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:333)

at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:190)

at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157)

at
org.springframework.aop.interceptor.AsyncExecutionInterceptor\$1.call(AsyncExecutionInterceptor.java:115)

... 6 more

Caused by: org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.java:2440)

at org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:2183)

at org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:308)

at org.postgresql.jdbc.PgStatement.executeInternal(PgStatement.java:441)

at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:365)

at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:307)

at org.postgresql.jdbc.PgStatement.executeCachedSql(PgStatement.java:293)

at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:270)

at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:266)

at com.mchange.v2.c3p0.impl.NewProxyStatement.execute(NewProxyStatement.java:75)

at
org.springframework.jdbc.core.JdbcTemplate\$1ExecuteStatementCallback.doInStatement(JdbcTemplate.java:436)

at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:408)

... 17 more

* INFO 2019-11-20 15:22:59,386 Login attempt: admin (TwoFactorAuthenticationProvider.java [http-nio-8052-exec-405])

* WARN 2019-11-20 15:22:59,517 Authentication event AuthenticationSuccessEvent: admin; details: org.hisp.dhis.security.spring2fa.TwoFactorWebAuthenticationDetails@380f4: RemoteIpAddress: 127.0.0.1; SessionId: 0B8AF88A99F998E24C97770E95F0EECA (LoggerListener.java [http-nio-8052-exec-405])

* WARN 2019-11-20 15:22:59,534 Authentication event SessionFixationProtectionEvent: admin; details: org.hisp.dhis.security.spring2fa.TwoFactorWebAuthenticationDetails@380f4: RemoteIpAddress: 127.0.0.1; SessionId: 0B8AF88A99F998E24C97770E95F0EECA (LoggerListener.java [http-nio-8052-exec-405])

* WARN 2019-11-20 15:22:59,535 Authentication event InteractiveAuthenticationSuccessEvent: admin; details: org.hisp.dhis.security.spring2fa.TwoFactorWebAuthenticationDetails@380f4: RemoteIpAddress: 127.0.0.1; SessionId: 0B8AF88A99F998E24C97770E95F0EECA (LoggerListener.java [http-nio-8052-exec-405])

* INFO 2019-11-20 15:23:28,104 Scheduler initiated execution of job: LNK66L78Qn2, inMemoryAnalyticsJob, ANALYTICS_TABLE, (DefaultSchedulingManager.java [http-nio-8052-exec-401])

* INFO 2019-11-20 15:23:28,105 Found 7 analytics table types: [COMPLETENESS_TARGET, ENROLLMENT, ORG_UNIT_TARGET, VALIDATION_RESULT, DATA_VALUE, COMPLETENESS, EVENT] (DefaultAnalyticsTableGenerator.java [taskScheduler-24])

* INFO 2019-11-20 15:23:28,106 Analytics table update: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019} (DefaultAnalyticsTableGenerator.java [taskScheduler-24])

* INFO 2019-11-20 15:23:28,106 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:23:28 WAT 2019, message: Analytics table update process started] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:23:28,106 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:23:28 WAT 2019, message: Updating resource tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:23:30,293 Create table SQL: create table _orgunitstructure_temp (organisationunitid integer not null primary key, organisationunituid character(11), level integer, "idlevel1" integer, "uidlevel1" character(11), "namelevel1" text, "idlevel2" integer, "uidlevel2" character(11), "namelevel2" text, "idlevel3" integer, "uidlevel3" character(11), "namelevel3" text, "idlevel4" integer, "uidlevel4" character(11), "namelevel4" text, "idlevel5" integer, "uidlevel5" character(11), "namelevel5" text, "idlevel6" integer, "uidlevel6" character(11), "namelevel6" text); (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:30,314 Populate table content rows: 40784 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:46,421 Create index SQL: create unique index in_organitstructure_organisationunitid_Ai04e on _organitstructure_temp(organisationunitid) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:46,669 Swapped resource table: _organitstructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:46,669 Analyze table SQL: analyze _organitstructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:47,424 Analyzed resource table: _organitstructure, done in: 00:00:19.314 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,228 Create table SQL: create table _datasetorganisationunitcategory_temp (datasetid integer not null, organisationunitid integer not null, attributeoptioncomboid integer not null, costartdate date, coenddate date) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,231 Populate table content rows: 3 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,237 Create index SQL: create unique index in__datasetorganisationunitcategory_HfFw5 on _datasetorganisationunitcategory_temp(datasetid, organisationunitid, attributeoptioncomboid) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,252 Swapped resource table: _datasetorganisationunitcategory (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,252 Analyze table SQL: analyze _datasetorganisationunitcategory; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,254 Analyzed resource table: _datasetorganisationunitcategory, done in: 00:00:00.028 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,268 Create table SQL: create table _categoryoptioncomboname_temp (categoryoptioncomboid integer not null primary key, categoryoptioncomboname varchar(255), approvallevel integer, startdate date, enddate date) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,280 Populate table content rows: 7 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,287 Swapped resource table: _categoryoptioncomboname (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,287 Analyze table SQL: analyze _categoryoptioncomboname; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,288 Analyzed resource table: _categoryoptioncomboname, done in: 00:00:00.024 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,294 Create table SQL: create table _dataelementgroupsetstructure_temp (dataelementid integer not null, dataelementname varchar(230), primary key (dataelementid)) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,298 Populate table SQL: insert into _dataelementgroupsetstructure_temp select d.dataelementid as dataelementid, d.name as dataelementname from dataelement d (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,315 Swapped resource table: _dataelementgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,315 Analyze table SQL: analyze _dataelementgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,321 Analyzed resource table: _dataelementgroupsetstructure, done in: 00:00:00.029 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,340 Create table SQL: create table _indicatorgroupsetstructure_temp (indicatorid integer not null, indicatorname varchar(230), primary key (indicatorid)) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,348 Populate table SQL: insert into _indicatorgroupsetstructure_temp select i.indicatorid as indicatorid, i.name as indicatorname from indicator i (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,353 Swapped resource table: _indicatorgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,354 Analyze table SQL: analyze _indicatorgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,354 Analyzed resource table: _indicatorgroupsetstructure, done in: 00:00:00.016 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,359 Create table SQL: create table _organisationunitgroupsetstructure_temp (organisationunitid integer not null, organisationunitname varchar(230), startdate date) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,361 Populate table SQL: insert into _organisationunitgroupsetstructure_temp select ou.organisationunitid as organisationunitid, ou.name as organisationunitname, null as startdate from organisationunit ou inner join _orgunitstructure ous on ous.organisationunitid = ou.organisationunitid (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,455 Create index SQL: create index in_orgunitgroupsetstructure_not_null_FieV8 on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is not null (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,466 Create index SQL: create index in_orgunitgroupsetstructure_null_sB39z on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is null (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,526 Swapped resource table: _organisationunitgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,527 Analyze table SQL: analyze _organisationunitgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,652 Analyzed resource table: _organisationunitgroupsetstructure, done in: 00:00:00.294 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,665 Create table SQL: create table _categorystructure_temp (categoryoptioncomboid integer not null, categoryoptioncomboname varchar(255), "Gender" varchar(230), "oCexmTm2srU" character(11), "Age" varchar(230), "V4eEkca3B5w" character(11), "Population at Risk" varchar(230), "ecrolgj8C0" character(11), "P falciparum" varchar(230), "cxVDMpYF5mE" character(11), "Malaria by microscopy" varchar(230), "aGGuES0BTYq" character(11), "Malaria" varchar(230), "DsqaFvycxfj" character(11), primary key (categoryoptioncomboid)) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,697 Populate table SQL: insert into _categorystructure_temp select coc.categoryoptioncomboid as cocid, coc.name as cocname, (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "Gender", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "oCexmTm2srU", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "Age", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "V4eEkca3B5w", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "Population at Risk", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "ecrolgj8C0", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "P falciparum", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =

cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "cxVDMpYF5mE", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as "Malaria by microscopy", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as "aGGuES0BTYq", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "Malaria", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "DsqaFvycxfj" from categoryoptioncombo coc (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,707 Swapped resource table: _categorystructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,708 Analyze table SQL: analyze _categorystructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,708 Analyzed resource table: _categorystructure, done in: 00:00:00.047 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,756 Create table SQL: CREATE TABLE _dataelementstructure_temp (dataelementid INTEGER NOT NULL PRIMARY KEY, dataelementuid CHARACTER(11), dataelementname VARCHAR(230), datasetid INTEGER, datasetuid CHARACTER(11), datasetname VARCHAR(230), datasetapprovallevel INTEGER, workflowid INTEGER, periodtypeid INTEGER, periodtypename VARCHAR(230)) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:48,766 Populate table content rows: 2018 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,758 Create index SQL: create unique index in_dataelementstructure_dataelementuid_zQ9lQ on _dataelementstructure_temp(dataelementuid); (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,768 Create index SQL: create index in_dataelementstructure_datasetid_oJXmr on _dataelementstructure_temp(datasetid); (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,791 Create index SQL: create index in_dataelementstructure_datasetuid_lSyZH on _dataelementstructure_temp(datasetuid); (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,799 Create index SQL: create index in_dataelementstructure_periodtypeid_E2Pmu on _dataelementstructure_temp(periodtypeid); (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,806 Create index SQL: create index in_dataelementstructure_workflowid_iGChZ on _dataelementstructure_temp(workflowid); (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,820 Swapped resource table: _dataelementstructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,820 Analyze table SQL: analyze _dataelementstructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,830 Analyzed resource table: _dataelementstructure, done in: 00:00:01.084 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,874 Create table SQL: create table _periodstructure_temp (periodid integer not null primary key, iso varchar(15) not null, daysno integer not null, startdate date not null, enddate date not null, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,879 Populate table content rows: 8 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,887 Create index SQL: create unique index in_periodstructure_iso_rpCZS on _periodstructure_temp(iso) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,894 Swapped resource table: _periodstructure (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,894 Analyze table SQL: analyze _periodstructure; (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:49,895 Analyzed resource table: _periodstructure, done in: 00:00:00.026 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:58,187 Create table SQL: create table _dateperiodstructure_temp (dateperiod date not null primary key, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:58,202 Populate table content rows: 18263 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,010 Create index SQL: create index in_dateperiodstructure_daily_WBgd4 on _dateperiodstructure_temp("daily") (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,054 Create index SQL: create index
in_dateperiodstructure_weekly_qp7aS on _dateperiodstructure_temp("weekly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,105 Create index SQL: create index
in_dateperiodstructure_weeklywednesday_Xhz1O on
_dateperiodstructure_temp("weeklywednesday") (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,165 Create index SQL: create index
in_dateperiodstructure_weeklythursday_xq8kn on _dateperiodstructure_temp("weeklythursday")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,225 Create index SQL: create index
in_dateperiodstructure_weeklysaturday_THUeh on _dateperiodstructure_temp("weeklysaturday")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,280 Create index SQL: create index
in_dateperiodstructure_weeklysunday_iuA5v on _dateperiodstructure_temp("weeklysunday")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,333 Create index SQL: create index
in_dateperiodstructure_biweekly_Wz2Em on _dateperiodstructure_temp("biweekly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,371 Create index SQL: create index
in_dateperiodstructure_monthly_wrlys on _dateperiodstructure_temp("monthly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,387 Create index SQL: create index
in_dateperiodstructure_bimonthly_pyH4e on _dateperiodstructure_temp("bimonthly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,407 Create index SQL: create index
in_dateperiodstructure_quarterly_HryUI on _dateperiodstructure_temp("quarterly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,440 Create index SQL: create index
in_dateperiodstructure_sixmonthly_W1cql on _dateperiodstructure_temp("sixmonthly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,467 Create index SQL: create index
in_dateperiodstructure_sixmonthlyapril_iZHDn on _dateperiodstructure_temp("sixmonthlyapril")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,494 Create index SQL: create index
in_dateperiodstructure_yearly_ljP3V on _dateperiodstructure_temp("yearly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,524 Create index SQL: create index
in_dateperiodstructure_financialapril_uVyq0 on _dateperiodstructure_temp("financialapril")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,552 Create index SQL: create index
in_dateperiodstructure_financialjuly_bxj5l on _dateperiodstructure_temp("financialjuly")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,581 Create index SQL: create index
in_dateperiodstructure_financialoct_kWAfo on _dateperiodstructure_temp("financialoct")
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,646 Swapped resource table: _dateperiodstructure
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,647 Analyze table SQL: analyze _dateperiodstructure;
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,861 Analyzed resource table: _dateperiodstructure, done in:
00:00:09.961 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,864 Create table SQL: CREATE TABLE
_dataelementcategoryoptioncombo_temp (dataelementid INTEGER NOT NULL, dataelementuid
VARCHAR(11) NOT NULL, categoryoptioncomboid INTEGER NOT NULL, categoryoptioncomboid
VARCHAR(11) NOT NULL) (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,865 Populate table SQL: insert into
_dataelementcategoryoptioncombo_temp (dataelementid, dataelementuid,
categoryoptioncomboid, categoryoptioncomboid) select de.dataelementid as dataelementid,
de.uid as dataelementuid, coc.categoryoptioncomboid as categoryoptioncomboid, coc.uid as
categoryoptioncomboid from dataelement de join categorycombos_optioncombos cc on
de.categorycomboid = cc.categorycomboid join categoryoptioncombo coc on
cc.categoryoptioncomboid = coc.categoryoptioncomboid (JdbcResourceTableStore.java
[taskScheduler-24])

* INFO 2019-11-20 15:23:59,870 Create index SQL: create index
in_dataelementcategoryoptioncombo_EITLC on
_dataelementcategoryoptioncombo_temp(dataelementuid, categoryoptioncomboid)
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,884 Swapped resource table: _dataelementcategoryoptioncombo
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,884 Analyze table SQL: analyze _dataelementcategoryoptioncombo;
(JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,891 Analyzed resource table: _dataelementcategoryoptioncombo,
done in: 00:00:00.028 (JdbcResourceTableStore.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,911 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:23:59 WAT 2019, message: Updating tables: DATA_VALUE] (InMemoryNotifier.java
[taskScheduler-24])

* INFO 2019-11-20 15:23:59,912 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start
time=Wed Nov 20 15:23:28 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,913 Starting update: analytics, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,926 Table update start: analytics, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019}: 00:00:00.013 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,927 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:23:59 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,927 Performed pre-create table work: 00:00:00.014 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,927 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:23:59 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,928 Dropped temp tables: 00:00:00.015 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,928 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:23:59 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,929 Creating table: analytics_temp, columns: 38 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,944 Creating partition table: analytics_temp_2019 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,960 Created analytics tables: 00:00:00.046 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,960 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:23:59 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:23:59,960 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,024 Populated table in 0.06 seconds: analytics_temp_2019, [INTEGER, INTEGER_POSITIVE, INTEGER_NEGATIVE, INTEGER_ZERO_OR_POSITIVE, NUMBER, UNIT_INTERVAL, PERCENTAGE] (AbstractJdbcTableManager.java [taskScheduler-17])

* INFO 2019-11-20 15:24:00,063 Populated table in 0.04 seconds: analytics_temp_2019, [TRUE_ONLY, BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-17])

* INFO 2019-11-20 15:24:00,114 Populated table in 0.05 seconds: analytics_temp_2019, [BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-17])

* INFO 2019-11-20 15:24:00,162 Populated table in 0.05 seconds: analytics_temp_2019, [TEXT, LONG_TEXT, LETTER, TIME, USERNAME, EMAIL, PHONE_NUMBER, URL, DATE, DATETIME, AGE] (AbstractJdbcTableManager.java [taskScheduler-17])

* INFO 2019-11-20 15:24:00,163 Populated analytics tables: 00:00:00.250 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,163 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,165 Invoked analytics table hooks: 00:00:00.252 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,165 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,180 Applied aggregation levels: 00:00:00.267 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,180 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,180 Tables vacuumed: 00:00:00.267 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,180 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,180 No of analytics table indexes: 38 (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,287 Created indexes: 00:00:00.374 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,287 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,290 Analyzed tables: 00:00:00.377 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,290 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,292 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,299 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,332 Table update done: analytics: 00:00:00.419 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,333 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,333 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Updating tables: COMPLETENESS] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,334 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,334 Starting update: analytics_completeness, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,339 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: No complete registrations exist, not updating completeness analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,339 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Updating tables: COMPLETENESS_TARGET] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,340 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,340 Starting update: analytics_completeness_target, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,342 Table update start: analytics_completeness_target, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019}: 00:00:00.001 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,342 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,342 Performed pre-create table work: 00:00:00.002 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,342 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,344 Dropped temp tables: 00:00:00.004 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,345 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,345 Creating table: analytics_completeness_target_temp, columns: 12 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,348 Created analytics tables: 00:00:00.007 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,348 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,349 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,364 Populated table in 0.01 seconds:
analytics_completeness_target_temp (AbstractJdbcTableManager.java [taskScheduler-8])

* INFO 2019-11-20 15:24:00,365 Populated analytics tables: 00:00:00.024 (Clock.java
[taskScheduler-24])

* INFO 2019-11-20 15:24:00,365 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java
[taskScheduler-24])

* INFO 2019-11-20 15:24:00,367 Invoked analytics table hooks: 00:00:00.026 (Clock.java
[taskScheduler-24])

* INFO 2019-11-20 15:24:00,367 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-
24])

* INFO 2019-11-20 15:24:00,373 Applied aggregation levels: 00:00:00.033 (Clock.java
[taskScheduler-24])

* INFO 2019-11-20 15:24:00,373 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,374 Tables vacuumed: 00:00:00.033 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,374 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,374 No of analytics table indexes: 12 (DefaultAnalyticsTableService.java
[taskScheduler-24])

* INFO 2019-11-20 15:24:00,413 Created indexes: 00:00:00.072 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,413 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-
24])

* INFO 2019-11-20 15:24:00,417 Analyzed tables: 00:00:00.076 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,417 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-
24])

* INFO 2019-11-20 15:24:00,419 Table exists SQL: select count(table_name) from
information_schema.tables where table_name = 'analytics_completeness_target' and table_type =
'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,426 Swapping table, master table exists: true, skip master table: false
(AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,437 Table update done: analytics_completeness_target: 00:00:00.096
(Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,437 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:24:00 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,437 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Updating tables: ORG_UNIT_TARGET] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,438 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,438 Starting update: analytics_organittarget, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,439 Table update start: analytics_organittarget, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019}: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,439 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,439 Performed pre-create table work: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,439 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,440 Dropped temp tables: 00:00:00.002 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,440 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,441 Creating table: analytics_organittarget_temp, columns: 7 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,444 Created analytics tables: 00:00:00.006 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,444 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,444 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,448 Populated table in 0.00 seconds: analytics_organittarget_temp (AbstractJdbcTableManager.java [taskScheduler-19])

* INFO 2019-11-20 15:24:00,448 Populated analytics tables: 00:00:00.010 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,448 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,449 Invoked analytics table hooks: 00:00:00.011 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,450 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,456 Applied aggregation levels: 00:00:00.018 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,457 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,457 Tables vacuumed: 00:00:00.019 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,457 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,457 No of analytics table indexes: 7 (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,476 Created indexes: 00:00:00.037 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,476 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,479 Analyzed tables: 00:00:00.040 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,479 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,482 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_organittarget' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,490 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,514 Table update done: analytics_organittarget: 00:00:00.075 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,514 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,514 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:00 WAT 2019, message: Updating tables: EVENT] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,515 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,516 Starting update: analytics_event, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:00,523 Get tables using earliest: null, spatial support: true (JdbcEventAnalyticsTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,186 Table update start: analytics_event, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:23:28 WAT 2019}: 00:00:00.670 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,187 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:01 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,187 Performed pre-create table work: 00:00:00.671 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,187 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:01 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,229 Dropped temp tables: 00:00:00.713 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,229 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:01 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,234 Creating table: analytics_event_temp_o2bx8rmofhk, columns: 612 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,283 Creating partition table: analytics_event_temp_2019_o2bx8rmofhk (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,314 Creating table: analytics_event_temp_bcvrc668a8p, columns: 706 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,349 Creating partition table: analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,382 Creating table: analytics_event_temp_dydivu4loxe, columns: 359 (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,397 Creating partition table: analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,413 Created analytics tables: 00:00:00.897 (Clock.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,413 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:01 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,414 Populate table task number: 2 (DefaultAnalyticsTableService.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,729 [Level: ERROR, category: ANALYTICS_TABLE, time: Wed Nov 20 15:24:01 WAT 2019, message: Process failed: Exception during execution] (InMemoryNotifier.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,733 'system-process' create org.hisp.dhis.message.MessageConversation, name: Analytics table process failed, uid: JD508ttJQIA (AuditLogUtil.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,737 no recipient (SmsMessageSender.java [taskScheduler-1])

* INFO 2019-11-20 15:24:01,756 'system-process' create
org.hisp.dhis.message.MessageConversation, name: Job 'inMemoryAnalyticsJob' failed, uid:
PIIDIsi0SfW (AuditLogUtil.java [taskScheduler-24])

* INFO 2019-11-20 15:24:01,758 no recipient (SmsMessageSender.java [taskScheduler-17])

* ERROR 2019-11-20 15:24:01,770 Job 'inMemoryAnalyticsJob' failed (DefaultJobInstance.java
[taskScheduler-24])

java.lang.RuntimeException: Exception during execution

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:63)

at

org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.populateTables(DefaultAnalyticsTableService.java:254)

at

org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyticsTableService.java:149)

at

org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(DefaultAnalyticsTableGenerator.java:114)

at

org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTableJob.java:70)

at org.hisp.dhis.scheduling.DefaultJobInstance.executeJob(DefaultJobInstance.java:155)

at org.hisp.dhis.scheduling.DefaultJobInstance.execute(DefaultJobInstance.java:69)

at

org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda\$internalExecuteJobConfiguration\$3(DefaultSchedulingManager.java:280)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(DelegatingErrorHandlingRunnable.java:54)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

java.util.concurrent.ScheduledThreadPoolExecutor\$ScheduledFutureTask.access\$201(ScheduledThreadPoolExecutor.java:180)

at
java.util.concurrent.ScheduledThreadPoolExecutor\$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:293)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Caused by: java.util.concurrent.ExecutionException:

org.springframework.jdbc.UncategorizedSQLException: StatementCallback; uncategorized
SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywed
nesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","qu
arterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFu
nctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1
","EScommentss","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","
Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalPro
cWall","CuratConTot","FinanDocsA2","DistribulEC","actionplCas","RecClnLatFe","WeighScale3","Mo
nMeetMint","Service0028","MonPerfSyst","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPl
an","RIproductSe","CLcommentss","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","B
ankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-
Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1",
"DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsur
gry","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","Blo
odbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH0
01","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom",
actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0
032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3",
"LBactionpla","StateName00","PatFilKeySt","otheFacName","ANCFomAdmn","SkinPinches","PatCo
mfHygi","HIVTBScore0","actionplPat","FinanDocsAv","Service0020","Service0014","QuartBizPla","Ca
shHandEnd","IndiComScor","HygAssur002","UpdStMovReg","CommentsWas","Service0005","Confid
entia","Gencomments","Commentspre","NutriStatu5","Thactionpla","Staffanesth","Bizcomment1",
VitaminAsup","PatComfH004","AdultsWeigh","HeaFundinRI","AbsExpDrugs","PAcommentss","RBF
omFacMg","ANCRRegister","InfrasRehdebug2: channel 0: window 996660 sent adjust 51916

ab","NumWorkENCC","EpisitoBox","PentVacTemp","FunctThermo","CommentsCas","Min2UnBlood
","stenumnum1","PerfBonuses","IntManChild","PAactionpla","GuardDutRos","Temprachart","Servi
ce0030","ndenumname2","shoActionpl","HygAssurInj","SurgeryCalc","PBFSubsidy0","KitcInpatAv",
TotalFinanc","ARIProtocol","CliExamDone","Familpan003","MaintFreeze","GenImpressn","NumberB
eds0","Familpan005","ACSevidence","FamPlanScor","InPatTota05","LastISSVisi","NumbrStaffs","InP
atTota02","MatChildSer","Service0021","HIVCounslRm","CalcStaffs0","SuffH20Soap","BizPlaHygMn"
,"SurveyLocat","Service0019","FuncVaccExt","AntTuberDrg","NutActionpl","TimePrioDis","ConsulRo
omL","Service0037","SocialMarkt","PengSuctDev","UpdNominRol","MonSuperVis","ConsulRoomC",
LabEquipPTB","CommentsSu1","CleanSchNex","WeighScale2","NonMedStaff","ParasitDemo","rden
umpnum3","HighRiskPol","CommentsGud","AFP6Actions","GenelImpress","H2OCont20L0","SkinPinc
hCh","AvailReagXM","BankBalEndO","ACS3monPrio","FloorFissLs","thenumpnum4","FoodDemonst"
,"Service0029","Service0041","HealthFalmm","FacilityPic","thenumname5","GrpIECBCC00","DrugsSt
ored","Service0017","Service0007","DQAResulReg","ColdChaiTot","ConsulRoom3","FindHealTot","O

therRecep", "LabExamDiag", "AdeqInPatRm", "RingLactate", "PropFileSy1", "Thermometer", "EmerTelNumb", "ShowStafBed", "Familpan008", "TrStaffIMCI", "FuncRefridg", "ACSupervHF", "start000000", "Dir ecObsTot", "SuperReport", "Service0036", "HMISReports", "ANCFomHFAv", "PatComfH003", "Sterileze CS", "Familpan015", "DiseasePost", "Healtworker", "RefSysTBPat", "ContribOthr", "BizPlaFinCr", "Sterile norm", "Monitorcard", "Service0026", "CLactionpla", "Service0011", "PartographF", "PropConAnti", "LG AName0000", "InPatTota03", "Service0013", "INcommentss", "CliExamPedi", "CareOgivers", "DisinfClea n", "PatManTot00", "Commentspr1", "ACSparters", "DocIncExpBl", "Service0024", "Familpan007", "Con WaitArea", "FuncAmbulAv", "MaternitCal", "IYCFguideli", "SurvelFocal", "LaboraScore", "WorkSchStaf", "FacilitName", "SimMalTreat", "Service0016", "MedLabSciAv", "FeverPerInt", "FuncLightng", "NumBeds1 000", "EquipFurnit", "Sixmessages", "ShowRunH2OC", "actionplTra", "WasteEvacua", "ConsulRoom4", "a ctionplObs", "UnitFeeDrug", "DispHFWas04", "INactionpla", "Coucomments", "Fal24HrServ", "BizPlaRat eC", "PharDelivHF", "PlanRoutImm", "HMISDataAna", "Familpan004", "FunctionVDC", "CommentsCom", "Service0033", "thenumname4", "Service0009", "ConsulRoom5", "PentVaccine", "TongueDepre", "Miss Priorit", "PatFileSurg", "Indcomments", "NutriEducat", "Theaterlamp", "AvailScaleW", "Suvellcalcu", "Nu rseonduty", "ExTargetAge", "howmanother", "ColdchainEq", "FuncnLight0", "thenumorg5", "OtherExpe ns", "FeedbackAFP", "thenumnum5", "AppropWeigh", "ndenumorg2", "FuncnEquip", "StethBPMac2 ", "FinanDocsA1", "Trained2yar", "actionplaSu", "CostIndigen", "ndenumnum2", "Service0006", "NumIn PatReg", "Service0002", "ComplemtFed", "GuideJobTot", "HospitOrgan", "BenPerfLess", "RepSurgProc", "NoteDrDaily", "BankBalOpsQ", "Service0042", "FurnitAvail", "Service0008", "TheaterTabl", "JobAidsAva l", "DocQuaExcel", "GranPercent", "HIVTreatICC", "WardLiteAv0", "ExamBedOPDC", "AFP3Diffren", "Doc QuaClInd", "StethBPMach", "ClinicActiv", "HygAssur001", "ACSoFHFLGAs", "InPatTota04", "TotCashBalE ", "ExiWaitCard", "DataToolsAv", "StaffCounsI", "NutriStaFem", "SalarieGovt", "EquipNwborn", "ScreenRe crd", "DispHFWas02", "Service0012", "AdmActionpl", "Familpanact", "OneSyringeD", "BizPlaMecGH", "G rowthmonit", "TrainedFoca", "DiagSignsSy", "ClinicActin", "ListTelConR", "PatComfH007", "CouActionpl", "PresLatTot0", "ConductPlan", "Service0018", "WHOProcDiar", "BloodbEme02", "HeightMeasr", "DispH FWas03", "DisposSyrin", "StaffDutRos", "BizPlaMedCr", "BizPlanScor", "FoodDemoMat", "NumbRegistr", "BizActiopl0", "FeedbClinic", "Service0025", "CilnicRegis", "CostRecover", "ChildHeCard", "DiarSincOft", "BenPerfLe01", "LabOpen7Day", "WasteMatern", "AFP6Montths", "ANCActionsp", "Service0023", "Delivr Table", "AdminStaff0", "Familpancom", "ChildhealtS", "WHOFLowDiag", "SalariesExp", "SupFollPlan", "Cl enSchdNex", "Service0015", "StaffAttReg", "HyMainTot01", "IndCommMeet", "CourtClean0", "LGAmee tRept", "morepersons", "WeighScaleF", "BloodbEme05", "SerAvail247", "ClinicFamil", "ScrenRecord", "Fu ncThermAv", "NutriStaUn5", "HealtREWPla", "HfRImonitor", "PlanSesionM", "ContinusEBF", "ImmunoC alcu", "CashHandQtr", "DefiControl", "Lbcommentss", "AskIfFeverr", "CommentsPat", "PlanCareInd", "In dPatSensi", "ThDeworming", "ConsulStaff", "actionplGud", "Admcomments", "Service0040", "GarbBinC our", "Bizcomments", "LabExamVisi", "ConsulRoom1", "TallyVaccin", "Familpan016", "BankBalDrug", "M edStaff000", "actionplaHI", "ActivReport", "Socwelfar01", "VCMworkSett", "DRExamNote1", "NutriWom enS", "DelivRoomMn", "Sterilesets", "ListHospRef", "MalariaRapT", "BloodbEme04", "Shocomments", "A NCCComments", "AskDiarhoea", "AdminTotal0", "DiarObsTot0", "AvailPartog", "ClinicComme", "DedicC ommuP", "VaccinStore", "NetChngCash", "PropFileTot", "RegPostInfe", "WorkersENCC", "BizPlaStrRi", "Se rvice0039", "IMCIGuideli", "AFPcase6mon", "BloodbEme03", "FuncMicrosc", "FuncAmbServ", "InPatRegi st", "CommentsEqp", "Service0022", "TranspCosts", "ObsRoutTota", "MateActions", "nRespondent", "pr ecomments", "TotalPopul0", "thenumorg4", "AdultHeight", "PresShowTot", "SubsContrac", "StaffDress W", "BiznessPla1", "EssDrugScor", "actionplCom", "RodPestCtrl", "ConsulRoom2", "PatComfH005", "Gra ndSummat", "HFPurDrugPh", "GenManAdmSc", "SterilObsBx", "HFImplement", "Stoolcollec", "UpdateC hain", "ConsulScore", "DrExamNotes", "CircumTapes", "FacPractANC", "Familpan009", "QualfMedDoc", " NutActionp1", "HIVHepBTest", "ChemTempLGA", "TransCertSf", "CleanCosts0", "Service0001", "CopSup RepAv", "TempMeasure", "MonManSMeet", "BizPlanTot1", "IndActionpl", "MothersDiet", "AFPspecime n", "CliDiagJust", "TheComments", "ManTeamMeet", "Familpan006", "SevMalTreat", "AFPmeaslesY", "N

utcomments","CommunityRI","AnnWorkPlan","InfantsFeed","ClinicTot00","HygMedWasCl","GenTo tal001","CommentsObs","PatFilePedS","DutyRosTelC","WastDisPlan","NeonAmbubag","DoorLockIns ","KnwTubDang0","PropFileSy3","Service0004","DelivPerson","HTSCounsReg","SurgTotal01","Servic e0038","AvaiEquiTot","LiteDeliv24","BizActionpl","TotalExpens","PersWashPip","Colloidsbag","Steril Glove","DispHFWas01","rdenumeorg3","CommentsTra","ActivCasTot","DefineeAEFI","BizPlaStake"," CommentsHIV","AskIFCoughh","FAMILpan002","TempMeasChi","NetCashAvai","Service0027","DoorL ockCeil","Service0035","actionplap1","FAMILplanTo","FinancScore","CaseDefinit","PriortDiseas","Vacci nLedge","CorrectVacc","actionplaVa","psi","pi","ps","ao","enrollmentdate","incidentdate","executio ndate","duedate","completeddate","created","lastupdated","pistatus","psistatus","geom","longitud e","latitude","ou","ouname","oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps." daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OFuncLat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as "InPatScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as "stenumname1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as "EScomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as "ESactionpla",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribulEC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarrProcAp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ResuscAreaN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AcuteMalnut",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupervsPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RlproductSe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutrStatTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as

"actionplEqp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Solacoldcha",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DrugRevenue",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SurvelGuide",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan017",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Minorsurgery",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "InPatTota01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan011",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CoughSinceW",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastePitHFO", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntenatScor", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAwasteDis", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MSFTreatGui", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecPreP", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiluentVacc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032", (select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$') as "end00000000", (select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinanDocsAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0014",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QuartBizPla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandEnd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdStMovReg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005",(select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RBFCComFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisitoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitInpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan005",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSevidence",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "InPatTota05",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as "LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbrStaffs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MatChildSer",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as "Service0021",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVCounslRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CalcStaffs0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuffH2OSoap",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaHygMn",(select ST_GeomFromGeoJSON('{"type":"Point", "coordinates":' || value || ', "crs":{"type":"name", "properties":{"name":"EPSG:4326"}}}') from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as "SurveyLocat",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as "Service0019",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntTuberDrg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TimePrioDis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PengSuctDev",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumnum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20LO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumnum4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "HealthFalmm",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrpIECBCC00",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugsStored",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0017",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DQAResulReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdChaiTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FindHealTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherReceip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdeqInPatRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RingLactate",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Thermometer",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EmerTelNumb",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowStafBed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrStaffIMCI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncRefridg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ACSsupervHF",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$') as "start000000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DirecObsTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuperReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomHFav",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilizeCS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiseasePost",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Healthworker",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContribOthr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaFinCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilenorm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Monitorcard",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as

"LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocIncExpBI",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-

wdebug2: channel 0: window 995341 sent adjust 53235

here programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sixmessages",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowRunH2OC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteEvacua",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom4",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UnitFeeDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Fal24HrServ",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaRateC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PharDelivHF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanRoutImm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HMISDataAna",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctionVDC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0009",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriEducate",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdchainEq",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctLight0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=41120) as "theneorg5",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherExpens",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbackAFP",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumnum5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AppropWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndeneorg2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctnEquip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as "FinanDocsA1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Trained2yar",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostIndigen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumnum2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ComplemtFed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuideJobTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HospitOrgan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLess",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalOpsQ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as

"Service0042",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "FurnitAvail",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Service0008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "TheaterTabl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "JobAidsAval",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DocQuaExcel",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GranPercent",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "HIVTreatICC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ExamBedOPDC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AFP3Diffren",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DocQuaClInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "StethBPMach",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ACSoFHLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "StaffCounsil",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as "NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as "DispHFWas02",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as "Service0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as "AdmActionpl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as "Familpanact",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as "CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeightMear",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40660) as "DispHFWas03", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisposSyrin", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDutRos", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMedCr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanScor", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemoMat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbRegistr", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopI0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbClinic", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CilnicRegis", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecover", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildHeCard", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarSincOf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLe01", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabOpen7Day", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteMatern", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP6Monthhs", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0023", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivrTable", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as

"Familpancom", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildhealtS", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOFLowDiag", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalariesExp", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupFollPlan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClenSchdNex", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffAttReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HyMainTot01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndCommMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CourtClean0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAmeetRept", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WeighScaleF", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SerAvail247", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicFAMIL", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScrenRecord", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncThermAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStaUn5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealtREWPla", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "HfRImonitor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefiControl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug",(select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriWomenS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilesets",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListHospRef",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalariaRapT",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as "ANCCommentS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DedicCommup",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinStore",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetChngCash",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40578 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "PropFileTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40786) as "RegPostInfe",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40811 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "WorkersENCC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "BizPlaStrRi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as "Service0039",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "IMCIGuideli",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41068 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AFPcase6mon",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40903 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "BloodbEme03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40737) as "FuncMicrosc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40610 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "FuncAmbServ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40763) as "InPatRegist",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as "CommentsEqp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as "Service0022",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "TranspCosts",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as "ObsRoutTota",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as "MateActions",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as "nRespondent",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as "precomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "TotalPopul0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as "theneorg4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AdultHeight",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BiznessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFImplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdateChain",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulScore",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CircumTapes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FacPractANC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FAMILPAN009",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QualfMedDoc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVHepBTest",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ChemTempLGA", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TransCertSf", (select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CleanCosts0", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40853) as "Service0001", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CopSupRepAv", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "TempMeasure", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonManSMeet", (select cast(value
as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "BizPlanTot1", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as
"IndActionpl", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "MothersDiet", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPspecimen", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40769) as "CliDiagJust", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as
"TheComments", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ManTeamMeet", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan006", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "SevMalTreat", (select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPmeaslesY", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as
"Nutcomments", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "CommunityRI", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40594 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AnnWorkPlan", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40987) as "InfantsFeed", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41074 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicTot00", (select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HygMedWasCl", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40590 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GenTotal001", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41034) as "CommentsObs", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as
"PatFilePedS", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "DutyRosTelC", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40980 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WastDisPlan", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "NeonAmbubag", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40668 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DoorLockIns", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "KnwTubDang0", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as
"PropFileSy3", (select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "Service0004", (select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "DelivPerson", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40851 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HTSCounsReg", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "SurgTotal01", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as
"Service0038", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "AvaiEquiTot", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40801 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LiteDeliv24", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40626) as "BizActionpl", (select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "TotalExpens", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Persdebug2: channel 0: window
995329 sent adjust 53247

WashPip", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?

?[0-9]+)(\.[0-9]+)?\$') as "Colloidsbag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilGlove",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40658) as "DispHFWas01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as "rdenumeorg3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as "CommentsTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivCasTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefineeAEFI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStake",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as "CommentsHIV",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIFCoughh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasChi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetCashAvai",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40879) as "Service0027",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DoorLockCei",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as "actionplap1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamilplanTo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinancScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CaseDefinit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PriotDiseas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinLedge",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CorrectVacc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40961) as "actionplaVa", psi.uid, pi.uid, ps.uid, ao.uid, pi.enrollmentdate, pi.incidentdate, psi.executiondate, psi.executiondate, psi.completeddate, psi.created, psi.lastupdated, pi.status, psi.status, psi.geometry, CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END, CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END, ou.uid, ou.name, ou.code from programstageinstance psi inner join programinstance pi on psi.programinstanceid=pi.programinstanceid inner join programstage ps on psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate) as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:23:28' and pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at java.util.concurrent.FutureTask.report(FutureTask.java:122)

at java.util.concurrent.FutureTask.get(FutureTask.java:192)

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:59)

... 17 more

Caused by: org.springframework.jdbc.UncategorizedSQLException: StatementCallback; uncategorized SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk ("uidlevel1", "uidlevel2", "uidlevel3", "uidlevel4", "uidlevel5", "uidlevel6", "daily", "weekly", "weeklywednesday", "weeklythursday", "weeklysaturday", "weeklysunday", "biweekly", "monthly", "bimonthly", "quarterly", "sixmonthly", "sixmonthlyapril", "yearly", "financialapril", "financialjuly", "financialoct", "H2OFunctLat", "Service0003", "MemMOHAttMt", "preActionpl", "Service0010", "InPatScore0", "stenumname1", "EScommentss", "BloodStoreN", "ANCCondPers", "ActiveCases", "WardName000", "DrugMedCons", "Wastedispos", "HFFenceMain", "ESactionpla", "MateComment", "LeaveRoster", "GenActionpl", "MalProcWall", "CuratConTot", "FinanDocsA2", "DistribulEC", "actionplCas", "RecClnLatFe", "WeighScale3", "MonMeetMint", "Service0028", "MonPerfSyst", "DiarrProcAp", "ResuscAreaN", "AcuteMalnut", "SupervsPlan", "RIproductSe", "CLcommentss", "NutrStatTot", "MortuRoomAv", "OGgroup0012", "actionplEqp", "BankBalEndD", "PatComfH002", "StafStockED", "RespiRateCo", "FirstCount", "HygAssur003", "actionplFDL", "Solacoldcha", "CommentsVac", "actionplapr", "Nutcomment1", "DrugRevenue", "HygAssur004", "calcultrain", "SurvelGuide", "Service0034", "Familpan017", "Minorsurgery", "InPatTota01", "stenumorg1", "Familpan011", "CoughSinceW", "WastePitHF0", "FacilityTyp", "BloodbEme01", "AntenatScor", "timestarted", "LGAwasteDis", "ContraType0", "MSFTreatGui", "PatComfH001", "CostRecPreP", "DispHFWaste", "DiluentVacc", "CommentsFDL", "Service0031", "ANCCardsMom", "

actionplWas", "RefSysHIVPt", "FuncOtosAva", "AEFI3months", "InfantWeigh", "FeedbaLoTot", "Service0032", "end00000000", "CliExamSurg", "Antigen3mon", "PropFileSy2", "PatComfH006", "rdenumname3", "LBactionpla", "StateName00", "PatFilKeySt", "otheFacName", "ANCFomAdmn", "SkinPinches", "PatComfHygi", "HIVTBScore0", "actionplPat", "FinanDocsAv", "Service0020", "Service0014", "QuartBizPla", "CashHandEnd", "IndiComScor", "HygAssur002", "UpdStMovReg", "CommentsWas", "Service0005", "Confidentia", "Gencomments", "Commentspre", "NutriStatu5", "Thactionpla", "Staffanesth", "Bizcomment1", "VitaminAsup", "PatComfH004", "AdultsWeigh", "HeaFundinRI", "AbsExpDrugs", "PAcomments", "RBFComFacMg", "ANCRRegister", "InfrasRehab", "NumWorkENCC", "Episiotobox", "PentVacTemp", "FunctThermo", "CommentsCas", "Min2UnBlood", "stenumnum1", "PerfBonuses", "IntManChild", "PAactionpla", "GuardDutRos", "Temprachart", "Service0030", "ndenumname2", "shoActionpl", "HygAssurInj", "SurgerCalc", "PBFSubsidy0", "KitcInpatAv", "TotalFinanc", "ARIProtocol", "CliExamDone", "Familpan003", "MaintFreeze", "GenImpressn", "NumberBeds0", "Familpan005", "ACSevidence", "FamPlanScor", "InPatTota05", "LastISSVisi", "NumbrStaffs", "InPatTota02", "MatChildSer", "Service0021", "HIVCounslRm", "CalcStaffs0", "SuffH2OSoap", "BizPlaHygMn", "SurveyLocat", "Service0019", "FuncVaccExt", "AntTuberDrg", "NutActionpl", "TimePrioDis", "ConsulRoomL", "Service0037", "SocialMarkt", "PengSuctDev", "UpdNominRol", "MonSuperVis", "ConsulRoomC", "LabEquipPTB", "CommentsSu1", "CleanSchNex", "WeighScale2", "NonMedStaff", "ParasitDemo", "rdenumnum3", "HighRiskPol", "CommentsGud", "AFP6Actions", "GenelImpress", "H2OCont20L0", "SkinPinchCh", "AvailReagXM", "BankBalEndO", "ACS3monPrio", "FloorFissls", "thenumpnum4", "FoodDemonst", "Service0029", "Service0041", "HealthFalmm", "FacilityPic", "thenumname5", "GrpIECBCC00", "DrugsStored", "Service0017", "Service0007", "DQAResulReg", "ColdChaiTot", "ConsulRoom3", "FindHealTot", "OtherReceip", "LabExamDiag", "AdeqInPatRm", "RingLactate", "PropFileSy1", "Thermometer", "EmerTelNumb", "ShowStafBed", "Familpan008", "TrStaffIMCI", "FuncRefridg", "ACSsupervHF", "start000000", "DirecObsTot", "SuperReport", "Service0036", "HMISReports", "ANCFomHFav", "PatComfH003", "SterilezeCS", "Familpan015", "DiseasePost", "Healtworker", "RefSysTBPat", "ContribOthr", "BizPlaFinCr", "Sterilenorm", "Monitorcard", "Service0026", "CLactionpla", "Service0011", "PartographF", "PropConAnti", "LGAName0000", "InPatTota03", "Service0013", "INcomments", "CliExamPedi", "CareOgivers", "DisinfClean", "PatManTot00", "Commentspr1", "ACSparters", "DocIncExpBl", "Service0024", "Familpan007", "ConWaitArea", "FuncAmbulAv", "MaternitCal", "IYCFguideli", "SurvelFocal", "LaboraScore", "WorkSchStaf", "FacilitName", "SimMalTreat", "Service0016", "MedLabSciAv", "FeverPerInt", "FuncLightng", "NumBeds1000", "EquipFurnit", "Sixmessages", "ShowRunH2OC", "actionplTra", "WasteEvacua", "ConsulRoom4", "actionplObs", "UnitFeeDrug", "DispHFWas04", "INactionpla", "Couccomments", "Fal24HrServ", "BizPlaRateC", "PharDelivHF", "PlanRoutImm", "HMISDataAna", "Familpan004", "FunctionVDC", "CommentsCom", "Service0033", "thenumname4", "Service0009", "ConsulRoom5", "PentVaccine", "TongueDepre", "MissPriorit", "PatFileSurg", "Indcomments", "NutriEducat", "Theaterlamp", "AvailScaleW", "Suvellcalcu", "Nurseonduty", "ExTargetAge", "howmanother", "ColdchainEq", "FunctLight0", "thenumeorg5", "OtherExpens", "FeedbackAFP", "thenumpnum5", "AppropWeigh", "ndenumeor g2", "FunctnEquip", "StethBPMac2", "FinanDocsA1", "Trained2yar", "actionplaSu", "CostIndigen", "ndenumnum2", "Service0006", "NumInPatReg", "Service0002", "ComplemtFed", "GuideJobTot", "HospitOrgan", "BenPerfLess", "RepSurgProc", "NoteDrDaily", "BankBalOpsQ", "Service0042", "FurnitAvail", "Service0008", "TheaterTabl", "JobAidsAval", "DocQuaExcel", "GranPercent", "HIVTreatICC", "WardLiteAv0", "ExamBedOPDC", "AFP3Diffren", "DocQuaClInd", "StethBPMach", "ClinicActiv", "HygAssur001", "ACSoFHFLGAs", "InPatTota04", "TotCashBalE", "ExiWaitCard", "DataToolsAv", "StaffCounsl", "NutriStaFem", "Salari eGovt", "EquipNwborn", "ScreenRecrd", "DispHFWas02", "Service0012", "AdmActionpl", "Familpanact", "OneSyringeD", "BizPlaMecGH", "Growthmonit", "TrainedFoca", "DiagSignsSy", "ClinicActin", "ListTelCo nR", "PatComfH007", "CouActionpl", "PresLatTot0", "ConductPlan", "Service0018", "WHOProcDiar", "Blo odbEme02", "HeightMear", "DispHFWas03", "DisposSyrin", "StaffDutRos", "BizPlaMedCr", "BizPlanScor", "FoodDemoMat", "NumbRegistr", "BizActiopl0", "FeedbClinic", "Service0025", "CilnicRegis", "CostRec over", "ChildHeCard", "DiarSincOft", "BenPerfLe01", "LabOpen7Day", "WasteMatern", "AFP6Montths", "

ANCActionsp", "Service0023", "DelivrTable", "AdminStaff0", "Familpancom", "ChildhealtS", "WHOFlow
Diag", "SalariesExp", "SupFollPlan", "ClenSchdNex", "Service0015", "StaffAttReg", "HyMainTot01", "IndC
ommMeet", "CourtClean0", "LGAMeetRept", "morepersons", "WeighScaleF", "BloodbEme05", "SerAvail
247", "ClinicFamil", "ScrenRecord", "FuncThermAv", "NutriStaUn5", "HealtREWPla", "HfRlmonitor", "Pla
nSesionM", "ContinusEBF", "ImmunoCalcu", "CashHandQtr", "DefiControl", "Lbcomments", "AskIfFever
r", "CommentsPat", "PlanCareInd", "IndPatSensi", "ThDeworming", "ConsulStaff", "actionplGud", "Admc
omments", "Service0040", "GarbBinCour", "Bizcomments", "LabExamVisi", "ConsulRoom1", "TallyVaccin
", "Familpan016", "BankBalDrug", "MedStaff000", "actionplaHl", "ActivReport", "Socwelfar01", "VCMwo
rkSett", "DRExamNote1", "NutriWomenS", "DelivRoomMn", "Sterilesets", "ListHospRef", "MalariaRapT",
"BloodbEme04", "Shocomments", "ANCCommentS", "AskDiarhoea", "AdminTotal0", "DiarObsTot0", "Av
ailPartog", "ClinicComme", "DedicCommuP", "VaccinStore", "NetChngCash", "PropFileTot", "RegPostInf
e", "WorkersENCC", "BizPlaStrRi", "Service0039", "IMClguideli", "AFPcase6mon", "BloodbEme03", "Func
Microsc", "FuncAmbServ", "InPatRegist", "CommentsEqp", "Service0022", "TranspCosts", "ObsRoutTota
", "MateActions", "nRespondent", "precomments", "TotalPopul0", "theneorg4", "AdultHeight", "Pres
ShowTot", "SubsContrac", "StaffDressW", "BiznessPla1", "EssDrugScor", "actionplCom", "RodPestCtrl", "
ConsulRoom2", "PatComfH005", "GrandSummat", "HFPurDrugPh", "GenManAdmSc", "SterilObsBx", "HF
implement", "Stoolcollec", "UpdateChain", "ConsulScore", "DrExamNotes", "CircumTapes", "FacPractAN
C", "Familpan009", "QualfMedDoc", "NutActionp1", "HIVHepBTest", "ChemTempLGA", "TransCertSf", "C
leanCosts0", "Service0001", "CopSupRepAv", "TempMeasure", "MonManSMMeet", "BizPlanTot1", "IndAc
tionpl", "MothersDiet", "AFPspecimen", "CliDiagJust", "TheComments", "ManTeamMeet", "Familpan00
6", "SevMalTreat", "AFPmeaslesY", "Nutcomments", "CommunityRI", "AnnWorkPlan", "InfantsFeed", "C
linicTot00", "HygMedWasCl", "GenTotal001", "CommentsObs", "PatFilePedS", "DutyRosTelC", "WastDis
Plan", "NeonAmbubag", "DoorLockIns", "KnwTubDang0", "PropFileSy3", "Service0004", "DelivPerson", "
HTSCounsReg", "SurgTotal01", "Service0038", "AvaiEquiTot", "LiteDeliv24", "BizActionpl", "TotalExpens"
", "PersWashPip", "Colloidsbag", "SterilGlove", "DispHFWas01", "rdeneorg3", "CommentsTra", "ActivC
asTot", "DefineeAEFI", "BizPlaStake", "CommentsHIV", "AskIfCoughh", "Familpan002", "TempMeasChi",
"NetCashAvai", "Service0027", "DoorLockCei", "Service0035", "actionplap1", "FamilplanTo", "FinancScor
e", "CaseDefinit", "PriortDiseas", "VaccinLedge", "CorrectVacc", "actionplaVa", "psi", "pi", "ps", "ao", "enrol
lmentdate", "incidentdate", "executiondate", "duedate", "completeddate", "created", "lastupdated", "pi
status", "psistatus", "geom", "longitude", "latitude", "ou", "ouname", "oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps."
daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week
lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six
monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select
cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "H2OFuncLat",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as
"InPatScore0",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as

"stenumname1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as "EScommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as "ESactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribuIEC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarrProcAp",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ResuscAreaN",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AcuteMalnut",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "SupervsPlan",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RIproductSe",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutrStatTot",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "MortuRoomAv",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as
"OGgroup0012",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as
"actionplIEq",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "BankBalEndD",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as
"PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "StafStockED",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40725 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RespiRateCo",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "First-Count",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as
"HygAssur003",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as
"actionplIFDL",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "Solacoldcha",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as
"CommentsVac",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as
"actionplapr",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as
"Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "DrugRevenue",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as
"HygAssur004",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SurvelGuide",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan017",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Minorsurgery",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "InPatTota01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan011",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CoughSinceW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "WastePitHFO",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AntenatScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "LGAwasteDis",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "MSFTreatGui",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CostRecPreP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DiluentVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as

"Service0031",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$',(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FinanDocsAv", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0014", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "QuartBizPla", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CashHandEnd", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "UpdStMovReg", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Confidentia", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriStatu5", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Staffanesth", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "VitaminAsup", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AdultsWeigh", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HeaFundinRI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AbsExpDrugs", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-

?[0-9]+)(\[0-9]+)?\$') as "RBFCComFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40827 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "EpisiotoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitInpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as
"CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "FAMILPAN003",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FAMILPAN005",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "ACSevidence",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamPlanScor",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "InPatTota05",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as
"LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "NumbrStaffs",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota02",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "MatChildSer",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as
"Service0021",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "HIVCounslRm",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CalcStaffs0",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$') as "SuffH2OSoap",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaHygMn",(select
ST_GeomFromGeoJSON('{ "type": "Point", "coordinates": ' || value || ', "crs": { "type": "name",
"properties": { "name": "EPSG:4326" } } }') from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as
"SurveyLocat",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as
"Service0019",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?

?[0-9]+)(\.[0-9]+)?\$') as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntTuberDrg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TimePrioDis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PengSuctDev",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumnum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Genelmpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20LO",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailReagXM", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndO", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACS3monPrio", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FloorFissLs", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumpnum4", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemonst", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealthFalmm", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrpIECBC00", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugsStored", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0017", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DQAResulReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdChaiTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom3", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FindHealTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherRecep", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdeqInPatRm", (select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "RingLactate",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "Thermometer",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "EmerTelNumb",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "ShowStafBed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "Familpan008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "TrStaffIMCI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "FuncRefridg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "ACSupervHF",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$' as "start000000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "DirecObsTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "SuperReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "ANCFomHFAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "SterilizeCS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "Familpan015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "DiseasePost",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "Healthworker",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^([0-9]+)(\.[0-9]+)?\$' as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue

where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ContribOthr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaFinCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Sterilenorm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Monitorcard",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as "LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACSpartners",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DocIncExpBl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sixmessages",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowRunH2OC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteEvacua",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom4",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UnitFeeDrug",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INActionpla",(sedebug2: channel 0: window 983040 sent adjust 65536

lect value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Fal24HrServ",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaRateC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PharDelivHF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanRoutImm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HMISDataAna",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FAMILPAN004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctionVDC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0009",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriEducate",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdchainEq", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctLight0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "thenumorg5", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "OtherExpens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbackAFP", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumprnum5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AppropWeigh", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndnumorg2", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctnEquip", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as "FinanDocsA1", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Trained2yar", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CostIndigen", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndnumprnum2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg", (select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ComplemtFed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GuideJobTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HospitOrgan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BenPerfLess", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalOpsQ", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FurnitAvail", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0008", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TheaterTabl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "JobAidsAval", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DocQuaExcel", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GranPercent", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HIVTreatICC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExamBedOPDC", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFP3Diffren", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DocQuaClInd", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StethBPMach", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHFLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as "NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as "DispHFWas02",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as "Service0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as "AdmActionpl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as "Familpanact",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ListTelConR", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40756) as "PatComfH007", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as "CouActionpl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PresLatTot0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConductPlan", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0018", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WHOProcDiar", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BloodbEme02", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HeightMear", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DisposSyrin", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StaffDutRos", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaMedCr", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlanScor", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FoodDemoMat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NumbRegistr", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopI0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbClinic", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicRegis", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CostRecover", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ChildHeCard", (select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarSincOf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLe01", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabOpen7Day", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteMatern", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP6Monthths", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0023", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivrTable", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "FAMILpancom", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildhealtS", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOFLOWdiag", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalariesExp", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupFolIPlan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClenSchdNex", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffAttReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HyMainTot01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndCommMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CourtClean0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAmeetRept", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "WeighScaleF",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SerAvail247",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicFAMIL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScrenRecord",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncThermAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStaUn5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealtREWPla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HfRImonitor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefiControl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=41009) as "actionplGud", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GarbBinCour", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabExamVisi", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TallyVaccin", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan016", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHi", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivReport", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VCMworkSett", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriWomens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilesets", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListHospRef", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalariaRapT", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as

"ANCCommentS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DedicCommuP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinStore",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetChngCash",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40578 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropFileTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40786) as "RegPostInfe",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40811 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkersENCC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStrRi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as "Service0039",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IMCiguideIi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41068 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPcase6mon",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40903 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40737) as "FuncMicrosc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40610 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbServ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40763) as "InPatRegist",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as "CommentsEqp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as "Service0022",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TranspCosts",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as "ObsRoutTota",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as "MateActions",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as "nRespondent",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as "precomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalPopul0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as "theneorg4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultHeight",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BiznessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFimplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdateChain",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulScore",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CircumTapes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FacPractANC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan009",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QualfMedDoc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVHepBTest",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChemTempLGA",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TransCertSf",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanCosts0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40853) as "Service0001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CopSupRepAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasure",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonManSMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanTot1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as "IndActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MothersDiet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPspecimen",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40769) as "CliDiagJust",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as "TheComments",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ManTeamMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan006",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SevMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPmeaslesY",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CommunityRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40594 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AnnWorkPlan",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicTot00",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygMedWasCl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenTotal001",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DutyRosTelC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastDisPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NeonAmbubag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40668 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DoorLockIns",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "KnwTubDang0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as "PropFileSy3",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0004",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivPerson",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40851 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HTSCounsReg",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SurgTotal01", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as
"Service0038", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvaiEquiTot", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40801 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LiteDeliv24", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40626) as "BizActionpl", (select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$)' as "TotalExpens", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PersWashPip", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Colloidsbag", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SterilGlove", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40658) as "DispHFWas01", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as
"rdenumorg3", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as
"CommentsTra", (select cast(value as bigint) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ActivCasTot", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DefineeAEFI", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaStake", (select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as
"CommentsHIV", (select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AskIFCoughh", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan002", (select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TempMeasChi", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NetCashAvai", (select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40879) as "Service0027", (select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DoorLockCeI", (select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as "actionplap1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamilplanTo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinancScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CaseDefinit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PriotDiseas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinLedge",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CorrectVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40961) as "actionplaVa",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi.executiondate,psi.du edate,psi.completeddate,psi.created,psi.lastupdated,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END,ou.uid,ou.name,ou.code from programstageinstance psi inner join programinstance pi on psi.programinstanceid=pi.programinstanceid inner join programstage ps on psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate) as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:23:28' and pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:90)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)

at
org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)
at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:419)
at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:445)
at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateAndLog(AbstractJdbcTableManager.java:488)
at
org.hisp.dhis.analytics.table.JdbcEventAnalyticsTableManager.populateTable(JdbcEventAnalyticsTableManager.java:177)
at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateTablesAsync(AbstractJdbcTableManager.java:232)
at sun.reflect.GeneratedMethodAccessor2494.invoke(Unknown Source)
at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:333)
at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:190)
at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157)
at
org.springframework.aop.interceptor.AsyncExecutionInterceptor\$1.call(AsyncExecutionInterceptor.java:115)
... 6 more

Caused by: org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.java:2440)
at org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:2183)
at org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:308)
at org.postgresql.jdbc.PgStatement.executeInternal(PgStatement.java:441)

```
at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:365)
at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:307)
at org.postgresql.jdbc.PgStatement.executeCachedSql(PgStatement.java:293)
at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:270)
at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:266)
at com.mchange.v2.c3p0.impl.NewProxyStatement.execute(NewProxyStatement.java:75)
at
org.springframework.jdbc.core.JdbcTemplate$1ExecuteStatementCallback.doInStatement(JdbcTem
plate.java:436)
at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:408)
... 17 more
```

```
* INFO 2019-11-20 15:24:02,123 Populated table in 0.58 seconds:
analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-18])
```

```
* INFO 2019-11-20 15:24:02,377 Populated table in 0.24 seconds:
analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-18])
```

```
debug2: channel 0: window 989810 sent adjust 58766
```

```
0 0 * * 00 0 * * 0* INFO 2019-11-20 15:44:50,921 Scheduler initiated execution of job: l5Vjoauz3dX,
inMemoryAnalyticsJob, ANALYTICS_TABLE, (DefaultSchedulingManager.java [http-nio-8052-exec-
405])
```

```
* INFO 2019-11-20 15:44:50,922 Found 7 analytics table types: [COMPLETENESS_TARGET,
ENROLLMENT, ORG_UNIT_TARGET, VALIDATION_RESULT, DATA_VALUE, COMPLETENESS, EVENT]
(DefaultAnalyticsTableGenerator.java [taskScheduler-11])
```

```
* INFO 2019-11-20 15:44:50,924 Analytics table update: AnalyticsTableUpdateParams{last
years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT
2019} (DefaultAnalyticsTableGenerator.java [taskScheduler-11])
```

```
* INFO 2019-11-20 15:44:50,925 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:44:50 WAT 2019, message: Analytics table update process started] (InMemoryNotifier.java
[taskScheduler-11])
```

```
* INFO 2019-11-20 15:44:50,925 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:44:50 WAT 2019, message: Updating resource tables] (InMemoryNotifier.java [taskScheduler-11])
```

```
* INFO 2019-11-20 15:44:53,130 Create table SQL: create table _orgunitstructure_temp
(organisationunitid integer not null primary key, organisationunituid character(11), level integer,
"idlevel1" integer, "uidlevel1" character(11), "namelevel1" text, "idlevel2" integer, "uidlevel2"
character(11), "namelevel2" text, "idlevel3" integer, "uidlevel3" character(11), "namelevel3" text,
"idlevel4" integer, "uidlevel4" character(11), "namelevel4" text, "idlevel5" integer, "uidlevel5"
character(11), "namelevel5" text, "idlevel6" integer, "uidlevel6" character(11), "namelevel6" text);
(JdbcResourceTableStore.java [taskScheduler-11])
```

* INFO 2019-11-20 15:44:53,145 Populate table content rows: 40784 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:09,510 Create index SQL: create unique index in_organitstructure_organisationunituid_EiirA on _organitstructure_temp(organisationunituid) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:09,768 Swapped resource table: _organitstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:09,769 Analyze table SQL: analyze _organitstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:10,455 Analyzed resource table: _organitstructure, done in: 00:00:19.525 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,426 Create table SQL: create table _datasetorganisationunitcategory_temp (datasetid integer not null, organisationunitid integer not null, attributeoptioncomboid integer not null, costartdate date, coenddate date) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,427 Populate table content rows: 3 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,429 Create index SQL: create unique index in__datasetorganisationunitcategory_rYGKq on _datasetorganisationunitcategory_temp(datasetid, organisationunitid, attributeoptioncomboid) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,440 Swapped resource table: _datasetorganisationunitcategory (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,440 Analyze table SQL: analyze _datasetorganisationunitcategory; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,441 Analyzed resource table: _datasetorganisationunitcategory, done in: 00:00:00.018 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,451 Create table SQL: create table _categoryoptioncomboname_temp (categoryoptioncomboid integer not null primary key, categoryoptioncomboname varchar(255), approvallevel integer, startdate date, enddate date) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,456 Populate table content rows: 7 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,465 Swapped resource table: _categoryoptioncomboname (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,465 Analyze table SQL: analyze _categoryoptioncomboname; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,466 Analyzed resource table: _categoryoptioncomboname, done in: 00:00:00.019 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,473 Create table SQL: create table _dataelementgroupsetstructure_temp (dataelementid integer not null, dataelementname varchar(230), primary key (dataelementid)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,482 Populate table SQL: insert into _dataelementgroupsetstructure_temp select d.dataelementid as dataelementid, d.name as dataelementname from dataelement d (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,494 Swapped resource table: _dataelementgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,495 Analyze table SQL: analyze _dataelementgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,500 Analyzed resource table: _dataelementgroupsetstructure, done in: 00:00:00.028 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,513 Create table SQL: create table _indicatorgroupsetstructure_temp (indicatorid integer not null, indicatorname varchar(230), primary key (indicatorid)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,520 Populate table SQL: insert into _indicatorgroupsetstructure_temp select i.indicatorid as indicatorid, i.name as indicatorname from indicator i (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,530 Swapped resource table: _indicatorgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,530 Analyze table SQL: analyze _indicatorgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,531 Analyzed resource table: _indicatorgroupsetstructure, done in: 00:00:00.021 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,538 Create table SQL: create table _organisationunitgroupsetstructure_temp (organisationunitid integer not null, organisationunitname varchar(230), startdate date) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,539 Populate table SQL: insert into _organisationunitgroupsetstructure_temp select ou.organisationunitid as organisationunitid, ou.name as organisationunitname, null as startdate from organisationunit ou inner join _orgunitstructure ous on ous.organisationunitid = ou.organisationunitid (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,666 Create index SQL: create index in_orgunitgroupsetstructure_not_null_zEUqi on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is not null (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,685 Create index SQL: create index in_orgunitgroupsetstructure_null_NgYb9 on _organisationunitgroupsetstructure_temp(organisationunitid, startdate) where startdate is null (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,753 Swapped resource table: _organisationunitgroupsetstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,753 Analyze table SQL: analyze _organisationunitgroupsetstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,855 Analyzed resource table: _organisationunitgroupsetstructure, done in: 00:00:00.319 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,905 Create table SQL: create table _categorystructure_temp (categoryoptioncomboid integer not null, categoryoptioncomboname varchar(255), "Gender" varchar(230), "oCexmTm2srU" character(11), "Age" varchar(230), "V4eEkca3B5w" character(11), "Population at Risk" varchar(230), "ecrolgj8C0" character(11), "P falciparum" varchar(230), "cxVDMpYF5mE" character(11), "Malaria by microscopy" varchar(230), "aGGuES0BTYq" character(11), "Malaria" varchar(230), "DsqaFvycxfj" character(11), primary key (categoryoptioncomboid)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,920 Populate table SQL: insert into _categorystructure_temp select coc.categoryoptioncomboid as cocid, coc.name as cocname, (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "Gender", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164372 limit 1) as "oCexmTm2srU", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "Age", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 164373 limit 1) as "V4eEkca3B5w", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "Population at Risk", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251347 limit 1) as "ecrolgj8C0", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "P falciparum", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid =

cocco.categoryoptioncomboid and cco.categoryid = 251354 limit 1) as "cxVDMpYF5mE", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as "Malaria by microscopy", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251356 limit 1) as "aGGuES0BTYq", (select co.name from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "Malaria", (select co.uid from categoryoptioncombos_categoryoptions cocco inner join dataelementcategoryoption co on cocco.categoryoptionid = co.categoryoptionid inner join categories_categoryoptions cco on co.categoryoptionid = cco.categoryoptionid where coc.categoryoptioncomboid = cocco.categoryoptioncomboid and cco.categoryid = 251355 limit 1) as "DsqaFvycxfj" from categoryoptioncombo coc (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,931 Swapped resource table: _categorystructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,931 Analyze table SQL: analyze _categorystructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:11,932 Analyzed resource table: _categorystructure, done in: 00:00:00.032 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:12,002 Create table SQL: CREATE TABLE _dataelementstructure_temp (dataelementid INTEGER NOT NULL PRIMARY KEY, dataelementuid CHARACTER(11), dataelementname VARCHAR(230), datasetid INTEGER, datasetuid CHARACTER(11), datasetname VARCHAR(230), datasetapprovallevel INTEGER, workflowid INTEGER, periodtypeid INTEGER, periodtypename VARCHAR(230)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:12,012 Populate table content rows: 2018 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,080 Create index SQL: create unique index in_dataelementstructure_dataelementuid_U3yee on _dataelementstructure_temp(dataelementuid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,092 Create index SQL: create index in_dataelementstructure_datasetid_SAvho on _dataelementstructure_temp(datasetid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,097 Create index SQL: create index in_dataelementstructure_datasetuid_bg3Oa on _dataelementstructure_temp(datasetuid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,105 Create index SQL: create index in_dataelementstructure_periodtypeid_FACqQ on _dataelementstructure_temp(periodtypeid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,114 Create index SQL: create index in_dataelementstructure_workflowid_j9FVX on _dataelementstructure_temp(workflowid); (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,124 Swapped resource table: _dataelementstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,124 Analyze table SQL: analyze _dataelementstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,134 Analyzed resource table: _dataelementstructure, done in: 00:00:01.143 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,193 Create table SQL: create table _periodstructure_temp (periodid integer not null primary key, iso varchar(15) not null, daysno integer not null, startdate date not null, enddate date not null, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,198 Populate table content rows: 8 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,210 Create index SQL: create unique index in_periodstructure_iso_Zgdgo on _periodstructure_temp(iso) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,218 Swapped resource table: _periodstructure (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,218 Analyze table SQL: analyze _periodstructure; (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:13,219 Analyzed resource table: _periodstructure, done in: 00:00:00.032 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:20,160 Create table SQL: create table _dateperiodstructure_temp (dateperiod date not null primary key, year integer not null, "daily" varchar(15), "weekly" varchar(15), "weeklywednesday" varchar(15), "weeklythursday" varchar(15), "weeklysaturday" varchar(15), "weeklysunday" varchar(15), "biweekly" varchar(15), "monthly" varchar(15), "bimonthly" varchar(15), "quarterly" varchar(15), "sixmonthly" varchar(15), "sixmonthlyapril" varchar(15), "yearly" varchar(15), "financialapril" varchar(15), "financialjuly" varchar(15), "financialoct" varchar(15)) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:20,166 Populate table content rows: 18263 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:20,980 Create index SQL: create index in_dateperiodstructure_daily_F1jP2 on _dateperiodstructure_temp("daily") (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,012 Create index SQL: create index
in_dateperiodstructure_weekly_BkVeq on _dateperiodstructure_temp("weekly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,068 Create index SQL: create index
in_dateperiodstructure_weeklywednesday_O8q\$g on
_dateperiodstructure_temp("weeklywednesday") (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,112 Create index SQL: create index
in_dateperiodstructure_weeklythursday_H3bKP on _dateperiodstructure_temp("weeklythursday")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,180 Create index SQL: create index
in_dateperiodstructure_weeklysaturday_bH5FI on _dateperiodstructure_temp("weeklysaturday")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,233 Create index SQL: create index
in_dateperiodstructure_weeklysunday_vW9fr on _dateperiodstructure_temp("weeklysunday")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,298 Create index SQL: create index
in_dateperiodstructure_biweekly_z5NmV on _dateperiodstructure_temp("biweekly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,348 Create index SQL: create index
in_dateperiodstructure_monthly_xkvFc on _dateperiodstructure_temp("monthly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,368 Create index SQL: create index
in_dateperiodstructure_bimonthly_hrDwk on _dateperiodstructure_temp("bimonthly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,388 Create index SQL: create index
in_dateperiodstructure_quarterly_sWIOI on _dateperiodstructure_temp("quarterly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,409 Create index SQL: create index
in_dateperiodstructure_sixmonthly_FM7vw on _dateperiodstructure_temp("sixmonthly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,432 Create index SQL: create index
in_dateperiodstructure_sixmonthlyapril_bMYal on _dateperiodstructure_temp("sixmonthlyapril")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,452 Create index SQL: create index
in_dateperiodstructure_yearly_exgpD on _dateperiodstructure_temp("yearly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,476 Create index SQL: create index
in_dateperiodstructure_financialapril_g53jc on _dateperiodstructure_temp("financialapril")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,498 Create index SQL: create index
in_dateperiodstructure_financialjuly_ah10i on _dateperiodstructure_temp("financialjuly")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,529 Create index SQL: create index
in_dateperiodstructure_financialloct_zl36n on _dateperiodstructure_temp("financialloct")
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,599 Swapped resource table: _dateperiodstructure
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,599 Analyze table SQL: analyze _dateperiodstructure;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,799 Analyzed resource table: _dateperiodstructure, done in:
00:00:08.574 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,802 Create table SQL: CREATE TABLE
_dataelementcategoryoptioncombo_temp (dataelementid INTEGER NOT NULL, dataelementuid
VARCHAR(11) NOT NULL, categoryoptioncomboid INTEGER NOT NULL, categoryoptioncomboid
VARCHAR(11) NOT NULL) (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,804 Populate table SQL: insert into
_dataelementcategoryoptioncombo_temp (dataelementid, dataelementuid,
categoryoptioncomboid, categoryoptioncomboid) select de.dataelementid as dataelementid,
de.uid as dataelementuid, coc.categoryoptioncomboid as categoryoptioncomboid, coc.uid as
categoryoptioncomboid from dataelement de join categorycombos_optioncombos cc on
de.categorycomboid = cc.categorycomboid join categoryoptioncombo coc on
cc.categoryoptioncomboid = coc.categoryoptioncomboid (JdbcResourceTableStore.java
[taskScheduler-11])

* INFO 2019-11-20 15:45:21,814 Create index SQL: create index
in_dataelementcategoryoptioncombo_pcs1 on
_dataelementcategoryoptioncombo_temp(dataelementuid, categoryoptioncomboid)
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,833 Swapped resource table: _dataelementcategoryoptioncombo
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,833 Analyze table SQL: analyze _dataelementcategoryoptioncombo;
(JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,841 Analyzed resource table: _dataelementcategoryoptioncombo,
done in: 00:00:00.041 (JdbcResourceTableStore.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,852 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20
15:45:21 WAT 2019, message: Updating tables: DATA_VALUE] (InMemoryNotifier.java
[taskScheduler-11])

* INFO 2019-11-20 15:45:21,853 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start
time=Wed Nov 20 15:44:50 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,853 Starting update: analytics, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,862 Table update start: analytics, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019}: 00:00:00.008 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,863 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:21 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,863 Performed pre-create table work: 00:00:00.009 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,864 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:21 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,865 Dropped temp tables: 00:00:00.011 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,865 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:21 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,866 Creating table: analytics_temp, columns: 38 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,873 Creating partition table: analytics_temp_2019 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,886 Created analytics tables: 00:00:00.032 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,887 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:21 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,887 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:21,952 Populated table in 0.06 seconds: analytics_temp_2019, [INTEGER, INTEGER_POSITIVE, INTEGER_NEGATIVE, INTEGER_ZERO_OR_POSITIVE, NUMBER, UNIT_INTERVAL, PERCENTAGE] (AbstractJdbcTableManager.java [taskScheduler-20])

* INFO 2019-11-20 15:45:21,978 Populated table in 0.02 seconds: analytics_temp_2019, [TRUE_ONLY, BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-20])

* INFO 2019-11-20 15:45:22,024 Populated table in 0.04 seconds: analytics_temp_2019, [BOOLEAN] (AbstractJdbcTableManager.java [taskScheduler-20])

* INFO 2019-11-20 15:45:22,058 Populated table in 0.03 seconds: analytics_temp_2019, [TEXT, LONG_TEXT, LETTER, TIME, USERNAME, EMAIL, PHONE_NUMBER, URL, DATE, DATETIME, AGE] (AbstractJdbcTableManager.java [taskScheduler-20])

* INFO 2019-11-20 15:45:22,059 Populated analytics tables: 00:00:00.205 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,059 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,062 Invoked analytics table hooks: 00:00:00.208 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,062 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,144 Applied aggregation levels: 00:00:00.290 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,144 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,145 Tables vacuumed: 00:00:00.291 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,145 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,145 No of analytics table indexes: 38 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,282 Created indexes: 00:00:00.428 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,282 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,289 Analyzed tables: 00:00:00.435 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,289 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,292 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,299 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,340 Table update done: analytics: 00:00:00.486 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,340 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,340 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Updating tables: COMPLETENESS] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,341 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,341 Starting update: analytics_completeness, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,345 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: No complete registrations exist, not updating completeness analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,345 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Updating tables: COMPLETENESS_TARGET] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,346 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,346 Starting update: analytics_completeness_target, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,347 Table update start: analytics_completeness_target, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019}: 00:00:00.001 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,347 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,347 Performed pre-create table work: 00:00:00.001 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,347 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,348 Dropped temp tables: 00:00:00.002 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,349 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,349 Creating table: analytics_completeness_target_temp, columns: 12 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,350 Created analytics tables: 00:00:00.004 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,350 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,350 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,362 Populated table in 0.01 seconds:
analytics_completeness_target_temp (AbstractJdbcTableManager.java [taskScheduler-18])

* INFO 2019-11-20 15:45:22,362 Populated analytics tables: 00:00:00.016 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,362 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,364 Invoked analytics table hooks: 00:00:00.018 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,364 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,370 Applied aggregation levels: 00:00:00.024 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,370 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,370 Tables vacuumed: 00:00:00.024 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,370 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,370 No of analytics table indexes: 12 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,404 Created indexes: 00:00:00.057 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,404 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,405 Analyzed tables: 00:00:00.059 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,405 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,407 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_completeness_target' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,410 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,420 Table update done: analytics_completeness_target: 00:00:00.074 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,420 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,420 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Updating tables: ORG_UNIT_TARGET] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,421 Analytics table update parameters:
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,421 Starting update: analytics_organittarget, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,422 Table update start: analytics_organittarget, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019}: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,422 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,422 Performed pre-create table work: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,422 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,423 Dropped temp tables: 00:00:00.001 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,423 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,423 Creating table: analytics_organittarget_temp, columns: 7 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,425 Created analytics tables: 00:00:00.003 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,425 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,425 Populate table task number: 1 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,427 Populated table in 0.00 seconds: analytics_organittarget_temp (AbstractJdbcTableManager.java [taskScheduler-15])

* INFO 2019-11-20 15:45:22,427 Populated analytics tables: 00:00:00.006 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,428 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Invoking analytics table hooks] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,429 Invoked analytics table hooks: 00:00:00.007 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,429 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Applying aggregation levels] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,438 Applied aggregation levels: 00:00:00.016 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,438 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Vacuuming tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,438 Tables vacuumed: 00:00:00.017 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,439 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Creating indexes] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,439 No of analytics table indexes: 7 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,458 Created indexes: 00:00:00.037 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,459 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Analyzing analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,459 Analyzed tables: 00:00:00.038 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,459 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Swapping analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,460 Table exists SQL: select count(table_name) from information_schema.tables where table_name = 'analytics_organittarget' and table_type = 'BASE TABLE' (JdbcPartitionManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,462 Swapping table, master table exists: true, skip master table: false (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,468 Table update done: analytics_organittarget: 00:00:00.046 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,468 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Table update done] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,468 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:22 WAT 2019, message: Updating tables: EVENT] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,468 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019} (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,469 Starting update: analytics_event, processes: 2, org unit levels: 6: 00:00:00.000 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:22,471 Get tables using earliest: null, spatial support: true (JdbcEventAnalyticsTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,091 Table update start: analytics_event, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], start time=Wed Nov 20 15:44:50 WAT 2019}: 00:00:00.622 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,092 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:23 WAT 2019, message: Performing pre-create table work, org unit levels: 6] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,092 Performed pre-create table work: 00:00:00.623 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,092 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:23 WAT 2019, message: Dropping temp tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,147 Dropped temp tables: 00:00:00.678 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,147 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:23 WAT 2019, message: Creating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,152 Creating table: analytics_event_temp_o2bx8rmofhk, columns: 612 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,178 Creating partition table: analytics_event_temp_2019_o2bx8rmofhk (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,205 Creating table: analytics_event_temp_bcvrc668a8p, columns: 706 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,226 Creating partition table: analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,264 Creating table: analytics_event_temp_dydivu4loxe, columns: 359 (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,275 Creating partition table: analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,289 Created analytics tables: 00:00:00.820 (Clock.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,289 [Level: INFO, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:23 WAT 2019, message: Populating analytics tables] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,290 Populate table task number: 2 (DefaultAnalyticsTableService.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,762 [Level: ERROR, category: ANALYTICS_TABLE, time: Wed Nov 20 15:45:23 WAT 2019, message: Process failed: Exception during execution] (InMemoryNotifier.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,768 'system-process' create org.hisp.dhis.message.MessageConversation, name: Analytics table process failed, uid: kKXr41GK28Q (AuditLogUtil.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,774 no recipient (SmsMessageSender.java [taskScheduler-27])

* INFO 2019-11-20 15:45:23,792 'system-process' create
org.hisp.dhis.message.MessageConversation, name: Job 'inMemoryAnalyticsJob' failed, uid:
JBRGGEXs9hW (AuditLogUtil.java [taskScheduler-11])

* INFO 2019-11-20 15:45:23,794 no recipient (SmsMessageSender.java [taskScheduler-6])

* ERROR 2019-11-20 15:45:23,806 Job 'inMemoryAnalyticsJob' failed (DefaultJobInstance.java
[taskScheduler-11])

java.lang.RuntimeException: Exception during execution

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:63)

at

org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.populateTables(DefaultAnalyticsTableService.java:254)

at

org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyticsTableService.java:149)

at

org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(DefaultAnalyticsTableGenerator.java:114)

at

org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTableJob.java:70)

at org.hisp.dhis.scheduling.DefaultJobInstance.executeJob(DefaultJobInstance.java:155)

at org.hisp.dhis.scheduling.DefaultJobInstance.execute(DefaultJobInstance.java:69)

at

org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda\$internalExecuteJobConfiguration\$3(DefaultSchedulingManager.java:280)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(DelegatingErrorHandlingRunnable.java:54)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

java.util.concurrent.ScheduledThreadPoolExecutor\$ScheduledFutureTask.access\$201(ScheduledThreadPoolExecutor.java:180)

at

java.util.concurrent.ScheduledThreadPoolExecutor\$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:293)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Caused by: java.util.concurrent.ExecutionException:

org.springframework.jdbc.UncategorizedSQLException: StatementCallback; uncategorized SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk ("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFunctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1","EScommentss","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalProcWall","CuratConTot","FinanDocsA2","DistribulEC","actionplCas","RecClnLatFe","WeighScale3","MonMeetMint","Service0028","MonPerfSyst","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPlan","RlproductSe","CLcommentss","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","BankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1","DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsurgery","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","BloodbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH001","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom","actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3","LBactionpla","StateName00","PatFilKeySt","otheFacName","ANCFomAdmn","SkinPinches","PatComfHygi","HIVTBScore0","actionplPat","FinanDocsAv","Service0020","Service0014","QuartBizPla","CashHandEnd","IndiComScor","HygAssur002","UpdStMovReg","CommentsWas","Service0005","Confidentia","Gencomments","Commentspre","NutriStatu5","Thactionpla","Staffanesth","Bizcomment1","VitaminAsup","PatComfH004","AdultsWeigh","HeaFundinRI","AbsExpDrugs","PAcommentss","RBFComFacMg","ANCRRegister","InfrasRehab","NumWorkENCC","Episiotobox","PentVacTemp","FunctThermo","CommentsCas","Min2UnBlood","stenumnum1","PerfBonuses","IntManChild","PAactionpla","GuardDutRos","Temprachart","Service0030","ndenumname2","shoActionpl","HygAssurInj","SurgeryCalc","PBFSubsidy0","KitcInpatAv","TotalFinanc","ARIProtocol","CliExamDone","Familpan003","MaintFreeze","GenImpressn","NumberBeds0","Familpan005","ACSevidence","FamPlanScor","InPatTota05","LastISSVisi","NumbrStaffs","InPatTota02","MatChildSer","Service0021","HIVCounslRm","CalcStaffs0","SuffH2OSoap","BizPlaHygMn","SurveyLocat","Service0019","FuncVaccExt","AntTuberDrg","NutActionpl","TimePrioDis","ConsulRoomL","Service0037","SocialMarkt","PengSuctDev","UpdNominrol","MonSuperVis","ConsulRoomC","LabEquipPTB","CommentsSu1","CleanSchNex","WeighScale2","NonMedStaff","ParasitDemo","rdenumnum3","HighRiskPol","CommentsGud","AFP6Actions","GenImpress","H2OCont20L0","SkinPinchCh","AvailReagXM","BankBalEndO","ACS3monPrio","FloorFissls","thenumpnum4","FoodDemonst","Service0029","Service0041","HealthFalmm","FacilityPic","thenumname5","GrpIECBCC00","DrugsStored","Service0017","Service0007","DQAResulReg","ColdChaiTot","ConsulRoom3","FindHealTot","OtherReceip","LabExamDiag","AdeqInPatRm","RingLactate","PropFileSy1","Thermometer","EmerTelNumb","ShowStafBed","Familpan008","TrStaffIMCI","FuncRefridg

,"ACSupervHF","start000000","DirecObsTot","SuperReport","Service0036","HMISReports","ANCFo
rmHFav","PatComfH003","SterilezeCS","Familpan015","DiseasePost","Healthworker","RefSysTBPat","
ContribOthr","BizPlaFinCr","Sterilenorm","Monitorcard","Service0026","CLactionpla","Service0011",
"PartographF","PropConAnti","LGAName0000","InPatTota03","Service0013","INcomments","CliExa
mPedi","CareOgivers","DisinfClean","PatManTot00","Commentspr1","ACSparters","DocIncExpBl","
Service0024","Familpan007","ConWaitArea","FuncAmbulAv","MaternitCal","IYCFguideli","SurvelFoc
al","LaboraScore","WorkSchStaf","FacilitName","SimMalTreat","Service0016","MedLabSciAv","Fever
PerInt","FuncLightng","NumBeds1000","EquipFurnit","Sixmessages","ShowRunH2OC","actionpITra",
"WasteEvacua","ConsulRoom4","actionpIObs","UnitFeeDrug","DispHFWas04","INactionpla","Couco
mments","Fal24HrServ","BizPlaRateC","PharDelivHF","PlanRoutImm","HMISDataAna","Familpan004
","FunctionVDC","CommentsCom","Service0033","thenumname4","Service0009","ConsulRoom5","P
entVaccine","TongueDepre","MissPriorit","PatFileSurg","Indcomments","NutriEducat","Theaterlamp
","AvailScaleW","Suvellcalcu","Nurseonduty","ExTargetAge","howmanother","ColdchainEq","FunctLi
ght0","thenumeorg5","OtherExpens","FeedbackAFP","thenumpnum5","AppropWeigh","ndenumeor
g2","FunctnEquip","StethBPMac2","FinanDocsA1","Trained2yar","actionplaSu","CostIndigen","nden
umpnum2","Service0006","NumInPatReg","Service0002","ComplemtFed","GuideJobTot","HospitOrg
an","BenPerfLess","RepSurgProc","NoteDrDaily","BankBalOpsQ","Service0042","FurnitAvail","Servic
e0008","TheaterTabl","JobAidsAval","DocQuaExcel","GranPercent","HIVTreatICC","WardLiteAv0","E
xamBedOPDC","AFP3Diffren","DocQuaClInd","StethBPMach","ClinicActiv","HygAssur001","ACSoFHFL
GAs","InPatTota04","TotCashBalE","ExiWaitCard","DataToolsAv","StaffCounsI","NutriStaFem","Salari
eGovt","EquipNwborn","ScreenRecrd","DispHFWas02","Service0012","AdmActionpl","Familpanact",
"OneSyringeD","BizPlaMecGH","Growthmonit","TrainedFoca","DiagSignsSy","ClinicActin","ListTelCo
nR","PatComfH007","CouActionpl","PresLatTot0","ConductPlan","Service0018","WHOProcDiar","Blo
odbEme02","HeightMear","DispHFWas03","DisposSyrin","StaffDutRos","BizPlaMedCr","BizPlanScor
","FoodDemoMat","NumbRegistr","BizActiopl0","FeedbClinic","Service0025","CilnicRegis","CostRec
over","ChildHeCard","DiarSincOfT","BenPerfLe01","LabOpen7Day","WasteMatern","AFP6Montths",
ANCAActionsp","Service0023","DelivrTable","AdminStaff0","Familpancom","ChildhealtS","WHOFlow
Diag","SalariesExp","SupFollPlan","ClenSchdNex","Service0015","StaffAttReg","HyMainTot01","IndC
ommMeet","CourtClean0","LGAMeetRept","morepersons","WeighScaleF","BloodbEme05","SerAvail
247","ClinicFamil","ScrenRecord","FuncThermAv","NutriStaUn5","HealtREWPla","HfRIlmonitor","Pld
ebug2: channel 0: window 997575 sent adjust 51001

anSesionM","ContinusEBF","ImmunoCalcu","CashHandQtr","DefiControl","Lbcomments","AskIfFev
err","CommentsPat","PlanCareInd","IndPatSensi","ThDeworming","ConsulStaff","actionplGud","Ad
mcomments","Service0040","GarbBinCour","Bizcomments","LabExamVisi","ConsulRoom1","TallyVa
ccin","Familpan016","BankBalDrug","MedStaff000","actionplaHI","ActivReport","Socwelfar01","VC
MworkSett","DRExamNote1","NutriWomenS","DelivRoomMn","Sterilesets","ListHospRef","MalariaR
apT","BloodbEme04","Shocomments","ANCComments","AskDiarhoea","AdminTotal0","DiarObsTot0
","AvailPartog","ClinicComme","DedicCommuP","VaccinStore","NetChngCash","PropFileTot","RegPo
stInfe","WorkersENCC","BizPlaStrRi","Service0039","IMCIGuideli","AFPcase6mon","BloodbEme03","F
uncMicrosc","FuncAmbServ","InPatRegist","CommentsEqp","Service0022","TranspCosts","ObsRoutT
ota","MateActions","nRespondent","precomments","TotalPopul0","thenumeorg4","AdultHeight","P
resShowTot","SubsContrac","StaffDressW","BiznessPla1","EssDrugScor","actionplCom","RodPestCtrl
","ConsulRoom2","PatComfH005","GrandSummat","HFPurDrugPh","GenManAdmSc","SterilObsBx","
HFImplement","Stoolcollec","UpdateChain","ConsulScore","DrExamNotes","CircumTapes","FacPract
ANC","Familpan009","QualfMedDoc","NutActionp1","HIVHepBTest","ChemTempLGA","TransCertSf"
,"CleanCosts0","Service0001","CopSupRepAv","TempMeasure","MonManSMMeet","BizPlanTot1","Ind
Actionpl","MothersDiet","AFPspecimen","CliDiagJust","TheComments","ManTeamMeet","Familpan

006","SevMalTreat","AFPmeaslesY","Nutcomments","CommunityRI","AnnWorkPlan","InfantsFeed",
"ClinicTot00","HygMedWasCl","GenTotal001","CommentsObs","PatFilePedS","DutyRosTelC","WastD
isPlan","NeonAmbubag","DoorLockIns","KnwTubDang0","PropFileSy3","Service0004","DelivPerson",
"HTSCounsReg","SurgTotal01","Service0038","AvaiEquiTot","LiteDeliv24","BizActionpl","TotalExpens
","PersWashPip","Colloidsbag","SterilGlove","DispHFWas01","rdenumeorg3","CommentsTra","Activ
CasTot","DefineeAEFI","BizPlaStake","CommentsHIV","AskIFCoughh","Familpan002","TempMeasChi
","NetCashAvai","Service0027","DoorLockCei","Service0035","actionplap1","FamilplanTo","FinancSc
ore","CaseDefinit","PriotDiseas","VaccinLedge","CorrectVacc","actionplaVa","psi","pi","ps","ao","en
rollmentdate","incidentdate","executiondate","duedate","completeddate","created","lastupdated",
"pistatus","psistatus","geom","longitude","latitude","ou","ouname","oucode") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps."
daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week
lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six
monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select
cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "H2OFuncLat",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as
"InPatScore0",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as
"stenumname1",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as
"EScomments",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "BloodStoreN",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40828 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCondPers",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41044 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActiveCases",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue
where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~*
'^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugMedCons",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40939 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Wastedispos",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-
?[0-9]+)(\.[0-9]+)?\$') as "HFFenceMain",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as
"ESactionpla",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LeaveRoster",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalProcWall",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CuratConTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DistribuEC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarrProcAp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ResuscAreaN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AcuteMalnut",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupervsPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RlproductSe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutrStatTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as

"actionplEqp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Solacoldcha",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DrugRevenue",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SurvelGuide",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan017",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Minorsurgery",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "InPatTota01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Familpan011",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "CoughSinceW",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastePitHFO", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntenatScor", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAwasteDis", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MSFTreatGui", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecPreP", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DispHFWaste", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiluentVacc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032", (select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$') as "end00000000", (select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinanDocsAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0014",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QuartBizPla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandEnd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdStMovReg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005",(select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RBFComFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisitoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitInpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan005",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSevidence",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "InPatTota05",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as "LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbrStaffs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MatChildSer",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as "Service0021",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVCounslRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CalcStaffs0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuffH2OSoap",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaHygMn",(select ST_GeomFromGeoJSON('{"type":"Point","coordinates":' || value || ','crs":{"type":"name","properties":{"name":"EPSG:4326"}}}') from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as "SurveyLocat",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as "Service0019",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntTuberDrg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TimePrioDis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SocialMarkt",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PengSuctDev",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdNominRol",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "MonSuperVis",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabEquipPTB",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanSchNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumnum3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenImpress",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20LO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumpnum4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "HealthFalmm", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thenumname5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrpIECBCC00", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugsStored", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0017", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DQAResulReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdChaiTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom3", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FindHealTot", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherReceip", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdeqInPatRm", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RingLactate", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Thermometer", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EmerTelNumb", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowStafBed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan008", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrStaffIMCI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncRefridg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ACSsupervHF",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$') as "start000000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DirecObsTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuperReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomHFAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilizeCS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiseasePost",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Healthworker",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContribOthr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaFinCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilenorm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Monitorcard",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as

"LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocIncExpBI",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Survelfocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~*

'^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sixmessages", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowRunH2OC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteEvacua", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom4", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UnitFeeDrug", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Fal24HrServ", (select cast(value as double precision) from trackedentitydatavalue where programstadebug2: channel 0: window 995341 sent adjust 53235 geinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaRateC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PharDelivHF", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanRoutImm", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HMISDataAna", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan004", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctionVDC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0009", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PentVaccine", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TongueDepre", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MissPriorit", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NutriEducat", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Theaterlamp", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailScaleW", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Suvellcalcu", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Nurseonduty", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExTargetAge", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "howmanother", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdchainEq", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctLight0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "thenumorg5", (select cast(value as bigint) from trackedentitydatavalue

where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "OtherExpens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FeedbackAFP", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumpnum5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AppropWeigh", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndenumeorg2", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FunctnEquip", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as "FinanDocsA1", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Trained2yar", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CostIndigen", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumnum2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ComplemtFed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GuideJobTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HospitOrgan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BenPerfLess", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalOpsQ", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042", (select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FurnitAvail",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TheaterTabl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "JobAidsAval",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaExcel",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GranPercent",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTreatICC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExamBedOPDC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP3Diffren",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DocQuaClInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StethBPMach",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicActiv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHFLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as "NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as "DispHFWas02",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as "Service0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as "AdmActionpl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as "Familpanact",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as "CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeightMear",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "DisposSyrin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "StaffDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "BizPlaMedCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "BizPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "FoodDemoMat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "NumbRegistr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiop10",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "FeedbClinic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "CilnicRegis",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "CostRecover",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "ChildHeCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "DiarSincOfT",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "BenPerfLe01",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "LabOpen7Day",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "WasteMatern",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "AFP6Monthths",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "Service0023",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "DelivrTable",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "Familpancom",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildhealtS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOFLowDiag",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalariesExp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupFollPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClenSchdNex",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffAttReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HyMainTot01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndCommMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CourtClean0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAmeetRept",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WeighScaleF",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SerAvail247",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicFamil",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScrenRecord",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncThermAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStaUn5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HealtREWPla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HfRImonitor",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "DefiControl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "Familpan016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\[0-9\])?\$)' as "BankBalDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "NutriWomenS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Sterilesets",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ListHospRef",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "MalariaRapT",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as "ANCCCommentS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "DedicCommuP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "VaccinStore",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "NetChngCash",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40578 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropFileTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40786) as "RegPostInfe",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40811 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkersENCC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStrRi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as "Service0039",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IMCIGuideli",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41068 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPcase6mon",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40903 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40737) as "FuncMicrosc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40610 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbServ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40763) as "InPatRegist",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as "CommentsEqp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as "Service0022",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TranspCosts",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as "ObsRoutTota",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as "MateActions",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as "nRespondent",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as "precomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalPopul0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as "theneumorg4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultHeight",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BiznessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HFImplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdateChain",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulScore",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as "DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CircumTapes",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FacPractANC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan009",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QualfMedDoc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40719) as "NutActionp1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVHepBTest",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChemTempLGA", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TransCertSf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanCosts0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40853) as "Service0001", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CopSupRepAv", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasure", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonManSMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanTot1", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as "IndActionpl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MothersDiet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPspecimen", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40769) as "CliDiagJust", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as "TheComments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ManTeamMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan006", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SevMalTreat", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPmeaslesY", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CommunityRI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40594 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AnnWorkPlan", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicTot00", (select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "HygMedWasCl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "GenTotal001", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "DutyRosTelC", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "WastDisPlan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "NeonAmbubag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40668 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "DoorLockIns", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "KnwTubDang0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as "PropFileSy3", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "Service0004", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "DelivPerson", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40851 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "HTSCounsReg", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "SurgTotal01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as "Service0038", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AvaiEquiTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40801 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "LiteDeliv24", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40626) as "BizActionpl", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "TotalExpens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40741 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "PersWashPip", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "Colloidsbag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40813 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "SterilGlove", (select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40658) as "DispHFWas01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as "rdenumeorg3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as "CommentsTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivCasTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefineeAEFI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStake",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as "CommentsHIV",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIFCoughh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasChi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetCashAvai",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40879) as "Service0027",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DoorLockCei",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as "actionplap1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamilplanTo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinancScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CaseDefinit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PriotDiseas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinLedge",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CorrectVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40961) as

```
"actionplaVa",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi.executiondate,psi.du
edate,psi.completeddate,psi.created,psi.lastupdated,pi.status,psi.status,psi.geometry,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN 'POINT'
= GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END,ou.uid,ou.name,ou.code
from programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and
pi.deleted is false inner join categoryoptioncombo ao on
psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous
on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs
on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate)
as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on
psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on
cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and
psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:44:50' and
pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and
psi.deleted is false ]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at
offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ','
expected (at offset 49)
```

at java.util.concurrent.FutureTask.report(FutureTask.java:122)

at java.util.concurrent.FutureTask.get(FutureTask.java:192)

at org.hisp.dhis.commons.util.ConcurrentUtils.waitForCompletion(ConcurrentUtils.java:59)

... 17 more

Caused by: org.springframework.jdbc.UncategorizedSQLException: StatementCallback;
uncategorized SQLException for SQL [insert into analytics_event_temp_2019_o2bx8rmofhk
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","uidlevel6","daily","weekly","weeklywed
nesday","weeklythursday","weeklysaturday","weeklysunday","biweekly","monthly","bimonthly","qu
arterly","sixmonthly","sixmonthlyapril","yearly","financialapril","financialjuly","financialoct","H2OFu
nctLat","Service0003","MemMOHAttMt","preActionpl","Service0010","InPatScore0","stenumname1
","EScommentss","BloodStoreN","ANCCondPers","ActiveCases","WardName000","DrugMedCons","
Wastedispos","HFFenceMain","ESactionpla","MateComment","LeaveRoster","GenActionpl","MalPro
cWall","CuratConTot","FinanDocsA2","DistribuleC","actionplCas","RecClnLatFe","WeighScale3","Mo
nMeetMint","Service0028","MonPerfSyst","DiarrProcAp","ResuscAreaN","AcuteMalnut","SupervsPl
an","RlproductSe","CLcommentss","NutrStatTot","MortuRoomAv","OGgroup0012","actionplEqp","B
ankBalEndD","PatComfH002","StafStockED","RespiRateCo","First-
Count","HygAssur003","actionplFDL","Solacoldcha","CommentsVac","actionplapr","Nutcomment1",
"DrugRevenue","HygAssur004","calcultrain","SurvelGuide","Service0034","Familpan017","Minorsur
gry","InPatTota01","stenumorg1","Familpan011","CoughSinceW","WastePitHF0","FacilityTyp","Blo
odbEme01","AntenatScor","timestarted","LGAwasteDis","ContraType0","MSFTreatGui","PatComfH0
01","CostRecPreP","DispHFWaste","DiluentVacc","CommentsFDL","Service0031","ANCCardsMom",
"actionplWas","RefSysHIVPt","FuncOtosAva","AEFI3months","InfantWeigh","FeedbaLoTot","Service0
032","end00000000","CliExamSurg","Antigen3mon","PropFileSy2","PatComfH006","rdenumname3",
"LBactionpla","StateName00","PatFilKeySt","odebug2: channel 0: window 991234 sent adjust 57342

theFacName", "ANCFomAdmn", "SkinPinches", "PatComfHygi", "HIVTBScore0", "actionplPat", "FinanDcsAv", "Service0020", "Service0014", "QuartBizPla", "CashHandEnd", "IndiComScor", "HygAssur002", "UpdStMovReg", "CommentsWas", "Service0005", "Confidentia", "Gencomments", "Commentspre", "NutriStatu5", "Thactionpla", "Staffanesth", "Bizcomment1", "VitaminAsup", "PatComfH004", "AdultsWeigh", "HeaFundinRI", "AbsExpDrugs", "PAcommentss", "RBFComFacMg", "ANCRRegister", "InfrasRehab", "NumWorkENCC", "Episiotobox", "PentVacTemp", "FunctThermo", "CommentsCas", "Min2UnBlood", "stenumpnum1", "PerfBonuses", "IntManChild", "PAactionpla", "GuardDutRos", "Temprachart", "Service0030", "ndenumname2", "shoActionpl", "HygAssurInj", "SurgeryCalc", "PBFSubsidy0", "KitcInpatAv", "TotalFinanc", "ARIProtocol", "CliExamDone", "FAMILPAN003", "MaintFreeze", "GenImpressn", "NumberBeds0", "FAMILPAN005", "ACSevidence", "FamPlanScor", "InPatTota05", "LastISSVisi", "NumbrStaffs", "InPatTota02", "MatChildSer", "Service0021", "HIVCounslRm", "CalcStaffs0", "SuffH20Soap", "BizPlaHygMn", "SurveyLocat", "Service0019", "FuncVaccExt", "AntTuberDrg", "NutActionpl", "TimePrioDis", "ConsulRoomL", "Service0037", "SocialMarkt", "PengSuctDev", "UpdNominRol", "MonSuperVis", "ConsulRoomC", "LabEquipPTB", "CommentsSu1", "CleanSchNex", "WeighScale2", "NonMedStaff", "ParasitDemo", "rdenumnum3", "HighRiskPol", "CommentsGud", "AFP6Actions", "GenImpress", "H2OCont20LO", "SkinPinchCh", "AvailReagXM", "BankBalEndO", "ACS3monPrio", "FloorFissLs", "thenumpnum4", "FoodDemonst", "Service0029", "Service0041", "HealthFalmm", "FacilityPic", "thenumname5", "GrpIECBCC00", "DrugsStored", "Service0017", "Service0007", "DQAResulReg", "ColdChaiTot", "ConsulRoom3", "FindHealTot", "OtherReceip", "LabExamDiag", "AdeqInPatRm", "RingLactate", "PropFileSy1", "Thermometer", "EmerTelNumb", "ShowStafBed", "FAMILPAN008", "TrStaffIMCI", "FuncRefridg", "ACSsupervHF", "start000000", "DirecObsTot", "SuperReport", "Service0036", "HMISReports", "ANCFomHFav", "PatComfH003", "SterilezeCS", "FAMILPAN015", "DiseasePost", "Healtworker", "RefSysTBPAT", "ContribOthr", "BizPlaFinCr", "Sterilenorm", "Monitorcard", "Service0026", "CLactionpla", "Service0011", "PartographF", "PropConAnti", "LGAName0000", "InPatTota03", "Service0013", "INcommentss", "CliExamPedi", "CareOgivers", "DisinfClean", "PatManTot00", "Commentspr1", "ACSpartners", "DocIncExpBl", "Service0024", "FAMILPAN007", "ConWaitArea", "FuncAmbulAv", "MaternitCal", "IYCFguideli", "SurvelFocal", "LaboraScore", "WorkSchStaf", "FacilitName", "SimMalTreat", "Service0016", "MedLabSciAv", "FeverPerInt", "FuncLightng", "NumBeds1000", "EquipFurnit", "Sixmessages", "ShowRunH2OC", "actionplTra", "WasteEvacua", "ConsulRoom4", "actionplObs", "UnitFeeDrug", "DispHFWas04", "INactionpla", "Coucomments", "Fal24HrServ", "BizPlaRateC", "PharDelivHF", "PlanRoutImm", "HMISDataAna", "FAMILPAN004", "FunctionVDC", "CommentsCom", "Service0033", "thenumname4", "Service0009", "ConsulRoom5", "PentVaccine", "TongueDepre", "MissPriorit", "PatFileSurg", "Indcomments", "NutriEducat", "Theaterlamp", "AvailScaleW", "Suvellcalcu", "Nurseonduty", "ExTargetAge", "howmanother", "ColdchainEq", "FunctLight0", "thenumeorg5", "OtherExpens", "FeedbackAFP", "thenumpnum5", "AppropWeigh", "ndenumorg2", "FunctEquip", "StethBPMac2", "FinanDocsA1", "Trained2yar", "actionplaSu", "CostIndigen", "ndenumnum2", "Service0006", "NumInPatReg", "Service0002", "ComplemtFed", "GuideJobTot", "HospitOrgan", "BenPerfLess", "RepSurgProc", "NoteDrDaily", "BankBalOpsQ", "Service0042", "FurnitAvail", "Service0008", "TheaterTabl", "JobAidsAval", "DocQuaExcel", "GranPercent", "HIVTreatICC", "WardLiteAv0", "ExamBedOPDC", "AFP3Diffren", "DocQuaClInd", "StethBPMach", "ClinicActiv", "HygAssur001", "ACSoFHLGAs", "InPatTota04", "TotCashBale", "ExiWaitCard", "DataToolsAv", "StaffCounsl", "NutriStaFem", "SalarieGovt", "EquipNwborn", "ScreenRecrd", "DispHFWas02", "Service0012", "AdmActionpl", "FAMILPANact", "OneSyringed", "BizPlaMecGH", "Growthmonit", "TrainedFoca", "DiagSignsSy", "ClinicActin", "ListTelConR", "PatComfH007", "CouActionpl", "PresLatTot0", "ConductPlan", "Service0018", "WHOProcDiar", "BloodbEme02", "HeightMear", "DispHFWas03", "DisposSyrin", "StaffDutRos", "BizPlaMedCr", "BizPlanScor", "FoodDemoMat", "NumbRegistr", "BizActiopl0", "FeedbClinic", "Service0025", "CilnicRegis", "CostRecover", "ChildHeCard", "DiarSincOft", "BenPerfLe01", "LabOpen7Day", "WasteMatern", "AFP6Monthths", "ANCActionsp", "Service0023", "DelivrTable", "AdminStaff0", "FAMILPANcom", "Childhealts", "WHOFlowDiag", "SalariesExp", "SupFollPlan", "ClenSchdNex", "Service0015", "StaffAttReg", "HyMainTot01", "IndCommMeet", "CourtClean0", "LGAMeetRept", "mor

epersons","WeighScaleF","BloodbEme05","SerAvail247","ClinicFamil","ScrenRecord","FuncThermAv","NutriStaUn5","HealtREWPla","HfRlmonitor","PlanSesionM","ContinusEBF","ImmunoCalcu","CashHandQtr","DefiControl","Lbcommentss","AskIfFeverr","CommentsPat","PlanCareInd","IndPatSensi","ThDeworming","ConsulStaff","actionplGud","Admcomments","Service0040","GarbBinCour","Bizzo mments","LabExamVisi","ConsulRoom1","TallyVaccin","FAMILpan016","BankBalDrug","MedStaff000","actionplaHI","ActivReport","Socwelfar01","VCMworkSett","DRExamNote1","NutriWomens","Deliv RoomMn","Sterilesets","ListHospRef","MalariaRapT","BloodbEme04","Shocomments","ANCComme ntS","AskDiarhoea","AdminTotal0","DiarObsTot0","AvailPartog","ClinicComme","DedicCommuP","V accinStore","NetChngCash","PropFileTot","RegPostInfe","WorkersENCC","BizPlaStrRi","Service0039","IMCguideli","AFPcase6mon","BloodbEme03","FuncMicrosc","FuncAmbServ","InPatRegist","Comm entsEqp","Service0022","TranspCosts","ObsRoutTota","MateActions","nRespondent","precomment s","TotalPopul0","thenameorg4","AdultHeight","PresShowTot","SubsContrac","StaffDressW","Bizne ssPla1","EssDrugScor","actionplCom","RodPestCtrl","ConsulRoom2","PatComfH005","GrandSummat","HFPurDrugPh","GenManAdmSc","SterilObsBx","HFImplement","Stoolcollec","UpdateChain","Cons ulScore","DrExamNotes","CircumTapes","FacPractANC","FAMILpan009","QualfMedDoc","NutActionp 1","HIVHepBTest","ChemTempLGA","TransCertSf","CleanCosts0","Service0001","CopSupRepAv","Te mpMeasure","MonManSMMeet","BizPlanTot1","IndActionpl","MothersDiet","AFPspecimen","CliDiagJ ust","TheComments","ManTeamMeet","FAMILpan006","SevMalTreat","AFPmeaslesY","Nutcomment s","CommunityRI","AnnWorkPlan","InfantsFeed","ClinicTot00","HygMedWasCl","GenTotal001","Co mmentsObs","PatFilePedS","DutyRosTelC","WastDisPlan","NeonAmbubag","DoorLockIns","KnwTub Dang0","PropFileSy3","Service0004","DelivPerson","HTSCounsReg","SurgTotal01","Service0038","Av aiEquiTot","LiteDeliv24","BizActionpl","TotalExpens","PersWashPip","Colloidsbag","SterilGlove","Dis pHFWas01","rdenameorg3","CommentsTra","ActivCasTot","DefineeAEFI","BizPlaStake","Comments HIV","AskIfCoughh","FAMILpan002","TempMeasChi","NetCashAvai","Service0027","DoorLockCei","S ervice0035","actionplap1","FAMILplanTo","FinancScore","CaseDefinit","PriortDiseas","VaccinLedge"," CorrectVacc","actionplaVa","psi","pi","ps","ao","enrollmentdate","incidentdate","executiondate","d uedate","completeddate","created","lastupdated","pistatus","psistatus","geom","longitude","latitu de","ou","ouname","oucode") select

ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",ous."uidlevel6",dps." daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."week lysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."six monthlyapril",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40674 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OFuncLat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40855 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40601 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MemMOHAttMt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40682) as "preActionpl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40862 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0010",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40790) as "InPatScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41107) as "stenumname1",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40796) as

"EScommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40909 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "BloodStoreN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40828 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "ANCCondPers",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41044 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "ActiveCases",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40559) as "WardName000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41088 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "DrugMedCons",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40939 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "Wastedispos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40648 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "HFFenceMain",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40797) as "ESactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40819) as "MateComment",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40598 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "LeaveRoster",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40589) as "GenActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40699 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "MalProcWall",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40720 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "CuratConTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40631) as "FinanDocsA2",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40976 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "DistribuEC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41053) as "actionplCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40676 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "RecClnLatFe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40823) as "WeighScale3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40581 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "MonMeetMint",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40880) as "Service0028",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40637 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "MonPerfSyst",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40705 and value ~* '^(-?[0-9]+)(\[0-9\])?\$',) as "DiarrProcAp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40808 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ResuscAreaN",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41005 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AcuteMalnut",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40969 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupervsPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40959 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RIproductSe",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40779) as "CLcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41026 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutrStatTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40586 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MortuRoomAv",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40799) as "OGgroup0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41022) as "actionplEqp",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41104 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalEndD",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40751) as "PatComfH002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40791 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StafStockED",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40725 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RespiRateCo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41031 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "First-Count",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40655) as "HygAssur003",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41061) as "actionplFDL",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40934 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Solacoldcha",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40960) as "CommentsVac",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40944) as "actionplapr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40718) as "Nutcomment1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41079 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DrugRevenue",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40656) as "HygAssur004",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40995) as "calcultrain",(select cast(value as bigint) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41040 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SurvelGuide",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40886) as "Service0034",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40845 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan017",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40912 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Minorsurgery",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40749 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota01",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41108) as "stenumeor1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40841 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan011",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40722 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CoughSinceW",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40650 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "WastePitHF0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40562) as "FacilityTyp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40901) as "BloodbEme01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40832 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AntenatScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40555) as "timestarted",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40979 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "LGAwasteDis",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40563) as "ContraType0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40707 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MSFTreatGui",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40750) as "PatComfH001",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41080 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CostRecPreP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40657 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DispHFWaste",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40949 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DiluentVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41060) as "CommentsFDL",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40883) as "Service0031",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40826 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "ANCCardsMom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40982) as "actionplWas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40895 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysHIVPt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40711 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncOtosAva",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40957 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AEFI3months",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41014 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfantWeigh",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41062) as "FeedbaLoTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40884) as "Service0032",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40554 and value ~* '^(\d{4}-\d{2}-\d{2})(\s|T)?(\d{2}:\d{2}:\d{2})?\$') as "end00000000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40783) as "CliExamSurg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40958 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Antigen3mon",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40576) as "PropFileSy2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40755) as "PatComfH006",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41113) as "rdenumname3",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40744) as "LBactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40557) as "StateName00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40767) as "PatFilKeySt",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40561) as "otheFacName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40825 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomAdmn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41033 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinches",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40748) as "PatComfHygi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40898 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HIVTBScore0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41003) as "actionplPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40629 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinanDocsAv",(select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40872) as "Service0020",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40866 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0014",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40617 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "QuartBizPla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41105 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CashHandEnd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40647) as "IndiComScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40654) as "HygAssur002",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40597 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdStMovReg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40981) as "CommentsWas",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40857) as "Service0005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40762 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Confidentia",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40588) as "Gencomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40943) as "Commentspre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41023 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriStatu5",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40788) as "Thactionpla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40921 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Staffanesth",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40625) as "Bizcomment1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40991 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VitaminAsup",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40753) as "PatComfH004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41015 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdultsWeigh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40940 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeaFundinRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40795 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AbsExpDrugs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40772) as "PAcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40574 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RBFComFacMg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40827 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCRRegister",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41093 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InfrasRehab",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40812 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumWorkENCC",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40815 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EpisiotoBox",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40967 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVacTemp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40758) as "FunctThermo",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41052) as "CommentsCas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40908 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Min2UnBlood",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41109) as "stenumnum1",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41087 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PerfBonuses",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40714 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IntManChild",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40773) as "PAactionpla",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40746 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GuardDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40936 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Temprachart",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40882) as "Service0030",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41110) as "ndenumname2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40672) as "shoActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40652 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygAssurlnj",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40926 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgeryCalc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41082 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PBFSubsidy0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40587) as "KitcInpatAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41085 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalFinanc",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40703 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ARIProtocol",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40768) as "CliExamDone",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40834 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40965 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MaintFreeze",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40724 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GenImpressn",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40567 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NumberBeds0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40836 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan005",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41067 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACSevidence",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40848 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FamPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40789 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota05",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40604) as "LastISSVisi",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40569 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "NumbrStaffs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40766 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40602 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MatChildSer",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40873) as "Service0021",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40849 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HIVCounsIRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40570 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CalcStaffs0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40800 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "SuffH20Soap",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40619 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaHygMn",(select ST_GeomFromGeoJSON('{"type":"Point", "coordinates":' || value || ', "crs":{"type":"name", "properties":{"name":"EPSG:4326"}}}') from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40564) as "SurveyLocat",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40871) as "Service0019",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40807 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FuncVaccExt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40897 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AntTuberDrg", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40729) as "NutActionpl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41070 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TimePrioDis", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40694 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomL", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40889) as "Service0037", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41092 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SocialMarkt", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40810 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PengSuctDev", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40592 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UpdNominRol", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40605 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MonSuperVis", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40688 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoomC", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40742 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabEquipPTB", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40972) as "CommentsSu1", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40670 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CleanSchNex", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40759) as "WeighScale2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40572) as "NonMedStaff", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40736 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ParasitDemo", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41115) as "rdenumnum3", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40927 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HighRiskPol", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41008) as "CommentsGud", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41046) as "AFP6Actions", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41030 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Genelmpress", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40679 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "H2OCont20L0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40727 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SkinPinchCh", (select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40907 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AvailReagXM",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41103 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalEndO",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41048 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACS3monPrio",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40675 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FloorFissLs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41118) as "thenumpnum4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40989 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FoodDemonst",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40881) as "Service0029",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40893) as "Service0041",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40930 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HealthFalmm",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40565) as "FacilityPic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41119) as "thename5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40829 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GrpIECBCC00",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40794 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DrugsStored",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40869 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0017",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40859) as "Service0007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40735 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DQAResulReg",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40974 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ColdChaiTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40691 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConsulRoom3",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40945 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FindHealTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41084 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "OtherReceip",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40777) as "LabExamDiag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40818 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AdeqInPatRm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40918 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "RingLactate",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40575) as "PropFileSy1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41011 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Thermometer",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40611 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EmerTelNumb",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40666 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowStafBed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40839 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan008",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40984 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrStaffIMCI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40964 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncRefridg",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41047 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSupervHF",(select cast(value as timestamp) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40553 and value ~* '^d{4}-d{2}-d{2}(\s|T)?(d{2}:d{2}:d{2})?\$') as "start000000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41036 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DirecObsTot",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40971 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SuperReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40888) as "Service0036",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40583) as "HMISReports",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40824 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ANCFomHFav",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40752) as "PatComfH003",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40917 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilezeCS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40843 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan015",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41057 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiseasePost",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40947 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Healthworker",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40896 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "RefSysTBPat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41083 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ContribOthr",(select cast(value as double precision) from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40624 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BizPlaFinCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40911 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Sterilenorm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41019 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Monitorcard",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40878) as "Service0026",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40780) as "CLactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40863) as "Service0011",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40771) as "PartographF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40706 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PropConAnti",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40558) as "LGAName0000",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40774 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "InPatTota03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40865) as "Service0013",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40764) as "INcommentss",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40776) as "CliExamPedi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40986 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CareOgivers",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40920 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DisinfClean",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41001 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "PatManTot00",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40924) as "Commentspr1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41051 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ACSparters",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40632 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DocIncExpBI",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40876) as "Service0024",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40838 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Familpan007",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40685 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ConWaitArea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40585 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbulAv",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40821 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MaternitCal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41004 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IYCFguideli",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41038 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurvelFocal",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40745 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LaboraScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40593 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkSchStaf",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40560) as "FacilitName",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40700 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SimMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40868 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0016",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40732 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MedLabSciAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40721 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeverPerInt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40669 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncLightng",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40568 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumBeds1000",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41094 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipFurnit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40955 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sixmessages",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40667 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ShowRunH2OC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40994) as "actionplTra",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40740 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteEvacua",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40692 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom4",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41035) as "actionplObs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40686 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "UnitFeeDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40661) as "DispHFWas04",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40765) as "INactionpla",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40663) as "Coucomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40603 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Fal24HrServ",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40622 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaRateC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40793 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PharDelivHF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40946 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PlanRoutImm",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40584 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HMISDataAna",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40835 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan004",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40941 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctionVDC",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40977) as "CommentsCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40885) as "Service0033",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41116) as "thenumname4",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40861 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0009",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40693 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConsulRoom5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40966 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PentVaccine",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41012 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TongueDepre",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41049 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MissPriorit",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40782) as "PatFileSurg",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40645) as "Indcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40988 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriEducat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40913 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Theaterlamp",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40806 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "AvailScaleW", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41075 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Suvellcalcu", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40923 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Nurseonduty", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40948 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExTargetAge", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41123 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "howmanother", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40935 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ColdchainEq", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40678 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctLight0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41120) as "thenumorg5", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41096 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OtherExpens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41055 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbackAFP", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41121) as "thenumprum5", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41000 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AppropWeigh", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41111) as "ndenumorg2", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40739 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FunctnEquip", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40757) as "StethBPMac2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40630) as "FinanDocsA1", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40985 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Trained2yar", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40973) as "actionplaSu", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41095 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostIndigen", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41112) as "ndenumprum2", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40858) as "Service0006", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40760) as "NumInPatReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40854 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40998 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ComplemtFed", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41010 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GuideJobTot", (select cast(debug2: channel 0: window 983040 sent adjust 65536

value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40591 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HospitOrgan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40635 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BenPerfLess", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40784) as "RepSurgProc", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40785) as "NoteDrDaily", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41099 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "BankBalOpsQ", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40894) as "Service0042", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40747 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FurnitAvail", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40860 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "Service0008", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40914 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TheaterTabl", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41007 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "JobAidsAval", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40633 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DocQuaExcel", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41077 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "GranPercent", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40850 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HIVTreatICC", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40761) as "WardLiteAv0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40712 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ExamBedOPDC", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41042 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFP3Diffren", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40634 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "DocQuaClInd", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40709 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "StethBPMach", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41071 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "ClinicActiv", (select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40653) as "HygAssur001",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41050 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ACSoFHFLGAs",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40781 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "InPatTota04",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41106 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotCashBalE",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40687 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ExiWaitCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41058 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DataToolsAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40852 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffCounsl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40716) as "NutriStaFem",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41081 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalarieGovt",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40817 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "EquipNwborn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41025 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ScreenRecrd",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40659) as "DispHFWas02",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40864) as "Service0012",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40613) as "AdmActionpl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40847) as "FAMILpanact",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40951 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "OneSyringeD",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40623 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMecGH",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40990 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Growthmonit",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41039 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TrainedFoca",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41066 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiagSignsSy",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41073) as "ClinicActin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40609 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListTelConR",(select value from

trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40756) as "PatComfH007",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40664) as "CouActionpl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40683 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PresLatTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40970 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ConductPlan",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40870 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0018",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40704 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOProcDiar",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40902 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme02",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41017 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HeightMear",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40660) as "DispHFWas03",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40952 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DisposSyrin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40579 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffDutRos",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40620 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaMedCr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40628 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlanScor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41013 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FoodDemoMat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40697 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NumbRegistr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40639) as "BizActiopl0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41069 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FeedbClinic",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40877) as "Service0025",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41065 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CilnicRegis",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41078 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CostRecover",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40954 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildHeCard",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40723 and value ~* '^(-

?[0-9]+)(\.[0-9]+)?\$') as "DiarSincOf", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40636 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BenPerfLe01", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40733 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabOpen7Day", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40802 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WasteMatern", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41045 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFP6Months", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40831) as "ANCAActionsp", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40875 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0023", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40816 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivrTable", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40573) as "AdminStaff0", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40846) as "FAMILpancom", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41037 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ChildhealtS", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40702 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WHOFLowDiag", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41086 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SalariesExp", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40606 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SupFollPlan", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40680 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClenSchdNex", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40867) as "Service0015", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40599 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "StaffAttReg", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40665 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HyMainTot01", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40643 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IndCommMeet", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40651 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CourtClean0", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40975 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LGAmeetRept", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41122) as "morepersons", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40713 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WeighScaleF", (select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40905) as "BloodbEme05",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40698 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "SerAvail247",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41063 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ClinicFamil",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40717 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ScrenRecord",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40710 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "FuncThermAv",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40715 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "NutriStaUn5",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40929 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "HealtREWPla",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40933 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "HfRImonitor",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40932 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "PlanSesionM",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40997 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ContinusEBF",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40983 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ImmunoCalcu",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41101 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "CashHandQtr",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41006 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "DefiControl",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40743) as "Lbcommentss",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41027 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "AskIfFeverr",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41002) as "CommentsPat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40642 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "PlanCareInd",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40644 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "IndPatSensi",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40992 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ThDeworming",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40695 and value ~* '^(-?[0-9]+)(\[0-9\])?\$') as "ConsulStaff",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41009) as "actionplGud",(select value from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40612) as "Admcomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40892) as "Service0040",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40649 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GarbBinCour",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40638) as "Bizcomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40734 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LabExamVisi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40689) as "ConsulRoom1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40953 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TallyVaccin",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40844 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FAMILPAN016",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41100 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BankBalDrug",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40571) as "MedStaff000",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40900) as "actionplaHI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40596 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivReport",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40641) as "Socwelfar01",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40928 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VCMworkSett",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40770) as "DRExamNote1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41024 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NutriWomenS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40803 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivRoomMn",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40916 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Sterilesets",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40608 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ListHospRef",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40738 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "MalariaRapT",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40904) as "BloodbEme04",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40671) as "Shocomments",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40830) as "ANCCCommentS",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=41029 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskDiarhoea",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40614 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AdminTotal0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40730 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DiarObsTot0",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40804 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvailPartog",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41072) as "ClinicComme",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40582 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DedicCommuP",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40937 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinStore",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41098 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetChngCash",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40578 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PropFileTot",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40786) as "RegPostInfe",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40811 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WorkersENCC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40621 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStrRi",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40891) as "Service0039",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40996 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "IMCguideli",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41068 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPcase6mon",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40903 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BloodbEme03",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40737) as "FuncMicrosc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40610 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FuncAmbServ",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40763) as "InPatRegist",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41021) as "CommentsEqp",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40874) as "Service0022",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41091 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TranspCosts",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40962) as

"ObsRoutTota",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40820) as "MateActions",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40556) as "nRespondent",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40681) as "precomments",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40566 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "TotalPopul0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41117) as "theneorg4",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41018 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "AdultHeight",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40673 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "PresShowTot",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41089 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SubsContrac",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40696 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "StaffDressW",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40616 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "BiznessPla1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40798 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "EssDrugScor",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40978) as "actionplCom",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40662) as "RodPestCtrl",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40690 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "ConsulRoom2",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40754) as "PatComfH005",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41076 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GrandSummat",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40792 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "HFPurDrugPh",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40615 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "GenManAdmSc",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40814 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "SterilObsBx",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40931 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "HFimplement",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41043 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "Stoolcollec",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40963 and value ~* '^([0-9]+)(\.[0-9]+)?\$') as "UpdateChain",(select cast(value as

double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40731 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ConsulScore",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40778) as
"DrExamNotes",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=41016 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "CircumTapes",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40822 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "FacPractANC",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40840 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "Familpan009",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40922 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "QualfMedDoc",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40719) as "NutActionp1",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40910 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "HIVHepBTest",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40968 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "ChemTempLGA",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "TransCertSf",(select cast(value as
bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41090 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CleanCosts0",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40853) as "Service0001",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40607 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "CopSupRepAv",(select cast(value as
double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40726 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "TempMeasure",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40600 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "MonManSMMeet",(select cast(value
as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40627 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "BizPlanTot1",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40646) as
"IndActionp1",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40999 and value ~* '^(-?
[0-9]+)(\.[0-9]+)?\$)' as "MothersDiet",(select cast(value as double precision) from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=41059 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$)' as "AFPspecimen",(select value from
trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and
dataelementid=40769) as "CliDiagJust",(select value from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40787) as
"TheComments",(select cast(value as double precision) from trackedentitydatavalue where
programstageinstanceid=psi.programstageinstanceid and dataelementid=40580 and value ~* '^(-?

?[0-9]+)(\.[0-9]+)?\$') as "ManTeamMeet",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40837 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan006",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40701 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SevMalTreat",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41041 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AFPmeaslesY",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40728) as "Nutcomments",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40942 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CommunityRI",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40594 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AnnWorkPlan",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40987) as "InfantsFeed",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41074 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ClinicTot00",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40684 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HygMedWasCl",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40590 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GenTotal001",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41034) as "CommentsObs",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40775) as "PatFilePedS",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40595 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DutyRosTelC",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40980 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "WastDisPlan",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40809 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NeonAmbubag",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40668 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DoorLockIns",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40708 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "KnwTubDang0",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40577) as "PropFileSy3",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40856 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Service0004",(select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40805 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DelivPerson",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40851 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HTSCounsReg",(select cast(value as double precision) from trackedentitydatavalue where

programstageinstanceid=psi.programstageinstanceid and dataelementid=40915 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SurgTotal01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40890) as "Service0038", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41020 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AvaiEquiTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40801 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "LiteDeliv24", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40626) as "BizActionpl", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41097 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TotalExpens", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40741 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PersWashPip", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40919 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Colloidsbag", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40813 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "SterilGlove", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40658) as "DispHFWas01", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41114) as "rdenumeorg3", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40993) as "CommentsTra", (select cast(value as bigint) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41054 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ActivCasTot", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40956 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DefineeAEFI", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40618 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "BizPlaStake", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40899) as "CommentsHIV", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41028 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AskIFCoughh", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40833 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Familpan002", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41032 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "TempMeasChi", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41102 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "NetCashAvai", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40879) as "Service0027", (select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40677 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "DoorLockCei", (select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and

dataelementid=40887) as "Service0035",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40925) as "actionplap1",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40842 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FamilplanTo",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40640 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "FinancScore",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41056 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CaseDefinit",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=41064 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "PriotDiseas",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40938 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "VaccinLedge",(select cast(value as double precision) from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40950 and value ~* '^(-?[0-9]+)(\.[0-9]+)?\$') as "CorrectVacc",(select value from trackedentitydatavalue where programstageinstanceid=psi.programstageinstanceid and dataelementid=40961) as "actionplaVa",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi.executiondate,psi.du edate,psi.completeddate,psi.created,psi.lastupdated,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN 'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null END,ou.uid,ou.name,ou.code from programstageinstance psi inner join programinstance pi on psi.programinstanceid=pi.programinstanceid inner join programstage ps on psi.programstageid=ps.programstageid inner join program pr on pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join trackedentityinstance tei on pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false inner join organisationunit ou on psi.organisationunitid=ou.organisationunitid left join _orgunitstructure ous on psi.organisationunitid=ous.organisationunitid left join _organisationunitgroupsetstructure ougs on psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month', psi.executiondate) as date)=ougs.startdate or ougs.startdate is null) inner join _categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid left join _dateperiodstructure dps on cast(psi.executiondate as date)=dps.dateperiod where psi.executiondate >= '2019-01-01' and psi.executiondate < '2020-01-01' and psi.lastupdated <= '2019-11-20T15:44:50' and pr.programid=97312 and psi.organisationunitid is not null and psi.executiondate is not null and psi.deleted is false]; SQL state [XX000]; error code [0]; ERROR: object value separator ',' expected (at offset 49); nested exception is org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackkSQLExceptionTranslator.java:90)

at

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackkSQLExceptionTranslator.java:82)

at
org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:82)
at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:419)
at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:445)
at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateAndLog(AbstractJdbcTableManager.java:488)
at
org.hisp.dhis.analytics.table.JdbcEventAnalyticsTableManager.populateTable(JdbcEventAnalyticsTableManager.java:177)
at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateTablesAsync(AbstractJdbcTableManager.java:232)
at sun.reflect.GeneratedMethodAccessor2494.invoke(Unknown Source)
at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:333)
at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:190)
at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157)
at
org.springframework.aop.interceptor.AsyncExecutionInterceptor\$1.call(AsyncExecutionInterceptor.java:115)
... 6 more

Caused by: org.postgresql.util.PSQLException: ERROR: object value separator ',' expected (at offset 49)

at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.java:2440)
at org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:2183)
at org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:308)
at org.postgresql.jdbc.PgStatement.executeInternal(PgStatement.java:441)


```
at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:365)
at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:307)
at org.postgresql.jdbc.PgStatement.executeCachedSql(PgStatement.java:293)
at org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:270)
at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:266)
at com.mchange.v2.c3p0.impl.NewProxyStatement.execute(NewProxyStatement.java:75)
at
org.springframework.jdbc.core.JdbcTemplate$1ExecuteStatementCallback.doInStatement(JdbcTem
plate.java:436)
    at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:408)
    ... 17 more
```

```
* INFO 2019-11-20 15:45:24,051 Populated table in 0.71 seconds:
analytics_event_temp_2019_bcvrc668a8p (AbstractJdbcTableManager.java [taskScheduler-12])
```

```
* INFO 2019-11-20 15:45:24,283 Populated table in 0.22 seconds:
analytics_event_temp_2019_dydivu4loxe (AbstractJdbcTableManager.java [taskScheduler-12])
```

```
debug2: channel 0: window 998000 sent adjust 50576
```

```
00***0
```