

2020-05-14 10:49:35 Apache Commons Daemon procrun stdout initialized.

* INFO 2020-05-14T10:51:27,667 System property dhis2.home not set (LogOnceLogger.java [main])

* INFO 2020-05-14T10:51:27,724 Environment variable DHIS2_HOME points to C:\DHIS2 (LogOnceLogger.java [main])

* INFO 2020-05-14T10:51:27,834 File C:\DHIS2\dhis-google-auth.json does not exist (LogOnceLogger.java [main])

* INFO 2020-05-14T10:51:27,835 Could not find dhis-google-auth.json (LogOnceLogger.java [main])

* WARN 2020-05-14T10:51:31,532 Ignored XML validation warning (SimpleSaxErrorHandler.java [main])

org.xml.sax.SAXParseException: schema_reference.4: Failed to read schema document

'http://www.springframework.org/schema/security/spring-security.xsd', because 1) could not find the document; 2) the document could not be read; 3) the root element of the document is not <xsd:schema>.

at org.apache.xerces.util.ErrorHandlerWrapper.createSAXParseException(Unknown Source) ~[xercesImpl-2.8.1.jar:?]

at org.apache.xerces.util.ErrorHandlerWrapper.warning(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.XMLErrorReporter.reportError(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.XMLErrorReporter.reportError(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.traversers.XSDHandler.reportSchemaWarning(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.traversers.XSDHandler.getSchemaDocument(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.traversers.XSDHandler.parseSchema(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.XMLSchemaLoader.loadSchema(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.XMLSchemaValidator.findSchemaGrammar(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.XMLSchemaValidator.handleStartElement(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.xs.XMLSchemaValidator.startElement(Unknown Source) [xercesImpl-2.8.1.jar:?]

at org.apache.xerces.impl.XMLNSDocumentScannerImpl.scanStartElement(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.XMLDocumentFragmentScannerImpl\$FragmentContentDispatcher.dispatch(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.XMLDocumentFragmentScannerImpl.scanDocument(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.XML11Configuration.parse(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.XML11Configuration.parse(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.XMLParser.parse(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.DOMParser.parse(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.apache.xerces.jaxp.DocumentBuilderImpl.parse(Unknown Source) [xercesImpl-2.8.1.jar:?]
at org.springframework.beans.factory.xml.DefaultDocumentLoader.loadDocument(DefaultDocumentLoader.java:77) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadDocument(XmlBeanDefinitionReader.java:435) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadBeanDefinitions(XmlBeanDefinitionReader.java:393) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:337) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:305) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.importBeanDefinitionResource(DefaultBeanDefinitionDocumentReader.java:250) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.parseDefaultElement(DefaultBeanDefinitionDocumentReader.java:191) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.parseBeanDefinitions(DefaultBeanDefinitionDocumentReader.java:176) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.doRegisterBeanDefinitions(DefaultBeanDefinitionDocumentReader.java:149) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.registerBeanDefinitions(DefaultBeanDefinitionDocumentReader.java:96) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.registerBeanDefinitions(XmlBeanDefinitionReader.java:514) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadBeanDefinitions(XmlBeanDefinitionReader.java:394) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:337) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:305) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanDefinitions(AbstractBeanDefinitionReader.java:188) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanDefinitions(AbstractBeanDefinitionReader.java:224) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanDefinitions(AbstractBeanDefinitionReader.java:195) [spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.support.XmlWebApplicationContext.loadBeanDefinitions(XmlWebApplicationContext.java:125) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.support.XmlWebApplicationContext.loadBeanDefinitions(XmlWebApplicationContext.java:94) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.context.support.AbstractRefreshableApplicationContext.refreshBeanFactory(AbstractRefreshableApplicationContext.java:133) [spring-context-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.context.support.AbstractApplicationContext.obtainFreshBeanFactory(AbstractApplicationContext.java:637) [spring-context-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:522) [spring-context-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.ContextLoader.configureAndRefreshWebApplicationContext(ContextLoader.java:401) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:292) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:103) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4690) [catalina.jar:9.0.34]

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5151) [catalina.jar:9.0.34]

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:717) [catalina.jar:9.0.34]

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:690) [catalina.jar:9.0.34]

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:705) [catalina.jar:9.0.34]
at org.apache.catalina.startup.HostConfig.deployDirectory(HostConfig.java:1133) [catalina.jar:9.0.34]
at org.apache.catalina.startup.HostConfig\$DeployDirectory.run(HostConfig.java:1867) [catalina.jar:9.0.34]
at java.util.concurrent.Executors\$RunnableAdapter.call(Unknown Source) [?:1.8.0_251]
at java.util.concurrent.FutureTask.run(Unknown Source) [?:1.8.0_251]
at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75) [tomcat-util.jar:9.0.34]
at java.util.concurrent.AbstractExecutorService.submit(Unknown Source) [?:1.8.0_251]
at org.apache.catalina.startup.HostConfig.deployDirectories(HostConfig.java:1045) [catalina.jar:9.0.34]
at org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:429) [catalina.jar:9.0.34]
at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1576) [catalina.jar:9.0.34]
at org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:309) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.fireLifecycleEvent(LifecycleBase.java:123) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.setStateInternal(LifecycleBase.java:423) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.setState(LifecycleBase.java:366) [catalina.jar:9.0.34]
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:936) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardHost.startInternal(StandardHost.java:841) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1384) [catalina.jar:9.0.34]
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1374) [catalina.jar:9.0.34]
at java.util.concurrent.FutureTask.run(Unknown Source) [?:1.8.0_251]
at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75) [tomcat-util.jar:9.0.34]

at java.util.concurrent.AbstractExecutorService.submit(Unknown Source) [?:1.8.0_251]
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:909) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardEngine.startInternal(StandardEngine.java:262) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardService.startInternal(StandardService.java:421) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardServer.startInternal(StandardServer.java:930) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.startup.Catalina.start(Catalina.java:633) [catalina.jar:9.0.34]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) [?:1.8.0_251]
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source) [?:1.8.0_251]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) [?:1.8.0_251]
at java.lang.reflect.Method.invoke(Unknown Source) [?:1.8.0_251]
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:343) [bootstrap.jar:9.0.34]
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:474) [bootstrap.jar:9.0.34]

* ERROR 2020-05-14T10:51:31,581 Context initialization failed (ContextLoader.java [main])

org.springframework.beans.factory.parsing.BeanDefinitionParsingException: Configuration problem: Failed to import bean definitions from relative location [security.xml]

Offending resource: URL [jar:file:/C:/Program%20Files/Apache%20Software%20Foundation/Tomcat%209.0/webapps/dhis/WEB-INF/lib/dhis-web-commons-2.34.0.jar!/META-INF/dhis/beans.xml]; nested exception is
org.springframework.beans.factory.xml.XmlBeanDefinitionStoreException: Line 22 in XML document from URL
[jar:file:/C:/Program%20Files/Apache%20Software%20Foundation/Tomcat%209.0/webapps/dhis/WEB-INF/lib/dhis-web-commons-

2.34.0.jar!/META-INF/dhis/security.xml] is invalid; nested exception is org.xml.sax.SAXParseException; lineNumber: 22; columnNumber: 81; cvc-complex-type.2.4.c: The matching wildcard is strict, but no declaration can be found for element 'sec:http'.

at org.springframework.beans.factory.parsing.FailFastProblemReporter.error(FailFastProblemReporter.java:72) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.parsing.ReaderContext.error(ReaderContext.java:119) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.parsing.ReaderContext.error(ReaderContext.java:104) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.importBeanDefinitionResource(DefaultBeanDefinitionDocumentReader.java:266) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.parseDefaultElement(DefaultBeanDefinitionDocumentReader.java:191) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.parseBeanDefinitions(DefaultBeanDefinitionDocumentReader.java:176) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.doRegisterBeanDefinitions(DefaultBeanDefinitionDocumentReader.java:149) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.registerBeanDefinitions(DefaultBeanDefinitionDocumentReader.java:96) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.registerBeanDefinitions(XmlBeanDefinitionReader.java:514) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadBeanDefinitions(XmlBeanDefinitionReader.java:394)
~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:337) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:305) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanDefinitions(AbstractBeanDefinitionReader.java:188)
~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanDefinitions(AbstractBeanDefinitionReader.java:224)
~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanDefinitions(AbstractBeanDefinitionReader.java:195)
~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.support.XmlWebApplicationContext.loadBeanDefinitions(XmlWebApplicationContext.java:125)
~[spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.support.XmlWebApplicationContext.loadBeanDefinitions(XmlWebApplicationContext.java:94)
~[spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at
org.springframework.context.support.AbstractRefreshableApplicationContext.refreshBeanFactory(AbstractRefreshableApplicationContext.java:133) ~[spring-context-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.context.support.AbstractApplicationContext.obtainFreshBeanFactory(AbstractApplicationContext.java:637)
~[spring-context-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:522) ~[spring-context-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.ContextLoader.configureAndRefreshWebApplicationContext(ContextLoader.java:401) ~[spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:292) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:103) [spring-web-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4690) [catalina.jar:9.0.34]

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5151) [catalina.jar:9.0.34]

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:717) [catalina.jar:9.0.34]

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:690) [catalina.jar:9.0.34]

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:705) [catalina.jar:9.0.34]

at org.apache.catalina.startup.HostConfig.deployDirectory(HostConfig.java:1133) [catalina.jar:9.0.34]

at org.apache.catalina.startup.HostConfig\$DeployDirectory.run(HostConfig.java:1867) [catalina.jar:9.0.34]

at java.util.concurrent.Executors\$RunnableAdapter.call(Unknown Source) [?:1.8.0_251]

at java.util.concurrent.FutureTask.run(Unknown Source) [?:1.8.0_251]

at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75) [tomcat-util.jar:9.0.34]

at java.util.concurrent.AbstractExecutorService.submit(Unknown Source) [?:1.8.0_251]

at org.apache.catalina.startup.HostConfig.deployDirectories(HostConfig.java:1045) [catalina.jar:9.0.34]

at org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:429) [catalina.jar:9.0.34]

at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1576) [catalina.jar:9.0.34]

at org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:309) [catalina.jar:9.0.34]

at org.apache.catalina.util.LifecycleBase.fireLifecycleEvent(LifecycleBase.java:123) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.setStateInternal(LifecycleBase.java:423) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.setState(LifecycleBase.java:366) [catalina.jar:9.0.34]
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:936) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardHost.startInternal(StandardHost.java:841) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1384) [catalina.jar:9.0.34]
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1374) [catalina.jar:9.0.34]
at java.util.concurrent.FutureTask.run(Unknown Source) [?:1.8.0_251]
at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75) [tomcat-util.jar:9.0.34]
at java.util.concurrent.AbstractExecutorService.submit(Unknown Source) [?:1.8.0_251]
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:909) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardEngine.startInternal(StandardEngine.java:262) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardService.startInternal(StandardService.java:421) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.core.StandardServer.startInternal(StandardServer.java:930) [catalina.jar:9.0.34]
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183) [catalina.jar:9.0.34]
at org.apache.catalina.startup.Catalina.start(Catalina.java:633) [catalina.jar:9.0.34]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) [?:1.8.0_251]
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source) [?:1.8.0_251]

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) ~[?:1.8.0_251]

at java.lang.reflect.Method.invoke(Unknown Source) ~[?:1.8.0_251]

at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:343) [bootstrap.jar:9.0.34]

at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:474) [bootstrap.jar:9.0.34]

Caused by: org.springframework.beans.factory.xml.XmlBeanDefinitionStoreException: Line 22 in XML document from URL [jar:file:/C:/Program%20Files/Apache%20Software%20Foundation/Tomcat%209.0/webapps/dhis/WEB-INF/lib/dhis-web-commons-2.34.0.jar!/META-INF/dhis/security.xml] is invalid; nested exception is org.xml.sax.SAXParseException; lineNumber: 22; columnNumber: 81; cvc-complex-type.2.4.c: The matching wildcard is strict, but no declaration can be found for element 'sec:http'.

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadBeanDefinitions(XmlBeanDefinitionReader.java:405) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:337) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:305) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at

org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.importBeanDefinitionResource(DefaultBeanDefinitionDocumentReader.java:250) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

... 60 more

Caused by: org.xml.sax.SAXParseException: cvc-complex-type.2.4.c: The matching wildcard is strict, but no declaration can be found for element 'sec:http'.

at org.apache.xerces.util.ErrorHandlerWrapper.createSAXParseException(Unknown Source) ~[xercesImpl-2.8.1.jar:~]

at org.apache.xerces.util.ErrorHandlerWrapper.error(Unknown Source) ~[xercesImpl-2.8.1.jar:~]

at org.apache.xerces.impl.XMLErrorReporter.reportError(Unknown Source) ~[xercesImpl-2.8.1.jar:~]

at org.apache.xerces.impl.XMLErrorReporter.reportError(Unknown Source) ~[xercesImpl-2.8.1.jar:~]

at org.apache.xerces.impl.xs.XMLSchemaValidator\$XSIErrReporter.reportError(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.xs.XMLSchemaValidator.reportSchemaError(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.xs.XMLSchemaValidator.handleStartElement(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.xs.XMLSchemaValidator.startElement(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.XMLNSDocumentScannerImpl.scanStartElement(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.XMLDocumentFragmentScannerImpl\$FragmentContentDispatcher.dispatch(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.impl.XMLDocumentFragmentScannerImpl.scanDocument(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.XML11Configuration.parse(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.XML11Configuration.parse(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.XMLParser.parse(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.parsers.DOMParser.parse(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.apache.xerces.jaxp.DocumentBuilderImpl.parse(Unknown Source) ~[xercesImpl-2.8.1.jar:?]
at org.springframework.beans.factory.xml.DefaultDocumentLoader.loadDocument(DefaultDocumentLoader.java:77) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadDocument(XmlBeanDefinitionReader.java:435) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.doLoadBeanDefinitions(XmlBeanDefinitionReader.java:393) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:337) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]
at org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinitions(XmlBeanDefinitionReader.java:305) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

at

org.springframework.beans.factory.xml.DefaultBeanDefinitionDocumentReader.importBeanDefinitionResource(DefaultBeanDefinitionDocumentReader.java:250) ~[spring-beans-5.2.3.RELEASE.jar:5.2.3.RELEASE]

... 60 more