

=====  
DATA INTEGRITY CHECK  
=====

\* INFO 2022-12-14T15:58:08,609 Scheduler initiated execution of job:  
JobConfiguration{uid='QOM5ks3aizK', name='runDataIntegrity',  
jobType=DATA\_INTEGRITY, cronExpression='null', delay='null',  
jobParameters=org.hisp.dhis.scheduling.parameters.DataIntegrityJobParameters@1f9  
47661, enabled=true, inMemoryJob=true, lastRuntimeExecution='null',  
userId='HZpJx7Rm8Af', leaderOnlyJob=false, jobStatus=SCHEDULED,  
nextExecutionTime=null, lastExecutedStatus=NOT\_STARTED, lastExecuted=null}  
(DefaultSchedulingManager.java [http-nio-8080-exec-6])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:58:08,612 Starting data integrity job  
(NotificationLoggerUtil.java [taskScheduler-24]) UID:QOM5ks3aizK  
\* INFO 2022-12-14T15:58:08,614 [DATA\_INTEGRITY QOM5ks3aizK] Process started:  
Data Integrity check (ControlledJobProgress.java [taskScheduler-24])  
UID:QOM5ks3aizK  
\* INFO 2022-12-14T15:58:08,614 [DATA\_INTEGRITY QOM5ks3aizK] Stage started: Data  
Integrity details checks (ControlledJobProgress.java [taskScheduler-24])  
UID:QOM5ks3aizK  
\* INFO 2022-12-14T15:58:08,677 [DATA\_INTEGRITY QOM5ks3aizK] Stage completed  
after 0.063s: 33 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-24]) UID:QOM5ks3aizK  
\* INFO 2022-12-14T15:58:08,677 [DATA\_INTEGRITY QOM5ks3aizK] Process completed  
after 0.063s (ControlledJobProgress.java [taskScheduler-24]) UID:QOM5ks3aizK  
\* INFO 2022-12-14T15:58:08,679 Data integrity checks completed in 0.066424  
sec.. (NotificationLoggerUtil.java [taskScheduler-24]) UID:QOM5ks3aizK

=====  
MAINTENANCE: CLEAR ANALYTICS TABLES, CLEAR APP CACHE, RELOAD APPS  
=====

\* INFO 2022-12-14T15:59:23,009 Information schema analytics table SQL: select  
table\_name from information\_schema.tables where table\_name like 'analytics%' and  
table\_type = 'BASE TABLE' (JdbcPartitionManager.java [http-nio-8080-exec-1])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:23,103 Analytics tables dropped  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:23,104 Analytics tables dropped  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:23,105 Analytics tables dropped  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:23,106 Analytics tables dropped  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:23,106 Information schema analytics table SQL: select  
table\_name from information\_schema.tables where table\_name like  
'analytics\_ownership%' and table\_type = 'BASE TABLE' (JdbcPartitionManager.java  
[http-nio-8080-exec-1]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:23,108 Analytics tables dropped

```
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,109 Information schema analytics table SQL: select
table_name from information_schema.tables where table_name like
'analytics_event%' and table_type = 'BASE TABLE' (JdbcPartitionManager.java
[http-nio-8080-exec-1]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,110 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,111 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,112 Information schema analytics table SQL: select
table_name from information_schema.tables where table_name like
'analytics_enrollment%' and table_type = 'BASE TABLE' (JdbcPartitionManager.java
[http-nio-8080-exec-1]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,113 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,114 Analytics partition cache cleared
(JdbcPartitionManager.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,119 Hibernate caches cleared
(DefaultHibernateCacheManager.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,119 Old apps folder does not exist, stopping
discovery (LocalAppStorageService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,119 Starting JClouds discovery
(JCloudsAppStorageService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,159 Found potential app:
apps/android-settings_2.2.0/ (JCloudsAppStorageService.java
[http-nio-8080-exec-1]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:23,165 Discovered app 'Android Settings' from JClouds
storage (JCloudsAppStorageService.java [http-nio-8080-exec-1])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
```

```
=====
MAINTENANCE: ANALYZE ANALYTICS TABLES
=====
```

```
* INFO 2022-12-14T15:59:59,408 Information schema analytics table SQL: select
table_name from information_schema.tables where table_name like 'analytics%' and
table_type = 'BASE TABLE' (JdbcPartitionManager.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,412 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,413 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,414 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
```

```
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,415 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,415 Information schema analytics table SQL: select
table_name from information_schema.tables where table_name like
'analytics_ownership%' and table_type = 'BASE TABLE' (JdbcPartitionManager.java
[http-nio-8080-exec-8]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,420 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,420 Information schema analytics table SQL: select
table_name from information_schema.tables where table_name like
'analytics_event%' and table_type = 'BASE TABLE' (JdbcPartitionManager.java
[http-nio-8080-exec-8]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,423 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,424 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,424 Information schema analytics table SQL: select
table_name from information_schema.tables where table_name like
'analytics_enrollment%' and table_type = 'BASE TABLE' (JdbcPartitionManager.java
[http-nio-8080-exec-8]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,426 Analytics tables dropped
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,427 Analytics tables analyzed
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* ERROR 2022-12-14T15:59:59,429 StatementCallback; bad SQL grammar [analyze
analytics_completeness;]; nested exception is org.postgresql.util.PSQLException:
ERROR: relation "analytics_completeness" does not exist
(AbstractJdbcTableManager.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,429 Analytics tables analyzed
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* ERROR 2022-12-14T15:59:59,430 StatementCallback; bad SQL grammar [analyze
analytics_completenesstarget;]; nested exception is
org.postgresql.util.PSQLException: ERROR: relation
"analytics_completenesstarget" does not exist (AbstractJdbcTableManager.java
[http-nio-8080-exec-8]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,430 Analytics tables analyzed
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* ERROR 2022-12-14T15:59:59,431 StatementCallback; bad SQL grammar [analyze
analytics_orgunittarget;]; nested exception is
org.postgresql.util.PSQLException: ERROR: relation "analytics_orgunittarget"
does not exist (AbstractJdbcTableManager.java [http-nio-8080-exec-8])
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=
* INFO 2022-12-14T15:59:59,431 Analytics tables analyzed
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])
```

ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,431 Analytics tables analyzed  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,431 Analytics tables analyzed  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* ERROR 2022-12-14T15:59:59,432 StatementCallback; bad SQL grammar [analyze  
analytics\_validationresult;]; nested exception is  
org.postgresql.util.PSQLException: ERROR: relation "analytics\_validationresult"  
does not exist (AbstractJdbcTableManager.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,432 Analytics tables analyzed  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,432 Analytics tables analyzed  
(DefaultAnalyticsTableService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,432 Analytics partition cache cleared  
(JdbcPartitionManager.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,434 Hibernate caches cleared  
(DefaultHibernateCacheManager.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,435 Old apps folder does not exist, stopping  
discovery (LocalAppStorageService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,435 Starting JClouds discovery  
(JCloudsAppStorageService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,474 Found potential app:  
apps/android-settings\_2.2.0/ (JCloudsAppStorageService.java  
[http-nio-8080-exec-8]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T15:59:59,478 Discovered app 'Android Settings' from JClouds  
storage (JCloudsAppStorageService.java [http-nio-8080-exec-8])  
ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T16:00:00,030 Data validation (NotificationLoggerUtil.java  
[taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,031 [MONITORING WhqEy5vPdrL] Process started: Data  
validation (ControlledJobProgress.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,041 Preparing analysis parameters  
(NotificationLoggerUtil.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,041 [MONITORING WhqEy5vPdrL] Stage started:  
Preparing analysis parameters (ControlledJobProgress.java [taskScheduler-1])  
UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,047 blood pressure validating  
(NotificationLoggerUtil.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,048 [MONITORING WhqEy5vPdrL] Stage completed after  
0.007s: blood pressure validating (ControlledJobProgress.java [taskScheduler-1])  
UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,048 Starting validation analysis, 0 periods, 1  
rules, persisting results, sending notifications: 00:00:00.000 (Clock.java  
[taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,130 Initialized validation analysis: 00:00:00.082

(Clock.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,130 Persisting Results (NotificationLoggerUtil.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,131 [MONITORING WhqEy5vPdrL] Stage started: Persisting Results (ControlledJobProgress.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,131 [MONITORING WhqEy5vPdrL] Stage completed after 0s (ControlledJobProgress.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,131 Finished validation analysis, 0 results: 00:00:00.082 (Clock.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,131 Data validation done (NotificationLoggerUtil.java [taskScheduler-1]) UID:WhqEy5vPdrL  
\* INFO 2022-12-14T16:00:00,131 [MONITORING WhqEy5vPdrL] Process completed after 0.1s: Data validation done (ControlledJobProgress.java [taskScheduler-1]) UID:WhqEy5vPdrL

=====  
RESOURCE TABLES  
=====

\* INFO 2022-12-14T16:00:21,972 Scheduler initiated execution of job: JobConfiguration{uid='T2oAcIGm2QR', name='inMemoryResourceTableJob', jobType=RESOURCE\_TABLE, cronExpression='null', delay='null', jobParameters=null, enabled=true, inMemoryJob=true, lastRuntimeExecution='null', userUid='HZpjx7Rm8Af', leaderOnlyJob=false, jobStatus=null, nextExecutionTime=null, lastExecutedStatus=NOT\_STARTED, lastExecuted=null} (DefaultSchedulingManager.java [http-nio-8080-exec-3]) ID49jwOkd+sF/nDky00rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T16:00:21,974 Generating resource tables (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,975 [RESOURCE\_TABLE T2oAcIGm2QR] Process started: Generating resource tables (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,978 Drop SQL views (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,978 [RESOURCE\_TABLE T2oAcIGm2QR] Stage started: Drop SQL views (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,979 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,979 [RESOURCE\_TABLE T2oAcIGm2QR] Stage completed after 0.001s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,980 Generating resource tables (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,980 [RESOURCE\_TABLE T2oAcIGm2QR] Stage started: Generating resource tables (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:21,982 Generating resource table: '\_orgunitstructure' (JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:22,092 Resource table '\_orgunitstructure' update done: '00:00:00.109' (JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:22,101 Generating resource table: '\_datasetorganisationunitcategory' (JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,118 Resource table  
'\_datasetorganisationunitcategory' update done: '00:00:00.015'  
(JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,122 Generating resource table:  
'\_categoryoptioncomboname' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,146 Resource table '\_categoryoptioncomboname' update  
done: '00:00:00.023' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,150 Generating resource table:  
'\_dataelementgroupsetstructure' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,168 Resource table '\_dataelementgroupsetstructure'  
update done: '00:00:00.017' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,172 Generating resource table:  
'\_indicatorgroupsetstructure' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,186 Resource table '\_indicatorgroupsetstructure'  
update done: '00:00:00.013' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,193 Generating resource table:  
'\_organisationunitgroupsetstructure' (JdbcResourceTableStore.java  
[taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,212 Resource table  
'\_organisationunitgroupsetstructure' update done: '00:00:00.018'  
(JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,217 Generating resource table: '\_categorystructure'  
(JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,229 Resource table '\_categorystructure' update done:  
'00:00:00.011' (JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,254 Generating resource table:  
'\_dataelementstructure' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,495 Resource table '\_dataelementstructure' update  
done: '00:00:00.240' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,510 Generating resource table: '\_periodstructure'  
(JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,528 Resource table '\_periodstructure' update done:  
'00:00:00.018' (JdbcResourceTableStore.java [taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:22,531 Generating resource table:  
'\_dateperiodstructure' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:38,555 Resource table '\_dateperiodstructure' update  
done: '00:00:16.023' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:38,557 Generating resource table:  
'\_dataelementcategoryoptioncombo' (JdbcResourceTableStore.java  
[taskScheduler-17]) UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:38,577 Resource table '\_dataelementcategoryoptioncombo'  
update done: '00:00:00.018' (JdbcResourceTableStore.java [taskScheduler-17])  
UID:T2oAcIGm2QR

\* INFO 2022-12-14T16:00:38,580 11 successful and 0 failed items

(NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,580 [RESOURCE\_TABLE T2oAcIGm2QR] Stage completed after 16.6s: 11 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,583 Create SQL views (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,583 [RESOURCE\_TABLE T2oAcIGm2QR] Stage started: Create SQL views (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,583 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,584 [RESOURCE\_TABLE T2oAcIGm2QR] Stage completed after 0.001s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,584 Resource tables generated: 00:00:16.609 (NotificationLoggerUtil.java [taskScheduler-17]) UID:T2oAcIGm2QR  
\* INFO 2022-12-14T16:00:38,584 [RESOURCE\_TABLE T2oAcIGm2QR] Process completed after 16.609s: Resource tables generated: 00:00:16.609 (ControlledJobProgress.java [taskScheduler-17]) UID:T2oAcIGm2QR

=====  
ANALYTICS TABLES EXPORT, ALL YEARS, NOTHING SKIPPED  
=====

\* INFO 2022-12-14T16:02:01,462 Scheduler initiated execution of job: JobConfiguration{uid='ujuE5jLMK5a', name='inMemoryAnalyticsJob', jobType=ANALYTICS\_TABLE, cronExpression='', delay='null', jobParameters=org.hisp.dhis.scheduling.parameters.AnalyticsJobParameters@38f4ea4c, enabled=true, inMemoryJob=true, lastRuntimeExecution='null', userUid='HZpJx7Rm8Af', leaderOnlyJob=false, jobStatus=SCHEDULED, nextExecutionTime=null, lastExecutedStatus=NOT\_STARTED, lastExecuted=null} (DefaultSchedulingManager.java [http-nio-8080-exec-3]) ID49jwOkd+sF/nDky000rJTqGzKtPK4dCG0iVAur2vNpM=  
\* INFO 2022-12-14T16:02:01,483 Found 8 analytics table types: [EVENT, ENROLLMENT, DATA\_VALUE, COMPLETENESS\_TARGET, ORG\_UNIT\_TARGET, OWNERSHIP, COMPLETENESS, VALIDATION\_RESULT] (DefaultAnalyticsTableGenerator.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,484 Analytics table update: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01} (DefaultAnalyticsTableGenerator.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,484 Last successful analytics table update: '2022-12-14T13:25:07' (DefaultAnalyticsTableGenerator.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,484 Analytics table update process (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,484 [ANALYTICS\_TABLE ujuE5jLMK5a] Process started: Analytics table update process (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,487 Drop SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,487 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Drop SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:01,487 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,487 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,487 Generating resource tables (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,487 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Generating resource tables (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,488 Generating resource table: '\_orgunitstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,523 Resource table '\_orgunitstructure' update done: '00:00:00.035' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,528 Generating resource table: '\_datasetorganisationunitcategory' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,545 Resource table '\_datasetorganisationunitcategory' update done: '00:00:00.016' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,548 Generating resource table: '\_categoryoptioncomboname' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,563 Resource table '\_categoryoptioncomboname' update done: '00:00:00.014' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,569 Generating resource table: '\_dataelementgroupsetstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,588 Resource table '\_dataelementgroupsetstructure' update done: '00:00:00.017' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,590 Generating resource table: '\_indicatorgroupsetstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,604 Resource table '\_indicatorgroupsetstructure' update done: '00:00:00.013' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,608 Generating resource table: '\_organisationunitgroupsetstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,625 Resource table '\_organisationunitgroupsetstructure' update done: '00:00:00.016' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,628 Generating resource table: '\_categorystructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,646 Resource table '\_categorystructure' update done: '00:00:00.017' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,676 Generating resource table: '\_dataelementstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,841 Resource table '\_dataelementstructure' update done: '00:00:00.165' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,853 Generating resource table: '\_periodstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a



\* INFO 2022-12-14T16:02:01,870 Resource table '\_periodstructure' update done: '00:00:00.017' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:01,873 Generating resource table: '\_dateperiodstructure' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:16,974 Resource table '\_dateperiodstructure' update done: '00:00:15.100' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:16,977 Generating resource table: '\_dataelementcategoryoptioncombo' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,002 Resource table '\_dataelementcategoryoptioncombo' update done: '00:00:00.023' (JdbcResourceTableStore.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,004 11 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,005 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 15.517s: 11 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,007 Create SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,008 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Create SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,008 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,008 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,016 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01} (DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,016 Starting update of type: DATA\_VALUE, table name: 'analytics', processes: 5: 00:00:00.000 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,016 Validating Analytics Table DATA\_VALUE (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,017 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Validating Analytics Table DATA\_VALUE (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,022 No data values exist, not updating aggregate analytics tables (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,022 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.006s: No data values exist, not updating aggregate analytics tables (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,022 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01} (DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,022 Starting update of type: COMPLETENESS, table name: 'analytics\_completeness', processes: 5: 00:00:00.000 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,023 Validating Analytics Table COMPLETENESS (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,023 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Validating Analytics Table COMPLETENESS (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,025 No complete registrations exist, not updating completeness analytics tables (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,026 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.003s: No complete registrations exist, not updating completeness analytics tables (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,026 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01} (DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,026 Starting update of type: COMPLETENESS\_TARGET, table name: 'analytics\_completeness\_target', processes: 5: 00:00:00.000 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,026 Validating Analytics Table COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,026 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Validating Analytics Table COMPLETENESS\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,026 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,038 Table update start: analytics\_completeness\_target, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01}: 00:00:00.011 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,038 Performing pre-create table work (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,038 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Performing pre-create table work (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,038 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,039 Performed pre-create table work COMPLETENESS\_TARGET: 00:00:00.012 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,039 Dropping temp tables (if any) COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,039 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Dropping temp tables (if any) COMPLETENESS\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,040 1 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,040 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.001s: 1 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,040 Dropped temp tables: 00:00:00.014 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,040 Creating analytics tables COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,040 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Creating analytics tables COMPLETENESS\_TARGET (ControlledJobProgress.java

[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,041 Creating table:  
'analytics\_completeness\_target\_temp', columns: '12'  
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,044 1 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,044 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.004s: 1 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,044 Created analytics tables: 00:00:00.018  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,045 Populating analytics tables COMPLETENESS\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,045 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Populating analytics tables COMPLETENESS\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,045 Populate table task number: 1  
(DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,051 Populate analytics\_completeness\_target\_temp in:  
0.004886 sec. (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,051 1 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,051 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.006s: 1 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,051 Populated analytics tables: 00:00:00.025  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,052 Invoking analytics table hooks  
COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7])  
UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,052 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Invoking analytics table hooks COMPLETENESS\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,053 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.001s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,053 Invoked analytics table hooks: 00:00:00.026  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,088 Applying aggregation level 2 COMPLETENESS\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,088 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Applying aggregation level 2 COMPLETENESS\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,091 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.003s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,112 Applying aggregation level 1 COMPLETENESS\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,112 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Applying aggregation level 1 COMPLETENESS\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,117 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.005s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,117 Applied aggregation levels: 00:00:00.090  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,118 Vacuuming tables COMPLETENESS\_TARGET

(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,118 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Vacuuming tables COMPLETENESS\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,119 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.001s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,119 Tables vacuumed: 00:00:00.093 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,120 Creating indexes COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,120 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Creating indexes COMPLETENESS\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,157 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.037s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,157 Created indexes: 00:00:00.130 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,157 Analyzing analytics tables COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,157 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Analyzing analytics tables COMPLETENESS\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,160 1 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,161 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.004s: 1 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,161 Analyzed tables: 00:00:00.134 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,170 Drop SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,170 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Drop SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,170 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,170 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,170 Swapping analytics tables COMPLETENESS\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,170 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Swapping analytics tables COMPLETENESS\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,179 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,181 1 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,182 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.012s: 1 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,183 Create SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,183 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:

Create SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,183 0 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,184 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.001s: 0 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,184 Table update done: analytics\_completenessstarget:  
00:00:00.157 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,184 Analytics table update parameters:  
AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip  
table types=[], skip programs=[], start time=2022-12-14T16:02:01}  
(DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,185 Starting update of type: ORG\_UNIT\_TARGET, table  
name: 'analytics\_orgunittarget', processes: 5: 00:00:00.000 (Clock.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,185 Validating Analytics Table ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,185 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Validating Analytics Table ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,185 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,187 Table update start: analytics\_orgunittarget,  
earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip  
resource tables=false, skip table types=[], skip programs=[], start  
time=2022-12-14T16:02:01}: 00:00:00.002 (Clock.java [taskScheduler-7])  
UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,187 Performing pre-create table work  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,187 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Performing pre-create table work (ControlledJobProgress.java [taskScheduler-7])  
UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,188 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.001s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,188 Performed pre-create table work ORG\_UNIT\_TARGET:  
00:00:00.003 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,188 Dropping temp tables (if any) ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,188 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Dropping temp tables (if any) ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,189 1 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,189 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.001s: 1 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,190 Dropped temp tables: 00:00:00.004 (Clock.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,190 Creating analytics tables ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,190 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Creating analytics tables ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,190 Creating table: 'analytics\_orgunittarget\_temp',

columns: '6' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,193 1 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,193 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.003s: 1 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,193 Created analytics tables: 00:00:00.008  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,193 Populating analytics tables ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,194 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Populating analytics tables ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,194 Populate table task number: 1  
(DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,198 analytics\_orgunittarget\_temp in: 0.003676 sec.  
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,198 1 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,198 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.004s: 1 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,198 Populated analytics tables: 00:00:00.013  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,199 Invoking analytics table hooks ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,199 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Invoking analytics table hooks ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,200 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.001s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,200 Invoked analytics table hooks: 00:00:00.015  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,233 Applying aggregation level 2 ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,233 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Applying aggregation level 2 ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,235 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.002s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,257 Applying aggregation level 1 ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,258 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Applying aggregation level 1 ORG\_UNIT\_TARGET (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,262 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.004s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,263 Applied aggregation levels: 00:00:00.077  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,266 Vacuuming tables ORG\_UNIT\_TARGET  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,266 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Vacuuming tables ORG\_UNIT\_TARGET (ControlledJobProgress.java [taskScheduler-7])  
UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,268 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.002s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,269 Tables vacuumed: 00:00:00.083 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,269 Creating indexes ORG\_UNIT\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,270 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Creating indexes ORG\_UNIT\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,285 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.015s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,285 Created indexes: 00:00:00.100 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,285 Analyzing analytics tables ORG\_UNIT\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,286 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Analyzing analytics tables ORG\_UNIT\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,288 1 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,289 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.003s: 1 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,289 Analyzed tables: 00:00:00.104 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,291 Drop SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,292 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Drop SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,292 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,292 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,292 Swapping analytics tables ORG\_UNIT\_TARGET (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,292 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Swapping analytics tables ORG\_UNIT\_TARGET (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,297 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,300 1 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,300 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.008s: 1 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,303 Create SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,304 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Create SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,304 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,304 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed

after 0s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

- \* INFO 2022-12-14T16:02:17,304 Table update done: analytics\_organittarget: 00:00:00.119 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,305 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01} (DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,305 Starting update of type: OWNERSHIP, table name: 'analytics\_ownership', processes: 5: 00:00:00.000 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,306 Validating Analytics Table OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,306 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Validating Analytics Table OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,314 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.008s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,334 Table update start: analytics\_ownership, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01}: 00:00:00.028 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,334 Performing pre-create table work (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,335 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Performing pre-create table work (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,335 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,335 Performed pre-create table work OWNERSHIP: 00:00:00.029 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,335 Dropping temp tables (if any) OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,335 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Dropping temp tables (if any) OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,339 5 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,339 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.004s: 5 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,339 Dropped temp tables: 00:00:00.033 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,339 Creating analytics tables OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,339 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Creating analytics tables OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,340 Creating table: 'analytics\_ownership\_temp\_dodi3iizubu', columns: '10' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a
- \* INFO 2022-12-14T16:02:17,344 Creating table: 'analytics\_ownership\_temp\_pfd5iwkain3', columns: '10'



(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,347 Creating table:  
'analytics\_ownership\_temp\_qzgamih3j3k', columns: '10'  
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,349 Creating table:  
'analytics\_ownership\_temp\_z5on8aget5a', columns: '10'  
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,351 Creating table:  
'analytics\_ownership\_temp\_tjlyopphz5r', columns: '10'  
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,353 5 successful and 0 failed items  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,353 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed  
after 0.014s: 5 successful and 0 failed items (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,353 Created analytics tables: 00:00:00.048  
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,354 Populating analytics tables OWNERSHIP  
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,354 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started:  
Populating analytics tables OWNERSHIP (ControlledJobProgress.java  
[taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,354 Populate table task number: 5  
(DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a  
\* INFO 2022-12-14T16:02:17,379 OwnershipAnalytics query row count was 1 for  
analytics\_ownership\_temp\_dodi3iizubu (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-9])  
\* INFO 2022-12-14T16:02:17,380 OwnershipAnalytics query row count was 34 for  
analytics\_ownership\_temp\_pfd5iwkain3 (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-5])  
\* INFO 2022-12-14T16:02:17,380 OwnershipAnalytics query row count was 39 for  
analytics\_ownership\_temp\_qzgamih3j3k (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-3])  
\* INFO 2022-12-14T16:02:17,393 Populate analytics\_ownership\_temp\_qzgamih3j3k  
in: 0.033335 sec. (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-3])  
\* INFO 2022-12-14T16:02:17,394 Populate analytics\_ownership\_temp\_pfd5iwkain3  
in: 0.021148 sec. (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-5])  
\* INFO 2022-12-14T16:02:17,394 Populate analytics\_ownership\_temp\_dodi3iizubu  
in: 0.018604 sec. (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-9])  
\* INFO 2022-12-14T16:02:17,400 OwnershipAnalytics query row count was 392 for  
analytics\_ownership\_temp\_tjlyopphz5r (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-7])  
\* INFO 2022-12-14T16:02:17,400 OwnershipAnalytics query row count was 569 for  
analytics\_ownership\_temp\_z5on8aget5a (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-11])  
\* INFO 2022-12-14T16:02:17,401 Populate analytics\_ownership\_temp\_z5on8aget5a  
in: 0.041011 sec. (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-11])  
\* INFO 2022-12-14T16:02:17,401 Populate analytics\_ownership\_temp\_tjlyopphz5r  
in: 0.038465 sec. (JdbcOwnershipAnalyticsTableManager.java  
[ForkJoinPool-332-worker-7])

\* INFO 2022-12-14T16:02:17,402 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.048s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,402 Populated analytics tables: 00:00:00.096 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,403 Invoking analytics table hooks OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,403 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Invoking analytics table hooks OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,410 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.007s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,410 Invoked analytics table hooks: 00:00:00.105 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,454 Applying aggregation level 2 OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,454 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Applying aggregation level 2 OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,460 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.006s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,484 Applying aggregation level 1 OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,484 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Applying aggregation level 1 OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,488 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.004s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,488 Applied aggregation levels: 00:00:00.183 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,489 Vacuuming tables OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,489 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Vacuuming tables OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,492 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.003s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,493 Tables vacuumed: 00:00:00.187 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,493 Creating indexes OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,493 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Creating indexes OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,555 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.062s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,555 Created indexes: 00:00:00.250 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,556 Analyzing analytics tables OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,556 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Analyzing analytics tables OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,562 5 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,562 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.006s: 5 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,563 Analyzed tables: 00:00:00.257 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,564 Drop SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,564 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Drop SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,565 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,565 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.001s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,565 Swapping analytics tables OWNERSHIP (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,565 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Swapping analytics tables OWNERSHIP (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,568 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,575 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,578 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,582 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,585 Swapping table, master table exists: 'false', skip master table: 'false' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,587 5 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,587 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.022s: 5 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,589 Create SQL views (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,589 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Create SQL views (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,589 0 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,589 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0s: 0 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,590 Table update done: analytics\_ownership: 00:00:00.284 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,590 Analytics table update parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01} (DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,590 Starting update of type: EVENT, table name: 'analytics\_event', processes: 5: 00:00:00.000 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,591 Validating Analytics Table EVENT (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,591 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Validating Analytics Table EVENT (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,595 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.004s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,596 Get tables using earliest: null, spatial support: true (JdbcEventAnalyticsTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,754 Table update start: analytics\_event, earliest: null, parameters: AnalyticsTableUpdateParams{last years=null, skip resource tables=false, skip table types=[], skip programs=[], start time=2022-12-14T16:02:01}: 00:00:00.163 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,754 Performing pre-create table work (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,754 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Performing pre-create table work (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,755 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.001s (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,755 Performed pre-create table work EVENT: 00:00:00.164 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,755 Dropping temp tables (if any) EVENT (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,755 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Dropping temp tables (if any) EVENT (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,757 4 successful and 0 failed items (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,757 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage completed after 0.002s: 4 successful and 0 failed items (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,757 Dropped temp tables: 00:00:00.166 (Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,757 Creating analytics tables EVENT (NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,757 [ANALYTICS\_TABLE ujuE5jLMK5a] Stage started: Creating analytics tables EVENT (ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,758 Creating table: 'analytics\_event\_temp\_pfd5iwkain3', columns: '125' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,771 Creating partition table: 'analytics\_event\_temp\_pfd5iwkain3\_2022' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,782 Creating table: 'analytics\_event\_temp\_qzgamih3j3k', columns: '129' (AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a

\* INFO 2022-12-14T16:02:17,799 Creating partition table:

```
'analytics_event_temp_qzgamih3j3k_2022' (AbstractJdbcTableManager.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,806 Creating table:
'analytics_event_temp_z5on8aget5a', columns: '109'
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,814 Creating partition table:
'analytics_event_temp_z5on8aget5a_2022' (AbstractJdbcTableManager.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,821 Creating partition table:
'analytics_event_temp_z5on8aget5a_2023' (AbstractJdbcTableManager.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,828 Creating partition table:
'analytics_event_temp_z5on8aget5a_2024' (AbstractJdbcTableManager.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,836 Creating table:
'analytics_event_temp_tjlyophhz5r', columns: '152'
(AbstractJdbcTableManager.java [taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,845 Creating partition table:
'analytics_event_temp_tjlyophhz5r_2022' (AbstractJdbcTableManager.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,853 Creating partition table:
'analytics_event_temp_tjlyophhz5r_2024' (AbstractJdbcTableManager.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,861 4 successful and 0 failed items
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,862 [ANALYTICS_TABLE ujuE5jLMK5a] Stage completed
after 0.105s: 4 successful and 0 failed items (ControlledJobProgress.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,862 Created analytics tables: 00:00:00.271
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,862 Populating analytics tables EVENT
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,862 [ANALYTICS_TABLE ujuE5jLMK5a] Stage started:
Populating analytics tables EVENT (ControlledJobProgress.java [taskScheduler-7])
UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,863 Populate table task number: 5
(DefaultAnalyticsTableService.java [taskScheduler-7]) UID:ujuE5jLMK5a
* INFO 2022-12-14T16:02:17,949 Populate analytics_event_temp_z5on8aget5a_2024
in: 0.071047 sec. (AbstractJdbcTableManager.java [ForkJoinPool-337-worker-3])
* INFO 2022-12-14T16:02:17,955 Populate analytics_event_temp_tjlyophhz5r_2024
in: 0.058404 sec. (AbstractJdbcTableManager.java [ForkJoinPool-337-worker-7])
* INFO 2022-12-14T16:02:17,966 Populate analytics_event_temp_z5on8aget5a_2023
in: 0.089028 sec. (AbstractJdbcTableManager.java [ForkJoinPool-337-worker-11])
* INFO 2022-12-14T16:02:17,986 Populate analytics_event_temp_qzgamih3j3k_2022
in: 0.106302 sec. (AbstractJdbcTableManager.java [ForkJoinPool-337-worker-5])
* INFO 2022-12-14T16:02:17,987 Populate analytics_event_temp_pfd5iwkain3_2022
in: 0.110138 sec. (AbstractJdbcTableManager.java [ForkJoinPool-337-worker-9])
* ERROR 2022-12-14T16:02:17,994 StatementCallback; SQL [insert into
analytics_event_temp_tjlyophhz5r_2022
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","hBtXUxAcQUY","dail
y","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","
biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","sixm
onthlynov","yearly","financialapril","financialjuly","financialoct","financialno
v","eKreIbxQBUD","tJhzjjAh0xv","GP0To4JLfIh","FcAiBqc0N8J","zjz1iKsVlFK","wrL82v
```

KHrDe", "L66YDy7gwU5", "L4TCzfZyAE3", "atq5qasfNvq", "xyXwFXjYZhK", "NJmkV1WQ1HV", "R7yhE7Sdept", "fnqDJ4SMhcT", "EsdNJ6Gi0cZ", "ELQu1Gjuwjb", "cz1WU8wqhC6", "kQLPVvG4iAE", "XtPFs4jB70V", "SKKTrBaAGZ1", "KntLs1ta3n1", "N5efoopaVrS", "Hrx3EV18o7V", "wd8jPpAc2D2", "cNbPlpb07MW", "bAp3P8xYAQ1", "pe4Bqc3VG3K", "J5bxxcte958", "A3iEjdQbevE", "JLPOxu8jy0P", "BrvwfVfLxsX", "Nm9yVDLPgj0", "Ve5f9gS29GW", "QsP2YqmwxtY", "eWfHFk3SIw0", "gZ1VQOscEiq", "HU5116D0g40", "riyVNfvl9kn", "Gb1qGoYAPCI", "M7bZvaeaqr5", "jKITG2Ceexh", "AiUct9I1LOJ", "vvWTubijvmt", "Jz1ZRw4ZQ1k", "Cs2HzcX6He3", "KLqZd0frVRh", "zbSmapo8HBn", "ZkOqR8XcCdW", "vNseztZx7Bu", "nQJ6fSa4gBk", "pjRJnexpl0LW", "tXrL5A2NBm6", "rKIomAoHvC6", "DzW2ZBfn77o", "rkI5o6uzw6o", "alr1BFYs1R0", "07DBkS45PTw", "KVHSGRi8bRN", "E4fWxBteFKZ", "u1PvMTRkHmI", "ZsN2Wa4zvZ0", "liQsO3pGsrB", "IAPvXChYPwh", "o7aKdATS0VM", "k1ZKNYdOPrc", "X08WoGUNniG", "gNzrUx9XqdI", "ZVUFQu8uoUy", "Kgbm1RdQOrz", "jWl1pay6f1U", "mJnPC22zdWF", "neegfiIcq1H", "i6QBqcC95dS", "HLXN7hk552q", "GwNm5R1hNiD", "qKZk2RJXOT7", "SjRZAHT5IEH", "HxFT2pVe7nj", "c19P17RYwcp", "s18VrbxvdAy", "l7KuIoSoatI", "MD31XheYtkL", "xmVKhLZI9VW", "C5CS3Xfesni", "Qeki7VWc6Sx", "zsVpd2Lc85z", "RRoBNLOJAhf", "BA7IDOnnj3m", "NOYWpsWxYMg", "j6XLfspcJc8", "qcaOVkTb2Kn", "CMuGDU8I4pQ", "T1m4d0u24E1", "rOsRmXMMqno", "psi", "pi", "ps", "ao", "enrollmentdate", "incidentdate", "executiondate", "duedate", "completeddate", "created", "lastupdated", "storedby", "createdbyusername", "createdbyname", "createdbylastname", "createdbydisplayname", "lastupdatedbyusername", "lastupdatedbyname", "lastupdatedbylastname", "lastupdatedbydisplayname", "pistatus", "psistatus", "psigeometry", "longitude", "latitude", "ou", "ouname", "oucode", "oulevel", "ougeometry", "pigeometry", "registrationou", "enrollmentou", "tei", "teigeometry") select  
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",  
ougs."hBtXUxAcQUY",dps."daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."weeklysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."sixmonthlyapril",dps."sixmonthlynov",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",dps."financialnov",(select cast(eventdatavalues #>> '{eKreIbxQBUd, value}' as double precision) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{eKreIbxQBUd,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "eKreIbxQBUd",(select eventdatavalues #>> '{tJhzjjAh0xv, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "tJhzjjAh0xv",(select cast(eventdatavalues #>> '{GP0To4JLfIh, value}' as double precision) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{GP0To4JLfIh,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "GP0To4JLfIh",(select cast(eventdatavalues #>> '{FCaIbqc0N8J, value}' as timestamp) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{FCaIbqc0N8J,value}' ~\* '^\\d{4}-\\d{2}-\\d{2}(\\s|T)?((\\d{2}:)(\\d{2}:)?(\\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?\$') as "FCaIbqc0N8J",(select cast(eventdatavalues #>> '{zjz1iKsVlfK, value}' as double precision) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{zjz1iKsVlfK,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "zjz1iKsVlfK",(select cast(eventdatavalues #>> '{wrL82vKHrDe, value}' as timestamp) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{wrL82vKHrDe,value}' ~\* '^\\d{4}-\\d{2}-\\d{2}(\\s|T)?((\\d{2}:)(\\d{2}:)?(\\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?\$') as "wrL82vKHrDe",(select eventdatavalues #>> '{L66YDy7gwU5, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "L66YDy7gwU5",(select eventdatavalues #>> '{L4TCzfZyAE3, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "L4TCzfZyAE3",(select eventdatavalues #>> '{atq5qasfNvq, value}' from

```

programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "atq5qasfNvq",(select eventdatavalues #>> '{xyXwFXjYZhK, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "xyXwFXjYZhK",(select eventdatavalues #>> '{NJmkV1WQlHV, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "NJmkV1WQlHV",(select eventdatavalues #>> '{R7yhE7SdepT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "R7yhE7SdepT",(select eventdatavalues #>> '{fnqDJ4SMhcT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "fnqDJ4SMhcT",(select cast(eventdatavalues #>> '{EsdNJ6Gi0cZ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{EsdNJ6Gi0cZ,value}' ~* '^(-?[0-9+)(\.[0-9+)?$') as "EsdNJ6Gi0cZ",(select
eventdatavalues #>> '{ELQu1Gjuwjb, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ELQu1Gjuwjb",(select
eventdatavalues #>> '{cz1WU8wqhC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "cz1WU8wqhC6",(select
eventdatavalues #>> '{kQLPVvG4iAE, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "kQLPVvG4iAE",(select
eventdatavalues #>> '{XtPFs4jB70V, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "XtPFs4jB70V",(select
eventdatavalues #>> '{SKKTrBaAGZl, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SKKTrBaAGZl",(select
cast(eventdatavalues #>> '{KntLs1ta3n1, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KntLs1ta3n1,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "KntLs1ta3n1",(select eventdatavalues #>> '{N5efoopaVrS, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "N5efoopaVrS",(select eventdatavalues #>> '{Hrx3EVL8o7V, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "Hrx3EVL8o7V",(select cast(eventdatavalues #>> '{wd8jPpAc2D2, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{wd8jPpAc2D2,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "wd8jPpAc2D2",(select eventdatavalues #>> '{cNbPlpb07MW, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "cNbPlpb07MW",(select cast(eventdatavalues #>> '{bAp3P8xYAQl, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{bAp3P8xYAQl,value}' ~* '^(-?[0-9+)(\.[0-9+)?$') as "bAp3P8xYAQl",(select
cast(eventdatavalues #>> '{pe4Bqc3VG3K, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{pe4Bqc3VG3K,value}' ~* '^(-?[0-9+)(\.[0-9+)?$') as
"pe4Bqc3VG3K",(select cast(eventdatavalues #>> '{J5bxxcte958, value}' as double
precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{J5bxxcte958,value}' ~* '^(-?[0-9+)(\.[0-9+)?$') as "J5bxxcte958",(select
cast(eventdatavalues #>> '{A3iEjdQbevE, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{A3iEjdQbevE,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "A3iEjdQbevE",(select eventdatavalues #>> '{JLP0xu8jy0P, value}' from

```

```

programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "JLPOxu8jy0P",(select cast(eventdatavalues #>> '{BrvwfVfLxsX, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{BrvwfVfLxsX,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "BrvwfVfLxsX",(select
eventdatavalues #>> '{Nm9yVDLPgj0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Nm9yVDLPgj0",(select
eventdatavalues #>> '{Ve5f9gS29GW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Ve5f9gS29GW",(select
eventdatavalues #>> '{QsP2Yqmwxy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "QsP2Yqmwxy",(select
eventdatavalues #>> '{eWfHFk3SIw0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "eWfHFk3SIw0",(select
eventdatavalues #>> '{gZ1VQ0scEiq, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gZ1VQ0scEiq",(select
cast(eventdatavalues #>> '{HU5116D0g40, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{HU5116D0g40,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"HU5116D0g40",(select eventdatavalues #>> '{riyVNfvl9kn, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "riyVNfvl9kn",(select case when eventdatavalues #>> '{Gb1qGoYAPCI, value}' =
'true' then 1 when eventdatavalues #>> '{Gb1qGoYAPCI, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Gb1qGoYAPCI",(select
eventdatavalues #>> '{M7bZvaeaqr5, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "M7bZvaeaqr5",(select
case when eventdatavalues #>> '{jKITG2Ceexh, value}' = 'true' then 1 when
eventdatavalues #>> '{jKITG2Ceexh, value}' = 'false' then 0 else null end from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "jKITG2Ceexh",(select cast(eventdatavalues #>> '{AiUct9I1LOJ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{AiUct9I1LOJ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "AiUct9I1LOJ",(select
cast(eventdatavalues #>> '{vvWTubijvmt, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{vvWTubijvmt,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"vvWTubijvmt",(select case when eventdatavalues #>> '{JzlZRw4ZQ1k, value}' =
'true' then 1 when eventdatavalues #>> '{JzlZRw4ZQ1k, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "JzlZRw4ZQ1k",(select
eventdatavalues #>> '{Cs2HzcX6He3, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Cs2HzcX6He3",(select
cast(eventdatavalues #>> '{KLqZd0frVRh, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KLqZd0frVRh,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?$')
as "KLqZd0frVRh",(select eventdatavalues #>> '{zbSmapo8HBn, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "zbSmapo8HBn",(select cast(eventdatavalues #>> '{ZkOqR8XcCdW, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{ZkOqR8XcCdW,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "ZkOqR8XcCdW",(select
eventdatavalues #>> '{vNseztZx7Bu, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "vNseztZx7Bu",(select

```



```
eventdatavalues #>> '{nQJ6fSa4gBk, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "nQJ6fSa4gBk",(select
eventdatavalues #>> '{pjRJnexpl0LW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "pjRJnexpl0LW",(select
eventdatavalues #>> '{tXrL5A2NBm6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "tXrL5A2NBm6",(select
eventdatavalues #>> '{rKIomAoHvC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "rKIomAoHvC6",(select
eventdatavalues #>> '{DzW2ZBfn77o, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "DzW2ZBfn77o",(select
eventdatavalues #>> '{rkI5o6uzw6o, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "rkI5o6uzw6o",(select
eventdatavalues #>> '{alrlBFYs1R0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "alrlBFYs1R0",(select
eventdatavalues #>> '{07DBkS45PTw, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "07DBkS45PTw",(select
eventdatavalues #>> '{KVHSGRi8bRN, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "KVHSGRi8bRN",(select
cast(eventdatavalues #>> '{E4fWxBteFKZ, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{E4fWxBteFKZ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"E4fWxBteFKZ",(select eventdatavalues #>> '{u1PvMTRkHmI, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "u1PvMTRkHmI",(select eventdatavalues #>> '{ZsN2Wa4zvZ0, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "ZsN2Wa4zvZ0",(select eventdatavalues #>> '{liQsO3pGsrB, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "liQsO3pGsrB",(select eventdatavalues #>> '{IAPvXChYPwh, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "IAPvXChYPwh",(select eventdatavalues #>> '{o7aKdATS0VM, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "o7aKdATS0VM",(select cast(eventdatavalues #>> '{k1ZKNYdOPRc, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{k1ZKNYdOPRc,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "k1ZKNYdOPRc",(select
eventdatavalues #>> '{X08WoGUNniG, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "X08WoGUNniG",(select
eventdatavalues #>> '{gNzrUx9XqdI, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gNzrUx9XqdI",(select
eventdatavalues #>> '{ZVUfQu8uoUy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ZVUfQu8uoUy",(select
cast(eventdatavalues #>> '{Kgbm1RdQOrz, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{Kgbm1RdQOrz,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"Kgbm1RdQOrz",(select eventdatavalues #>> '{jWl4pay6f1U, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "jWl4pay6f1U",(select cast(eventdatavalues #>> '{mJnPC22zdWF, value}' as
bigint) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{mJnPC22zdWF,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "mJnPC22zdWF",(select
eventdatavalues #>> '{neegfiIcq1H, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "neegfiIcq1H",(select
eventdatavalues #>> '{i6QBqcC95dS, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "i6QBqcC95dS",(select
```

```
eventdatavalues #>> '{HLXN7hk552q, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "HLXN7hk552q",(select
eventdatavalues #>> '{GwNm5R1hNiD, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "GwNm5R1hNiD",(select
eventdatavalues #>> '{qKZk2RJXOT7, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "qKZk2RJXOT7",(select
eventdatavalues #>> '{SjRZAHT5IEH, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SjRZAHT5IEH",(select
eventdatavalues #>> '{HxFT2pVe7nj, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "HxFT2pVe7nj",(select
eventdatavalues #>> '{c19P17RYwcP, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "c19P17RYwcP",(select
value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=847) as "s18VrbxvdAy",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=12235) as "l7KuIoSoaTi",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=804) as "MD3lXheYTkL",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1665) as "xmVKhLZI9VW",(select cast(value as timestamp)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=803 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.\\d{3})Z)?$')
as "C5CS3XfesnI",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=852) as "Qeki7VWc6Sx",(select cast(value as bigint)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=906 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"zsVpd2Lc85z",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1662) as "RRoBNLOJAhF",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1663) as "BA7ID0nnj3m",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1664 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"NOYWpsWxYMg",(select cast(value as timestamp) from trackedentityattributevalue
where trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=848 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.\\d{3})Z)?$')
as "j6XLfspcJc8",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=851) as "qcaOVkTb2Kn",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6215 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"CMuGDU8I4pQ",(select value from trackedentityattributevalue where
```

```

trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6224) as "Tlm4d0u24E1",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6225) as
"rOsRmXMMqno",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi
.executiondate,psi.duedate,psi.completeddate,psi.created,psi.lastupdated,psi.sto
redby,psi.createdbyuserinfo ->> 'username' as
createdbyusername,psi.createdbyuserinfo ->> 'firstName' as
createdbyname,psi.createdbyuserinfo ->> 'surname' as createdbylastname,case when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') = '' then null when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') <> '' then
trim(psi.createdbyuserinfo ->> 'username') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') = '' then
trim(psi.createdbyuserinfo ->> 'firstName') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') = '' then
trim(psi.createdbyuserinfo ->> 'surname') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') = '' then
concat(trim(psi.createdbyuserinfo ->> 'surname'),' ','
trim(psi.createdbyuserinfo ->> 'firstName')) when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') <> '' then
concat(trim(psi.createdbyuserinfo ->> 'firstName'),' ('
trim(psi.createdbyuserinfo ->> 'username'),' ')') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'),'') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'),'') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'),'') <> '' then
concat(trim(psi.createdbyuserinfo ->> 'surname'),' ('
trim(psi.createdbyuserinfo ->> 'username'),' ')') else
concat(trim(psi.createdbyuserinfo ->> 'surname'),' ','
trim(psi.createdbyuserinfo ->> 'firstName'),' ('
trim(psi.createdbyuserinfo
->> 'username'),' ')') end as createdbydisplayname,psi.lastupdatedbyuserinfo ->>
'username' as lastupdatedbyusername,psi.lastupdatedbyuserinfo ->> 'firstName' as
lastupdatedbyname,psi.lastupdatedbyuserinfo ->> 'surname' as
lastupdatedbylastname,case when coalesce(trim(psi.lastupdatedbyuserinfo ->>
'surname'),'') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'firstName'),'') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'username'),'') = '' then null when coalesce(trim(psi.lastupdatedbyuserinfo ->>
'surname'),'') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'firstName'),'') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'username'),'') <> '' then trim(psi.lastupdatedbyuserinfo ->> 'username') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'),'') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'),'') <> '' and

```

```

coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo ->> 'firstName') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo ->> 'surname') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName')) when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') else
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') end as
lastupdatedbydisplayname,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' =
GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null
END,ou.uid,ou.name,ou.code,ous.level,ou.geometry,pi.geometry,coalesce(registrati
onou.uid,ou.uid),coalesce(enrollmentou.uid,ou.uid),tei.uid,tei.geometry from
programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on
pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo
ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join
trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false
left join organisationunit registrationou on
tei.organisationunitid=registrationou.organisationunitid inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join
_organunitstructure ous on psi.organisationunitid=ous.organisationunitid left join
_organisationunitgroupsetstructure ougs on
psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month',
CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END)
as date)=ougs.startdate or ougs.startdate is null) left join organisationunit
enrollmentou on pi.organisationunitid=enrollmentou.organisationunitid inner join
_categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid
left join _dateperiodstructure dps on cast(CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END as date)=dps.dateperiod where
psi.lastupdated < '2022-12-14T16:02:01' and (CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END) >= '2022-01-01T00:00:00' and (CASE
WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END) <
'2023-01-01T00:00:00' and pr.programid=1102 and psi.organisationunitid is not
null and (CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE
psi.executiondate END) is not null and dps.year >= 1975 and dps.year <= 2047 and

```

```
psi.status in ('COMPLETED','ACTIVE','SCHEDULE')and psi.deleted is false ];
ERROR: invalid input syntax for type bigint: "2.6"; nested exception is
org.postgresql.util.PSQLException: ERROR: invalid input syntax for type bigint:
"2.6" (NotificationLoggerUtil.java [ForkJoinPool-337-worker-7])
* WARN 2022-12-14T16:02:17,998 [ANALYTICS_TABLE ujuE5jLMK5a] Process aborted
after 16.514s: aborted after error: StatementCallback; SQL [insert into
analytics_event_temp_tjlyophhz5r_2022
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","hBtXUxAcQUY","dail
y","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","
biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","sixmonth
onthlynov","yearly","financialapril","financialjuly","financialoct","financialno
v","eKreIbxQBUD","tJhzjjAh0xv","GP0To4JLfIh","FCaIbqc0N8J","zjz1iKsVlFK","wrL82v
KhrDe","L66YDy7gwU5","L4TCZfZyAE3","atq5qasfNvq","xyXwFXjYZhK","NJmkV1WQ1HV","R7
yhE7Sdept","fnqDJ4SMhcT","EsdNJ6Gi0cZ","ELQu1Gjuwjb","cz1WU8wqhC6","kQLPVvG4iAE"
,"XtPFs4jB7OV","SKKTrBaAGZ1","KntLs1ta3n1","N5efoopaVrS","Hrx3EVL8o7V","wd8jPpAc
2D2","cNbPlpb07MM","bAp3P8xYAQ1","pe4Bqc3VG3K","J5bxxcte958","A3iEjdQbevE","JLP0
xu8jy0P","BrvwfVfLxsX","Nm9yVDLPgj0","Ve5f9gS29GW","QsP2YqmwxtY","eWfHFk3SIw0","
gZ1VQ0scEiq","HU5116D0g40","riyVNFv19kn","Gb1qGoYAPCI","M7bZvaeaqr5","jKITG2Ceex
h","AiUct9I1LOJ","vvtTubijvmt","Jz1ZRw4ZQ1k","Cs2HzcX6He3","KLqZd0frVRh","zbSmap
o8HBn","ZkOqR8XcCdW","vNseztZx7Bu","nQJ6fSa4gBk","pjRJnexpl0LW","tXrL5A2NBm6","rK
IomAoHvC6","DzW2ZBfn77o","rkI5o6uzw6o","alr1BFYs1R0","07DBkS45PTw","KVHSGRi8bRN"
,"E4fWxBteFKZ","u1PvMTRkHmI","ZsN2Wa4zvZ0","liQsO3pGsrB","IApvXChYPwh","o7aKdATS
0VM","k1ZKNYdOPRc","X08WoGUNniG","gNzrUx9XqdI","ZVUfQu8uoUy","Kgbm1RdQOrz","jWl4
pay6f1U","mJnPC22zdWF","neegfiIcq1H","i6QBqcC95dS","HLXN7hk552q","GwNm5R1hNiD","
qKZk2RjXOT7","SjRZAHT5IEH","HxFT2pVe7nj","c19P17RYwcp","s18VrbxvdAy","l7KuIoSoaT
i","MD3lXheYtkl","xmVKhLZI9VW","C5CS3Xfesni","Qeki7VWc6Sx","zsVpd2Lc85z","RRoBNL
OJAf","BA7ID0nnj3m","NOYWpsWxYMg","j6XLfspcJc8","qca0Vktb2Kn","CMuGDU8I4pQ","Tl
m4d0u24E1","rOsRmXMMqno","psi","pi","ps","ao","enrollmentdate","incidentdate","e
xecutiondate","duedate","completeddate","created","lastupdated","storedby","crea
tedbyusername","createdbyname","createdbylastname","createdbydisplayname","lastu
pdatedbyusername","lastupdatedbyname","lastupdatedbylastname","lastupdatedbydisp
layname","pistatus","psistatus","psigeometry","longitude","latitude","ou","ounam
e","oucode","oulevel","ougeometry","pigeometry","registrationou","enrollmentou",
"tei","teigeometry") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",
ougs."hBtXUxAcQUY",dps."daily",dps."weekly",dps."weeklywednesday",dps."weeklythurs
day",dps."weeklysaturday",dps."weeklysunday",dps."biweekly",dps."monthly",dps."
bimonthly",dps."quarterly",dps."sixmonthly",dps."sixmonthlyapril",dps."sixmonth
lynov",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",
dps."financialnov",(select cast(eventdatavalues #>> '{eKreIbxQBUD, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{eKreIbxQBUD,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "eKreIbxQBUD",(select
eventdatavalues #>> '{tJhzjjAh0xv, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "tJhzjjAh0xv",(select
cast(eventdatavalues #>> '{GP0To4JLfIh, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{GP0To4JLfIh,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"GP0To4JLfIh",(select cast(eventdatavalues #>> '{FCaIbqc0N8J, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{FCaIbqc0N8J,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|\.(\d{3})|\.(\d{3})Z)?$')
as "FCaIbqc0N8J",(select cast(eventdatavalues #>> '{zjz1iKsVlFK, value}' as
```

```

double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{zjz1iKsVlfrK,value}' ~* '^(-?[0-9+](\.[0-9+])?)$' as "zjz1iKsVlfrK",(select
cast(eventdatavalues #>> '{wrL82vKHrDe, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{wrL82vKHrDe,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.\\d{3})Z)?$'
as "wrL82vKHrDe",(select eventdatavalues #>> '{L66YDy7gwU5, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "L66YDy7gwU5",(select eventdatavalues #>> '{L4TCZfZyAE3, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "L4TCZfZyAE3",(select eventdatavalues #>> '{atq5qasfNvq, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "atq5qasfNvq",(select eventdatavalues #>> '{xyXwFXjYZhK, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "xyXwFXjYZhK",(select eventdatavalues #>> '{NJmkV1WQlHV, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "NJmkV1WQlHV",(select eventdatavalues #>> '{R7yhE7SdepT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "R7yhE7SdepT",(select eventdatavalues #>> '{fnqDJ4SMhcT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "fnqDJ4SMhcT",(select cast(eventdatavalues #>> '{EsdNJ6Gi0cZ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{EsdNJ6Gi0cZ,value}' ~* '^(-?[0-9+](\.[0-9+])?)$' as "EsdNJ6Gi0cZ",(select
eventdatavalues #>> '{ELQu1Gjuwjb, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ELQu1Gjuwjb",(select
eventdatavalues #>> '{cz1WU8wqhC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "cz1WU8wqhC6",(select
eventdatavalues #>> '{kQLPVvG4iAE, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "kQLPVvG4iAE",(select
eventdatavalues #>> '{XtPFs4jB7OV, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "XtPFs4jB7OV",(select
eventdatavalues #>> '{SKKTrBaAGZl, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SKKTrBaAGZl",(select
cast(eventdatavalues #>> '{KntLs1ta3n1, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KntLs1ta3n1,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.\\d{3})Z)?$'
as "KntLs1ta3n1",(select eventdatavalues #>> '{N5efoopaVrS, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "N5efoopaVrS",(select eventdatavalues #>> '{Hrx3EVl8o7V, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "Hrx3EVl8o7V",(select cast(eventdatavalues #>> '{wd8jPpAc2D2, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{wd8jPpAc2D2,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.\\d{3})Z)?$'
as "wd8jPpAc2D2",(select eventdatavalues #>> '{cNbPlpb07MW, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "cNbPlpb07MW",(select cast(eventdatavalues #>> '{bAp3P8xYAQl, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{bAp3P8xYAQl,value}' ~* '^(-?[0-9+](\.[0-9+])?)$' as "bAp3P8xYAQl",(select

```

```

cast(eventdatavalues #>> '{pe4Bqc3VG3K, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{pe4Bqc3VG3K,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"pe4Bqc3VG3K",(select cast(eventdatavalues #>> '{J5bxxcte958, value}' as double
precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{J5bxxcte958,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "J5bxxcte958",(select
cast(eventdatavalues #>> '{A3iEjdQbevE, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{A3iEjdQbevE,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "A3iEjdQbevE",(select eventdatavalues #>> '{JLP0xu8jy0P, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "JLP0xu8jy0P",(select cast(eventdatavalues #>> '{BrvwfVfLxsX, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{BrvwfVfLxsX,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "BrvwfVfLxsX",(select
eventdatavalues #>> '{Nm9yVDLPgj0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Nm9yVDLPgj0",(select
eventdatavalues #>> '{Ve5f9gS29GW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Ve5f9gS29GW",(select
eventdatavalues #>> '{QsP2Yqmwxy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "QsP2Yqmwxy",(select
eventdatavalues #>> '{eWfHFk3SIw0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "eWfHFk3SIw0",(select
eventdatavalues #>> '{gZ1VQ0scEiq, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gZ1VQ0scEiq",(select
cast(eventdatavalues #>> '{HU5116D0g40, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{HU5116D0g40,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"HU5116D0g40",(select eventdatavalues #>> '{riyVNfvl9kn, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "riyVNfvl9kn",(select case when eventdatavalues #>> '{Gb1qGoYAPCI, value}' =
'true' then 1 when eventdatavalues #>> '{Gb1qGoYAPCI, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Gb1qGoYAPCI",(select
eventdatavalues #>> '{M7bZvaeaqr5, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "M7bZvaeaqr5",(select
case when eventdatavalues #>> '{jKITG2Ceexh, value}' = 'true' then 1 when
eventdatavalues #>> '{jKITG2Ceexh, value}' = 'false' then 0 else null end from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "jKITG2Ceexh",(select cast(eventdatavalues #>> '{AiUct9I1LOJ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{AiUct9I1LOJ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "AiUct9I1LOJ",(select
cast(eventdatavalues #>> '{vvWTubijvmt, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{vvWTubijvmt,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"vvWTubijvmt",(select case when eventdatavalues #>> '{JzlZRW4ZQ1k, value}' =
'true' then 1 when eventdatavalues #>> '{JzlZRW4ZQ1k, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "JzlZRW4ZQ1k",(select
eventdatavalues #>> '{Cs2HzcX6He3, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Cs2HzcX6He3",(select

```

```
cast(eventdatavalues #>> '{KLqZd0frVRh, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KLqZd0frVRh,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?$')
as "KLqZd0frVRh",(select eventdatavalues #>> '{zbSmapo8HBn, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "zbSmapo8HBn",(select cast(eventdatavalues #>> '{ZkOqR8XcCdW, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{ZkOqR8XcCdW,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "ZkOqR8XcCdW",(select
eventdatavalues #>> '{vNseztZx7Bu, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "vNseztZx7Bu",(select
eventdatavalues #>> '{nQJ6fSa4gBk, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "nQJ6fSa4gBk",(select
eventdatavalues #>> '{pJRJnexpl0LW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "pJRJnexpl0LW",(select
eventdatavalues #>> '{tXrL5A2NBm6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "tXrL5A2NBm6",(select
eventdatavalues #>> '{rKIomAoHvC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "rKIomAoHvC6",(select
eventdatavalues #>> '{DzW2ZBfn77o, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "DzW2ZBfn77o",(select
eventdatavalues #>> '{rkI5o6uzw6o, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "rkI5o6uzw6o",(select
eventdatavalues #>> '{alr1BFYs1R0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "alr1BFYs1R0",(select
eventdatavalues #>> '{07DBkS45PTw, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "07DBkS45PTw",(select
eventdatavalues #>> '{KVHSGRi8bRN, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "KVHSGRi8bRN",(select
cast(eventdatavalues #>> '{E4fWxBteFKZ, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{E4fWxBteFKZ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"E4fWxBteFKZ",(select eventdatavalues #>> '{u1PvMTRkHmI, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "u1PvMTRkHmI",(select eventdatavalues #>> '{ZsN2Wa4zvZ0, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "ZsN2Wa4zvZ0",(select eventdatavalues #>> '{liQs03pGsrB, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "liQs03pGsrB",(select eventdatavalues #>> '{IAPvXChYPwh, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "IAPvXChYPwh",(select eventdatavalues #>> '{o7aKdATS0VM, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "o7aKdATS0VM",(select cast(eventdatavalues #>> '{k1ZKNYdOPRc, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{k1ZKNYdOPRc,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "k1ZKNYdOPRc",(select
eventdatavalues #>> '{X08WoGUNniG, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "X08WoGUNniG",(select
eventdatavalues #>> '{gNzrUx9XqdI, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gNzrUx9XqdI",(select
eventdatavalues #>> '{ZVUfQu8uoUy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ZVUfQu8uoUy",(select
cast(eventdatavalues #>> '{Kgbm1RdQOrz, value}' as double precision) from
```



programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{Kgbm1RdQOrz,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Kgbm1RdQOrz",(select eventdatavalues #>> '{jWl4pay6f1U, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "jWl4pay6f1U",(select cast(eventdatavalues #>> '{mJnPC22zdWF, value}' as bigint) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{mJnPC22zdWF,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "mJnPC22zdWF",(select eventdatavalues #>> '{neegfiIcq1H, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "neegfiIcq1H",(select eventdatavalues #>> '{i6QBqcC95dS, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "i6QBqcC95dS",(select eventdatavalues #>> '{HLXN7hk552q, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "HLXN7hk552q",(select eventdatavalues #>> '{GwNm5R1hNiD, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "GwNm5R1hNiD",(select eventdatavalues #>> '{qKZk2RjXOT7, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "qKZk2RjXOT7",(select eventdatavalues #>> '{SjRZAHT5IEH, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "SjRZAHT5IEH",(select eventdatavalues #>> '{HxFT2pVe7nj, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "HxFT2pVe7nj",(select eventdatavalues #>> '{c19P17RYwcp, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "c19P17RYwcp",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=847) as "s18VrbxvdAy",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=12235) as "l7KuIoSoaTi",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=804) as "MD3lXheYtkL",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=1665) as "xmVKhLZI9VW",(select cast(value as timestamp) from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=803 and value ~\* '^\\d{4}-\\d{2}-\\d{2}(\\s|T)?(\\d{2}:)(\\d{2}:)?(\\d{2}))?(\\.\\d{3})|(\\.\\d{3})Z)?\$') as "C5CS3XfesnI",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=852) as "Qeki7VWc6Sx",(select cast(value as bigint) from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=906 and value ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "zsVpd2Lc85z",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=1662) as "RRoBNLOJAhF",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=1663) as "BA7ID0nnj3m",(select cast(value as double precision) from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and

```

trackedentityattributeid=1664 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"NOYWpsWxYMG",(select cast(value as timestamp) from trackedentityattributevalue
where trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=848 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "j6XLfspcJc8",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=851) as "qcaOVkTb2Kn",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6215 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"CMuGDU8I4pQ",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6224) as "Tlm4d0u24E1",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6225) as
"rOsRmXMMqno",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi
.executiondate,psi.duedate,psi.completeddate,psi.created,psi.lastupdated,psi.sto
redby,psi.createdbyuserinfo ->> 'username' as
createdbyusername,psi.createdbyuserinfo ->> 'firstName' as
createdbyname,psi.createdbyuserinfo ->> 'surname' as createdbylastname,case when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then null when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
trim(psi.createdbyuserinfo ->> 'username') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then
trim(psi.createdbyuserinfo ->> 'firstName') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then
trim(psi.createdbyuserinfo ->> 'surname') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then
concat(trim(psi.createdbyuserinfo ->> 'surname'), ', ',
trim(psi.createdbyuserinfo ->> 'firstName')) when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.createdbyuserinfo ->> 'firstName'), ' (',
trim(psi.createdbyuserinfo ->> 'username'), ')') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.createdbyuserinfo ->> 'surname'), ' (',
trim(psi.createdbyuserinfo ->> 'username'), ')') else
concat(trim(psi.createdbyuserinfo ->> 'surname'), ', ',
trim(psi.createdbyuserinfo ->> 'firstName'), ' (', trim(psi.createdbyuserinfo

```

```

->> 'username'), ')') end as createdbydisplayname,psi.lastupdatedbyuserinfo ->>
'username' as lastupdatedbyusername,psi.lastupdatedbyuserinfo ->> 'firstName' as
lastupdatedbyname,psi.lastupdatedbyuserinfo ->> 'surname' as
lastupdatedbylastname,case when coalesce(trim(psi.lastupdatedbyuserinfo ->>
'surname'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'firstName'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'username'), '') = '' then null when coalesce(trim(psi.lastupdatedbyuserinfo ->>
'surname'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'firstName'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'username'), '') <> '' then trim(psi.lastupdatedbyuserinfo ->> 'username') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo ->> 'firstName') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo ->> 'surname') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName')) when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') else
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') end as
lastupdatedbydisplayname,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' =
GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null
END,ou.uid,ou.name,ou.code,ous.level,ou.geometry,pi.geometry,coalesce(registrati
onou.uid,ou.uid),coalesce(enrollmentou.uid,ou.uid),tei.uid,tei.geometry from
programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on
pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo
ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join
trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false
left join organisationunit registrationou on
tei.organisationunitid=registrationou.organisationunitid inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join
_organunitstructure ous on psi.organisationunitid=ous.organisationunitid left join
_organisationunitgroupsetstructure ougs on
psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month',

```

```
CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END)
as date)=ougs.startdate or ougs.startdate is null) left join organisationunit
enrollmentou on pi.organisationunitid=enrollmentou.organisationunitid inner join
_categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid
left join _dateperiodstructure dps on cast(CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END as date)=dps.dateperiod where
psi.lastupdated < '2022-12-14T16:02:01' and (CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END) >= '2022-01-01T00:00:00' and (CASE
WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END) <
'2023-01-01T00:00:00' and pr.programid=1102 and psi.organisationunitid is not
null and (CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE
psi.executiondate END) is not null and dps.year >= 1975 and dps.year <= 2047 and
psi.status in ('COMPLETED','ACTIVE','SCHEDULE')and psi.deleted is false ];
ERROR: invalid input syntax for type bigint: "2.6"; nested exception is
org.postgresql.util.PSQLException: ERROR: invalid input syntax for type bigint:
"2.6" (ControlledJobProgress.java [ForkJoinPool-337-worker-7])
* ERROR 2022-12-14T16:02:18,027 [ANALYTICS_TABLE ujuE5jLMK5a] Item failed after
0.041s: StatementCallback; SQL [insert into
analytics_event_temp_tj1yophhz5r_2022
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","hBtXUxAcQUY","dail
y","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","
biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","sixm
onthlynov","yearly","financialapril","financialjuly","financialoct","financialno
v","eKreIbxQBUD","tJhzjjAh0xv","GP0To4JLfIh","FCaIbqc0N8J","zjz1iKsVlFK","wrL82v
KHrDe","L66YDy7gwU5","L4TCZfZyAE3","atq5qasfNvq","xyXwFXjYZhK","NJmkV1WQlHV","R7
yhE7Sdept","fnqDJ4SMhcT","EsdNJ6Gi0cZ","ELQu1Gjuwjb","cz1WU8wqhC6","kQLPvVg4iAE"
,"XtPFs4jB70V","SKKTrBaAGZ1","KntLs1ta3n1","N5efoopaVrS","Hrx3EVl8o7V","wd8jPpAc
2D2","cNbPlpb07Mw","bAp3P8xYAQ1","pe4Bqc3VG3K","J5bxxcte958","A3iEjdQbevE","JLP0
xu8jy0P","BrvwfVfLxsX","Nm9yVDLPgj0","Ve5f9gS29GW","QsP2Yqmwxy","eWfHFk3SIw0","
gZ1VQOscEiq","HU5116D0g40","riyVNfvl9kn","Gb1qGoYAPCI","M7bZvaeaqr5","jKITG2Ceex
h","AiUct9I1LOJ","vvWTubijvmt","Jz1ZRw4ZQ1k","Cs2HzcX6He3","KLqZd0frVRh","zbSmap
o8HBn","ZkOqR8XcCdW","vNseztZx7Bu","nQJ6fSa4gBk","pjRJnexpl0LW","tXrL5A2NBm6","rK
IomAoHvC6","DzW2ZBfn77o","rkI5o6uzw6o","alr1BFYs1R0","07DBkS45PTw","KVHSGRi8bRN"
,"E4fWxBteFKZ","u1PvMTRkHmI","ZsN2Wa4zvZ0","liQs03pGsrB","IAPvXChYPwh","o7aKdATS
0VM","k1ZKNYdOPRc","X08WoGUNniG","gNzrUx9XqdI","ZVufQu8uoUy","Kgbm1RdQ0rz","jWl4
pay6f1U","mJnPC22zdWF","neegfiIcq1H","i6QBqcC95dS","HLXN7hk552q","GwNm5R1hNiD","
qKZk2RjXOT7","SjRZAHT5IEH","HxFT2pVe7nj","c19P17RYwcp","s18VrbxvdAy","l7KuIoSoaT
i","MD31XheYTKL","xmVKhLZI9VW","C5CS3Xfesni","Qeki7VWc6Sx","zsVpd2Lc85z","RRoBNL
OJAHF","BA7IDOnnj3m","NOYWpsWxYmg","j6XLfspcJc8","qcaOVkTb2Kn","CMuGDU8I4pQ","Tl
m4d0u24E1","rOsRmXMMqno","psi","pi","ps","ao","enrollmentdate","incidentdate","e
xecutiondate","duedate","completeddate","created","lastupdated","storedby","crea
tedbyusername","createdbyname","createdbylastname","createdbydisplayname","lastu
pdatedbyusername","lastupdatedbyname","lastupdatedbylastname","lastupdatedbydisp
layname","pistatus","psistatus","psigeometry","longitude","latitude","ou","ounam
e","oucode","oulevel","ougeometry","pigeometry","registrationou","enrollmentou",
"tei","teigeometry") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",
ougs."hBtXUxAcQUY",dps."daily",dps."weekly",dps."weeklywednesday",dps."weeklythu
rday",dps."weeklysaturday",dps."weeklysunday",dps."biweekly",dps."monthly",dps.
"bimonthly",dps."quarterly",dps."sixmonthly",dps."sixmonthlyapril",dps."sixmonth
lynov",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",
dps."financialnov",(select cast(eventdatavalues #>> '{eKreIbxQBUD, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
```

```

'{eKreIbxQBUD,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "eKreIbxQBUD",(select
eventdatavalues #>> '{tJhzjjAh0xv, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "tJhzjjAh0xv",(select
cast(eventdatavalues #>> '{GP0To4JLfIh, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{GP0To4JLfIh,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"GP0To4JLfIh",(select cast(eventdatavalues #>> '{FCaIbqc0N8J, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{FCaIbqc0N8J,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "FCaIbqc0N8J",(select cast(eventdatavalues #>> '{zjz1iKsVlfK, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{zjz1iKsVlfK,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "zjz1iKsVlfK",(select
cast(eventdatavalues #>> '{wrL82vKHrDe, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{wrL82vKHrDe,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "wrL82vKHrDe",(select eventdatavalues #>> '{L66YDy7gwU5, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "L66YDy7gwU5",(select eventdatavalues #>> '{L4TCZfZyAE3, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "L4TCZfZyAE3",(select eventdatavalues #>> '{atq5qasfNvq, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "atq5qasfNvq",(select eventdatavalues #>> '{xyXwFXjYZhK, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "xyXwFXjYZhK",(select eventdatavalues #>> '{NJmkV1WQ1HV, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "NJmkV1WQ1HV",(select eventdatavalues #>> '{R7yhE7SdepT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "R7yhE7SdepT",(select eventdatavalues #>> '{fnqDJ4SMhcT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "fnqDJ4SMhcT",(select cast(eventdatavalues #>> '{EsdNJ6Gi0cZ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{EsdNJ6Gi0cZ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "EsdNJ6Gi0cZ",(select
eventdatavalues #>> '{ELQu1Gjuwjb, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ELQu1Gjuwjb",(select
eventdatavalues #>> '{cz1WU8wqhC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "cz1WU8wqhC6",(select
eventdatavalues #>> '{kQLPVvG4iAE, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "kQLPVvG4iAE",(select
eventdatavalues #>> '{XtPFs4jB7OV, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "XtPFs4jB7OV",(select
eventdatavalues #>> '{SKKTrBaAGZl, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SKKTrBaAGZl",(select
cast(eventdatavalues #>> '{KntLs1ta3n1, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KntLs1ta3n1,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "KntLs1ta3n1",(select eventdatavalues #>> '{N5efoopaVrS, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "N5efoopaVrS",(select eventdatavalues #>> '{Hrx3EVl8o7V, value}' from

```

```
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "Hrx3EV18o7V",(select cast(eventdatavalues #>> '{wd8jPpAc2D2, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{wd8jPpAc2D2,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "wd8jPpAc2D2",(select eventdatavalues #>> '{cNbPlpb07MW, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "cNbPlpb07MW",(select cast(eventdatavalues #>> '{bAp3P8xYAQl, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{bAp3P8xYAQl,value}' ~* '^(-?[0-9]+)(\\.([0-9]+)?$') as "bAp3P8xYAQl",(select
cast(eventdatavalues #>> '{pe4Bqc3VG3K, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{pe4Bqc3VG3K,value}' ~* '^(-?[0-9]+)(\\.([0-9]+)?$') as
"pe4Bqc3VG3K",(select cast(eventdatavalues #>> '{J5bxxcte958, value}' as double
precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{J5bxxcte958,value}' ~* '^(-?[0-9]+)(\\.([0-9]+)?$') as "J5bxxcte958",(select
cast(eventdatavalues #>> '{A3iEjdQbevE, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{A3iEjdQbevE,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "A3iEjdQbevE",(select eventdatavalues #>> '{JLP0xu8jy0P, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "JLP0xu8jy0P",(select cast(eventdatavalues #>> '{BrvwfVfLxsX, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{BrvwfVfLxsX,value}' ~* '^(-?[0-9]+)(\\.([0-9]+)?$') as "BrvwfVfLxsX",(select
eventdatavalues #>> '{Nm9yVDLPgj0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Nm9yVDLPgj0",(select
eventdatavalues #>> '{Ve5f9gS29GW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Ve5f9gS29GW",(select
eventdatavalues #>> '{QsP2Yqmwxy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "QsP2Yqmwxy",(select
eventdatavalues #>> '{eWfHFk3SIw0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "eWfHFk3SIw0",(select
eventdatavalues #>> '{gZ1VQ0scEiq, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gZ1VQ0scEiq",(select
cast(eventdatavalues #>> '{HU5116D0g40, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{HU5116D0g40,value}' ~* '^(-?[0-9]+)(\\.([0-9]+)?$') as
"HU5116D0g40",(select eventdatavalues #>> '{riyVNfvl9kn, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "riyVNfvl9kn",(select case when eventdatavalues #>> '{Gb1qGoYAPCI, value}' =
'true' then 1 when eventdatavalues #>> '{Gb1qGoYAPCI, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Gb1qGoYAPCI",(select
eventdatavalues #>> '{M7bZvaeaqr5, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "M7bZvaeaqr5",(select
case when eventdatavalues #>> '{jKITG2Ceexh, value}' = 'true' then 1 when
eventdatavalues #>> '{jKITG2Ceexh, value}' = 'false' then 0 else null end from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "jKITG2Ceexh",(select cast(eventdatavalues #>> '{AiUct9I1LOJ, value}' as
```

double precision) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>  
'{AiUct9I1LOJ,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AiUct9I1LOJ",(select  
cast(eventdatavalues #>> '{vvWTubijvmt, value}' as double precision) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid  
and eventdatavalues #>> '{vvWTubijvmt,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as  
"vvWTubijvmt",(select case when eventdatavalues #>> '{JzlZRW4ZQ1k, value}' =  
'true' then 1 when eventdatavalues #>> '{JzlZRW4ZQ1k, value}' = 'false' then 0  
else null end from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "JzlZRW4ZQ1k",(select  
eventdatavalues #>> '{Cs2HzcX6He3, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "Cs2HzcX6He3",(select  
cast(eventdatavalues #>> '{KLqZd0frVRh, value}' as timestamp) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid  
and eventdatavalues #>> '{KLqZd0frVRh,value}' ~\*  
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?\$')  
as "KLqZd0frVRh",(select eventdatavalues #>> '{zbSmapo8HBn, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "zbSmapo8HBn",(select cast(eventdatavalues #>> '{ZkOqR8XcCdW, value}' as  
double precision) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>  
'{ZkOqR8XcCdW,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ZkOqR8XcCdW",(select  
eventdatavalues #>> '{vNseztZx7Bu, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "vNseztZx7Bu",(select  
eventdatavalues #>> '{nQJ6fSa4gBk, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "nQJ6fSa4gBk",(select  
eventdatavalues #>> '{pjRJnexpl0LW, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "pjRJnexpl0LW",(select  
eventdatavalues #>> '{tXrL5A2NBm6, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "tXrL5A2NBm6",(select  
eventdatavalues #>> '{rKIomAoHvC6, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "rKIomAoHvC6",(select  
eventdatavalues #>> '{DzW2ZBfn77o, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "DzW2ZBfn77o",(select  
eventdatavalues #>> '{rkI5o6uzw6o, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "rkI5o6uzw6o",(select  
eventdatavalues #>> '{alrlBFYs1R0, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "alrlBFYs1R0",(select  
eventdatavalues #>> '{07DBkS45PTw, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "07DBkS45PTw",(select  
eventdatavalues #>> '{KVHSGRi8bRN, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "KVHSGRi8bRN",(select  
cast(eventdatavalues #>> '{E4fWxBteFKZ, value}' as double precision) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid  
and eventdatavalues #>> '{E4fWxBteFKZ,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as  
"E4fWxBteFKZ",(select eventdatavalues #>> '{u1PvMTRkHmI, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "u1PvMTRkHmI",(select eventdatavalues #>> '{ZsN2Wa4zvZ0, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "ZsN2Wa4zvZ0",(select eventdatavalues #>> '{liQs03pGsrB, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "liQs03pGsrB",(select eventdatavalues #>> '{IApvXChYPwh, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "IApvXChYPwh",(select eventdatavalues #>> '{o7aKdATS0VM, value}' from

```
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "o7aKdATS0VM",(select cast(eventdatavalues #>> '{k1ZKNYdOPRc, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{k1ZKNYdOPRc,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "k1ZKNYdOPRc",(select
eventdatavalues #>> '{X08WoGUNniG, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "X08WoGUNniG",(select
eventdatavalues #>> '{gNzrUx9XqdI, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gNzrUx9XqdI",(select
eventdatavalues #>> '{ZVUfQu8uoUy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ZVUfQu8uoUy",(select
cast(eventdatavalues #>> '{Kgbm1RdQOrz, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{Kgbm1RdQOrz,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"Kgbm1RdQOrz",(select eventdatavalues #>> '{jWl4pay6f1U, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "jWl4pay6f1U",(select cast(eventdatavalues #>> '{mJnPC22zdWF, value}' as
bigint) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{mJnPC22zdWF,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "mJnPC22zdWF",(select
eventdatavalues #>> '{neegfiIcq1H, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "neegfiIcq1H",(select
eventdatavalues #>> '{i6QBqcC95dS, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "i6QBqcC95dS",(select
eventdatavalues #>> '{HLXN7hk552q, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "HLXN7hk552q",(select
eventdatavalues #>> '{GwNm5R1hNiD, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "GwNm5R1hNiD",(select
eventdatavalues #>> '{qKZk2RJXOT7, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "qKZk2RJXOT7",(select
eventdatavalues #>> '{SjRZAHT5IEH, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SjRZAHT5IEH",(select
eventdatavalues #>> '{HxFT2pVe7nj, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "HxFT2pVe7nj",(select
eventdatavalues #>> '{c19P17RYwcP, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "c19P17RYwcP",(select
value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=847) as "s18VrbxvdAy",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=12235) as "l7KuIoSoaTi",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=804) as "MD3lXheYtkL",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1665) as "xmVKhLZI9VW",(select cast(value as timestamp)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=803 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3}|.\d{3})Z)?$')
as "C5CS3XfesnI",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
```



```

trackedentityattributeid=852) as "Qeki7VWc6Sx",(select cast(value as bigint)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"zsVpd2Lc85z",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1662) as "RRoBNLOJAhF",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1663) as "BA7ID0nnj3m",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1664 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"NOYWpsWxYMg",(select cast(value as timestamp) from trackedentityattributevalue
where trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=848 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "j6XLfspcJc8",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=851) as "qca0VkJb2Kn",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6215 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"CMuGDU8I4pQ",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6224) as "Tlm4d0u24E1",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6225) as
"rOsRmXMMqno",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi
.executiondate,psi.duedate,psi.completeddate,psi.created,psi.lastupdated,psi.sto
redby,psi.createdbyuserinfo ->> 'username' as
createdbyusername,psi.createdbyuserinfo ->> 'firstName' as
createdbyname,psi.createdbyuserinfo ->> 'surname' as createdbylastname,case when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then null when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
trim(psi.createdbyuserinfo ->> 'username') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then
trim(psi.createdbyuserinfo ->> 'firstName') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then
trim(psi.createdbyuserinfo ->> 'surname') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then
concat(trim(psi.createdbyuserinfo ->> 'surname'), ', ',
trim(psi.createdbyuserinfo ->> 'firstName')) when

```

```

coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.createdbyuserinfo ->> 'firstName'), ' (',
trim(psi.createdbyuserinfo ->> 'username'), ')') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.createdbyuserinfo ->> 'surname'), ' (',
trim(psi.createdbyuserinfo ->> 'username'), ')') else
concat(trim(psi.createdbyuserinfo ->> 'surname'), ', ',
trim(psi.createdbyuserinfo ->> 'firstName'), ' (', trim(psi.createdbyuserinfo
->> 'username'), ')') end as createdbydisplayname,psi.lastupdatedbyuserinfo ->>
'username' as lastupdatedbyusername,psi.lastupdatedbyuserinfo ->> 'firstName' as
lastupdatedbyname,psi.lastupdatedbyuserinfo ->> 'surname' as
lastupdatedbylastname,case when coalesce(trim(psi.lastupdatedbyuserinfo ->>
'surname'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'firstName'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'username'), '') = '' then null when coalesce(trim(psi.lastupdatedbyuserinfo ->>
'surname'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'firstName'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->>
'username'), '') <> '' then trim(psi.lastupdatedbyuserinfo ->> 'username') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo ->> 'firstName') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo ->> 'surname') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName')) when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') else
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') end as
lastupdatedbydisplayname,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' =
GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null
END,ou.uid,ou.name,ou.code,ous.level,ou.geometry,pi.geometry,coalesce(registrati
onou.uid,ou.uid),coalesce(enrollmentou.uid,ou.uid),tei.uid,tei.geometry from
programstageinstance psi inner join programinstance pi on

```

```
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on
pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo
ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join
trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false
left join organisationunit registrationou on
tei.organisationunitid=registrationou.organisationunitid inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join
_organunitstructure ous on psi.organisationunitid=ous.organisationunitid left join
_organisationunitgroupsetstructure ougs on
psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month',
CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END)
as date)=ougs.startdate or ougs.startdate is null) left join organisationunit
enrollmentou on pi.organisationunitid=enrollmentou.organisationunitid inner join
_categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid
left join _dateperiodstructure dps on cast(CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END as date)=dps.dateperiod where
psi.lastupdated < '2022-12-14T16:02:01' and (CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END) >= '2022-01-01T00:00:00' and (CASE
WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END) <
'2023-01-01T00:00:00' and pr.programid=1102 and psi.organisationunitid is not
null and (CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE
psi.executiondate END) is not null and dps.year >= 1975 and dps.year <= 2047 and
psi.status in ('COMPLETED','ACTIVE','SCHEDULE')and psi.deleted is false ];
ERROR: invalid input syntax for type bigint: "2.6"; nested exception is
org.postgresql.util.PSQLException: ERROR: invalid input syntax for type bigint:
"2.6" (ControlledJobProgress.java [ForkJoinPool-337-worker-7])
org.springframework.dao.DataIntegrityViolationException: StatementCallback; SQL
[insert into analytics_event_temp_tjlyophhz5r_2022
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","hBtXUxAcQUY","dail
y","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","
biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","sixm
onthlynov","yearly","financialapril","financialjuly","financialoct","financialno
v","eKreIbxQBUD","tJhzjjAh0xv","GP0To4JLfIh","FCaIbqc0N8J","zjz1iKsVlFK","wrL82v
KHrDe","L66YDy7gwU5","L4TCzfZyAE3","atq5qasfNvq","xyXwFXjYZhK","NJmkV1WQ1HV","R7
yhE7Sdept","fnqDJ4SMhcT","EsdNJ6Gi0cZ","ELQu1Gjuwjb","cz1WU8wqhC6","kQLPVvG4iAE"
,"XtPFs4jB7OV","SKKTrBaAGZ1","KntLs1ta3n1","N5efoopaVrS","Hrx3EVl8o7V","wd8jPpAc
2D2","cNbP1pb07MW","bAp3P8xYAQ1","pe4Bqc3VG3K","J5bxxcte958","A3iEjdQbevE","JLP0
xu8jy0P","BrvwfVfLxsX","Nm9yVDLPgj0","Ve5f9gS29GW","QsP2Yqmwxyty","eWfHFk3SIw0","
gZ1VQ0scEiq","HU5l16D0g40","riyVNFvl9kn","Gb1qGoYAPCI","M7bZvaeaqr5","jKITG2Ceex
h","AiUct9I1LOJ","vvWTubijvmt","JzLZRw4ZQ1k","Cs2HzcX6He3","KLqZd0frVRh","zbSmap
o8HBn","ZkOqR8XcCdW","vNseztZx7Bu","nQJ6fSa4gBk","pjRJnexpl0LW","tXrL5A2NBm6","rK
IomAoHvC6","DzW2ZBfn77o","rkI5o6uzw6o","alr1BFYs1R0","07DBkS45PTw","KVHSGRi8bRN"
,"E4fWxBteFKZ","u1PvMTRkHmI","ZsN2Wa4zvZ0","liQsO3pGsrB","IAPvXChYPwh","o7aKdATS
0VM","k1ZKNyDOPRc","X08WoGUNniG","gNzrUx9XqdI","ZVufQu8uoUy","Kgbm1RdQOrz","jWl4
pay6f1U","mJnPC22zdWF","neegfiIcq1H","i6QBqcC95dS","HLXN7hk552q","GwNm5R1hNiD","
qKZk2RjXOT7","SjRZAHT5IEH","HxFT2pVe7nj","c19P17RYwcp","s18VrbxvdAy","l7KuIoSoaT
i","MD3lXheYtkL","xmVKhLZI9VW","C5CS3Xfesni","Qeki7VWc6Sx","zsVpd2Lc85z","RRoBNL
OJAf","BA7IDOnnj3m","NOYWpsWxYMg","j6XLfspcJc8","qca0Vktb2Kn","CMuGDU8I4pQ","Tl
m4d0u24E1","rOsRmXMMqno","psi","pi","ps","ao","enrollmentdate","incidentdate","e
xecutiondate","duedate","completeddate","created","lastupdated","storedby","crea
tedbyusername","createdbyname","createdbylastname","createdbydisplayname","lastu
pdatedbyusername","lastupdatedbyname","lastupdatedbylastname","lastupdatedbydisp
```

```

layname", "pistatus", "psistatus", "psigeometry", "longitude", "latitude", "ou", "ounam
e", "oucode", "oulevel", "ougeometry", "pigeometry", "registrationou", "enrollmentou",
"tei", "teigeometry") select
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",
ougs."hBtXUxAcQUY",dps."daily",dps."weekly",dps."weeklywednesday",dps."weeklythu
rsday",dps."weeklysaturday",dps."weeklysunday",dps."biweekly",dps."monthly",dps.
"bimonthly",dps."quarterly",dps."sixmonthly",dps."sixmonthlyapril",dps."sixmonth
lynov",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",
dps."financialnov",(select cast(eventdatavalues #>> '{eKreIbxQBUd, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{eKreIbxQBUd,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "eKreIbxQBUd",(select
eventdatavalues #>> '{tJhzjjAh0xv, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "tJhzjjAh0xv",(select
cast(eventdatavalues #>> '{GP0To4JLfIh, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{GP0To4JLfIh,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"GP0To4JLfIh",(select cast(eventdatavalues #>> '{FCaIbqc0N8J, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{FCaIbqc0N8J,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?$')
as "FCaIbqc0N8J",(select cast(eventdatavalues #>> '{zjz1iKsVlFK, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{zjz1iKsVlFK,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "zjz1iKsVlFK",(select
cast(eventdatavalues #>> '{wrL82vKhrDe, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{wrL82vKhrDe,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?$')
as "wrL82vKhrDe",(select eventdatavalues #>> '{L66YDy7gwU5, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "L66YDy7gwU5",(select eventdatavalues #>> '{L4TCZfZyAE3, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "L4TCZfZyAE3",(select eventdatavalues #>> '{atq5qasfNvq, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "atq5qasfNvq",(select eventdatavalues #>> '{xyXwFXjYZhK, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "xyXwFXjYZhK",(select eventdatavalues #>> '{NJmkV1WQlHV, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "NJmkV1WQlHV",(select eventdatavalues #>> '{R7yhE7SdepT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "R7yhE7SdepT",(select eventdatavalues #>> '{fnqDJ4SMhcT, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "fnqDJ4SMhcT",(select cast(eventdatavalues #>> '{EsdNJ6Gi0cZ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{EsdNJ6Gi0cZ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "EsdNJ6Gi0cZ",(select
eventdatavalues #>> '{ELQu1Gjuwjb, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ELQu1Gjuwjb",(select
eventdatavalues #>> '{cz1WU8wqhC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "cz1WU8wqhC6",(select
eventdatavalues #>> '{kQLPvVg4iAE, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "kQLPvVg4iAE",(select

```

```
eventdatavalues #>> '{XtPFs4jB70V, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "XtPFs4jB70V",(select
eventdatavalues #>> '{SKKTrBaAGZl, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SKKTrBaAGZl",(select
cast(eventdatavalues #>> '{KntLs1ta3n1, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KntLs1ta3n1,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "KntLs1ta3n1",(select eventdatavalues #>> '{N5efoopaVrS, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "N5efoopaVrS",(select eventdatavalues #>> '{Hrx3EVl8o7V, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "Hrx3EVl8o7V",(select cast(eventdatavalues #>> '{wd8jPpAc2D2, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{wd8jPpAc2D2,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "wd8jPpAc2D2",(select eventdatavalues #>> '{cNbPlpb07MW, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "cNbPlpb07MW",(select cast(eventdatavalues #>> '{bAp3P8xYAQl, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{bAp3P8xYAQl,value}' ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as "bAp3P8xYAQl",(select
cast(eventdatavalues #>> '{pe4Bqc3VG3K, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{pe4Bqc3VG3K,value}' ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"pe4Bqc3VG3K",(select cast(eventdatavalues #>> '{J5bxxcte958, value}' as double
precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{J5bxxcte958,value}' ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as "J5bxxcte958",(select
cast(eventdatavalues #>> '{A3iEjdQbevE, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{A3iEjdQbevE,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "A3iEjdQbevE",(select eventdatavalues #>> '{JLP0xu8jy0P, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "JLP0xu8jy0P",(select cast(eventdatavalues #>> '{BrvwfVfLxsX, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{BrvwfVfLxsX,value}' ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as "BrvwfVfLxsX",(select
eventdatavalues #>> '{Nm9yVDLPgj0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Nm9yVDLPgj0",(select
eventdatavalues #>> '{Ve5f9gS29GW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Ve5f9gS29GW",(select
eventdatavalues #>> '{QsP2Yqmwxy, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "QsP2Yqmwxy",(select
eventdatavalues #>> '{eWfHFk3SIw0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "eWfHFk3SIw0",(select
eventdatavalues #>> '{gZ1VQ0scEiq, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "gZ1VQ0scEiq",(select
cast(eventdatavalues #>> '{HU5116D0g40, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{HU5116D0g40,value}' ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"HU5116D0g40",(select eventdatavalues #>> '{riyVNfvl9kn, value}' from
```

```

programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "riyVNfvl9kn",(select case when eventdatavalues #>> '{Gb1qGoYAPCI, value}' =
'true' then 1 when eventdatavalues #>> '{Gb1qGoYAPCI, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Gb1qGoYAPCI",(select
eventdatavalues #>> '{M7bZvaeaqr5, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "M7bZvaeaqr5",(select
case when eventdatavalues #>> '{jKITG2Ceexh, value}' = 'true' then 1 when
eventdatavalues #>> '{jKITG2Ceexh, value}' = 'false' then 0 else null end from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "jKITG2Ceexh",(select cast(eventdatavalues #>> '{AiUct9I1LOJ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{AiUct9I1LOJ,value}' ~* '^(-?[0-9+](\.[0-9+])?$') as "AiUct9I1LOJ",(select
cast(eventdatavalues #>> '{vvWTubijvmt, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{vvWTubijvmt,value}' ~* '^(-?[0-9+](\.[0-9+])?$') as
"vvWTubijvmt",(select case when eventdatavalues #>> '{JzlZRW4ZQ1k, value}' =
'true' then 1 when eventdatavalues #>> '{JzlZRW4ZQ1k, value}' = 'false' then 0
else null end from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "JzlZRW4ZQ1k",(select
eventdatavalues #>> '{Cs2HzcX6He3, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Cs2HzcX6He3",(select
cast(eventdatavalues #>> '{KLqZd0frVRh, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid
and eventdatavalues #>> '{KLqZd0frVRh,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?$')
as "KLqZd0frVRh",(select eventdatavalues #>> '{zbSmapo8HBn, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "zbSmapo8HBn",(select cast(eventdatavalues #>> '{ZkOqR8XcCdW, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{ZkOqR8XcCdW,value}' ~* '^(-?[0-9+](\.[0-9+])?$') as "ZkOqR8XcCdW",(select
eventdatavalues #>> '{vNseztZx7Bu, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "vNseztZx7Bu",(select
eventdatavalues #>> '{nQJ6fSa4gBk, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "nQJ6fSa4gBk",(select
eventdatavalues #>> '{pjRJnexpl0LW, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "pjRJnexpl0LW",(select
eventdatavalues #>> '{tXrL5A2NBm6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "tXrL5A2NBm6",(select
eventdatavalues #>> '{rKIomAoHvC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "rKIomAoHvC6",(select
eventdatavalues #>> '{DzW2ZBfn77o, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "DzW2ZBfn77o",(select
eventdatavalues #>> '{rkI5o6uzw6o, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "rkI5o6uzw6o",(select
eventdatavalues #>> '{alrlBFYs1R0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "alrlBFYs1R0",(select
eventdatavalues #>> '{07DBkS45PTw, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "07DBkS45PTw",(select
eventdatavalues #>> '{KVHSGRi8bRN, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "KVHSGRi8bRN",(select
cast(eventdatavalues #>> '{E4fWxBteFKZ, value}' as double precision) from

```

programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{E4fWxBteFKZ,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "E4fWxBteFKZ",(select eventdatavalues #>> '{u1PvMTRkHmI, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "u1PvMTRkHmI",(select eventdatavalues #>> '{ZsN2Wa4zvZ0, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "ZsN2Wa4zvZ0",(select eventdatavalues #>> '{liQs03pGsrB, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "liQs03pGsrB",(select eventdatavalues #>> '{IAPvXChYPwh, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "IAPvXChYPwh",(select eventdatavalues #>> '{o7aKdATS0VM, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "o7aKdATS0VM",(select cast(eventdatavalues #>> '{k1ZKNYdOPRc, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{k1ZKNYdOPRc,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "k1ZKNYdOPRc",(select eventdatavalues #>> '{X08WoGUNniG, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "X08WoGUNniG",(select eventdatavalues #>> '{gNzrUx9XqdI, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "gNzrUx9XqdI",(select eventdatavalues #>> '{ZVUfQu8uoUy, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "ZVUfQu8uoUy",(select cast(eventdatavalues #>> '{Kgbm1RdQOrz, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{Kgbm1RdQOrz,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Kgbm1RdQOrz",(select eventdatavalues #>> '{jWl4pay6f1U, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "jWl4pay6f1U",(select cast(eventdatavalues #>> '{mJnPC22zdWF, value}' as bigint) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{mJnPC22zdWF,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "mJnPC22zdWF",(select eventdatavalues #>> '{neegfiIcq1H, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "neegfiIcq1H",(select eventdatavalues #>> '{i6QBqcC95dS, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "i6QBqcC95dS",(select eventdatavalues #>> '{HLXN7hk552q, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "HLXN7hk552q",(select eventdatavalues #>> '{GwNm5R1hNiD, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "GwNm5R1hNiD",(select eventdatavalues #>> '{qKZk2RJXOT7, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "qKZk2RJXOT7",(select eventdatavalues #>> '{SjRZAHT5IEH, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "SjRZAHT5IEH",(select eventdatavalues #>> '{HxFT2pVe7nj, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "HxFT2pVe7nj",(select eventdatavalues #>> '{c19P17RYwcP, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "c19P17RYwcP",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=847) as "s18VrbxvdAy",(select value from trackedentityattributevalue where trackedentityinstanceid=pi.trackedentityinstanceid and trackedentityattributeid=12235) as "l7KuIoSoaTi",(select value from trackedentityattributevalue where

```

trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=804) as "MD3lXheYTkL",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1665) as "xmVKhLZI9VW",(select cast(value as timestamp)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=803 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?$')
as "C5CS3XfesnI",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=852) as "Qeki7VWc6Sx",(select cast(value as bigint)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=906 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"zsVpd2Lc85z",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1662) as "RRoBNLOJAhF",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1663) as "BA7IDOnnj3m",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1664 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"NOYWpsWxYMg",(select cast(value as timestamp) from trackedentityattributevalue
where trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=848 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.\d{3})|.\d{3})Z)?$')
as "j6XLfspcJc8",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=851) as "qcaOVkTb2Kn",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6215 and value ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"CMuGDU8I4pQ",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6224) as "Tlm4d0u24E1",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6225) as
"rOsRmXMMqno",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi
.executiondate,psi.duedate,psi.completeddate,psi.created,psi.lastupdated,psi.sto
redby,psi.createdbyuserinfo ->> 'username' as
createdbyusername,psi.createdbyuserinfo ->> 'firstName' as
createdbyname,psi.createdbyuserinfo ->> 'surname' as createdbylastname,case when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') = '' then null when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'username'), '') <> '' then
trim(psi.createdbyuserinfo ->> 'username') when
coalesce(trim(psi.createdbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo ->> 'firstName'), '') <> '' and

```



```

coalesce(trim(psi.createdbyuserinfo -> 'username'), '') = '' then
trim(psi.createdbyuserinfo -> 'firstName') when
coalesce(trim(psi.createdbyuserinfo -> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo -> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo -> 'username'), '') = '' then
trim(psi.createdbyuserinfo -> 'surname') when
coalesce(trim(psi.createdbyuserinfo -> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo -> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo -> 'username'), '') = '' then
concat(trim(psi.createdbyuserinfo -> 'surname'), ', ',
trim(psi.createdbyuserinfo -> 'firstName')) when
coalesce(trim(psi.createdbyuserinfo -> 'surname'), '') = '' and
coalesce(trim(psi.createdbyuserinfo -> 'firstName'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo -> 'username'), '') <> '' then
concat(trim(psi.createdbyuserinfo -> 'firstName'), ' (',
trim(psi.createdbyuserinfo -> 'username'), ')') when
coalesce(trim(psi.createdbyuserinfo -> 'surname'), '') <> '' and
coalesce(trim(psi.createdbyuserinfo -> 'firstName'), '') = '' and
coalesce(trim(psi.createdbyuserinfo -> 'username'), '') <> '' then
concat(trim(psi.createdbyuserinfo -> 'surname'), ' (',
trim(psi.createdbyuserinfo -> 'username'), ')') else
concat(trim(psi.createdbyuserinfo -> 'surname'), ', ',
trim(psi.createdbyuserinfo -> 'firstName'), ' (', trim(psi.createdbyuserinfo
-> 'username'), ')') end as createdbydisplayname,psi.lastupdatedbyuserinfo ->
'username' as lastupdatedbyusername,psi.lastupdatedbyuserinfo -> 'firstName' as
lastupdatedbyname,psi.lastupdatedbyuserinfo -> 'surname' as
lastupdatedbylastname,case when coalesce(trim(psi.lastupdatedbyuserinfo ->
'surname'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->
'firstName'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->
'username'), '') = '' then null when coalesce(trim(psi.lastupdatedbyuserinfo ->
'surname'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->
'firstName'), '') = '' and coalesce(trim(psi.lastupdatedbyuserinfo ->
'username'), '') <> '' then trim(psi.lastupdatedbyuserinfo -> 'username') when
coalesce(trim(psi.lastupdatedbyuserinfo -> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'username'), '') = '' then
trim(psi.lastupdatedbyuserinfo -> 'firstName') when
coalesce(trim(psi.lastupdatedbyuserinfo -> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'username'), '') = '' then
concat(trim(psi.lastupdatedbyuserinfo -> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo -> 'firstName')) when
coalesce(trim(psi.lastupdatedbyuserinfo -> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo -> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo -> 'username'), ')') when
coalesce(trim(psi.lastupdatedbyuserinfo -> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo -> 'username'), '') <> '' then

```

```

concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') else
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') end as
lastupdatedbydisplayname,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' =
GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null
END,ou.uid,ou.name,ou.code,ous.level,ou.geometry,pi.geometry,coalesce(registrati
onou.uid,ou.uid),coalesce(enrollmentou.uid,ou.uid),tei.uid,tei.geometry from
programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on
pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo
ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join
trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false
left join organisationunit registrationou on
tei.organisationunitid=registrationou.organisationunitid inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join
_organitstructure ous on psi.organisationunitid=ous.organisationunitid left join
_organisationunitgroupsetstructure ougs on
psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month',
CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END)
as date)=ougs.startdate or ougs.startdate is null) left join organisationunit
enrollmentou on pi.organisationunitid=enrollmentou.organisationunitid inner join
_categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid
left join _dateperiodstructure dps on cast(CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END as date)=dps.dateperiod where
psi.lastupdated < '2022-12-14T16:02:01' and (CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END) >= '2022-01-01T00:00:00' and (CASE
WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END) <
'2023-01-01T00:00:00' and pr.programid=1102 and psi.organisationunitid is not
null and (CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE
psi.executiondate END) is not null and dps.year >= 1975 and dps.year <= 2047 and
psi.status in ('COMPLETED','ACTIVE','SCHEDULE')and psi.deleted is false ];
ERROR: invalid input syntax for type bigint: "2.6"; nested exception is
org.postgresql.util.PSQLException: ERROR: invalid input syntax for type bigint:
"2.6"

```

at

```

org.springframework.jdbc.support.SQLStateSQLExceptionTranslator.doTranslate(SQLS
tateSQLExceptionTranslator.java:104) ~[spring-jdbc-5.3.22.jar:5.3.22]

```

at

```

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translat
e(AbstractFallbackSQLExceptionTranslator.java:70)
~[spring-jdbc-5.3.22.jar:5.3.22]

```

at

```

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translat
e(AbstractFallbackSQLExceptionTranslator.java:79)
~[spring-jdbc-5.3.22.jar:5.3.22]

```

at

```

org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translat
e(AbstractFallbackSQLExceptionTranslator.java:79)
~[spring-jdbc-5.3.22.jar:5.3.22]

```

```
at
org.springframework.jdbc.core.JdbcTemplate.translateException(JdbcTemplate.java:
1541) ~[spring-jdbc-5.3.22.jar:5.3.22]
at
org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:393)
~[spring-jdbc-5.3.22.jar:5.3.22]
at
org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:431)
~[spring-jdbc-5.3.22.jar:5.3.22]
at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.invokeTimeAndLog(Abstract
JdbcTableManager.java:540) ~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
at
org.hisp.dhis.analytics.table.AbstractEventJdbcTableManager.populateTableIntern
al(AbstractEventJdbcTableManager.java:190)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
at
org.hisp.dhis.analytics.table.JdbcEventAnalyticsTableManager.populateTable(JdbcE
ventAnalyticsTableManager.java:388)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
at
org.hisp.dhis.analytics.table.AbstractJdbcTableManager.populateTablePartition(Ab
stractJdbcTableManager.java:247)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
at jdk.internal.reflect.GeneratedMethodAccessor871.invoke(Unknown
Source) ~[?:?]
at
jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccesso
rImpl.java:43) ~[?:?]
at java.lang.reflect.Method.invoke(Method.java:566) ~[?:?]
at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils
.java:344) ~[spring-aop-5.3.22.jar:5.3.22]
at
org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.j
ava:208) ~[spring-aop-5.3.22.jar:5.3.22]
at com.sun.proxy.$Proxy344.populateTablePartition(Unknown Source) ~[?:?]
at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.lambda$populateTables
$2(DefaultAnalyticsTableService.java:226)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
at
org.hisp.dhis.scheduling.JobProgress.lambda$runStageInParallel$5(JobProgress.jav
a:498) ~[dhis-api-2.39.0.1-SNAPSHOT.jar:?]
at
java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:195) ~[?:?]
at
java.util.ArrayList$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655)
~[?:?]
at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)
~[?:?]
at
java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)
~[?:?]
```

```
at java.util.stream.ReduceOps$ReduceTask.doLeaf(ReduceOps.java:952)
~[?:?]
at java.util.stream.ReduceOps$ReduceTask.doLeaf(ReduceOps.java:926)
~[?:?]
at java.util.stream.AbstractTask.compute(AbstractTask.java:327) ~[?:?]
at java.util.concurrent.CountedCompleter.exec(CountedCompleter.java:746)
~[?:?]
at java.util.concurrent.ForkJoinTask.doExec(ForkJoinTask.java:290)
~[?:?]
at
java.util.concurrent.ForkJoinPool$WorkQueue.topLevelExec(ForkJoinPool.java:1020)
~[?:?]
at java.util.concurrent.ForkJoinPool.scan(ForkJoinPool.java:1656) ~[?:?]
at java.util.concurrent.ForkJoinPool.runWorker(ForkJoinPool.java:1594)
~[?:?]
at
java.util.concurrent.ForkJoinWorkerThread.run(ForkJoinWorkerThread.java:183)
~[?:?]
Caused by: org.postgresql.util.PSQLException: ERROR: invalid input syntax for
type bigint: "2.6"
at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.
java:2676) ~[postgresql-42.5.0.jar:42.5.0]
at
org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:2
366) ~[postgresql-42.5.0.jar:42.5.0]
at
org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:356)
~[postgresql-42.5.0.jar:42.5.0]
at org.postgresql.jdbc.PgStatement.executeInternal(PgStatement.java:496)
~[postgresql-42.5.0.jar:42.5.0]
at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:413)
~[postgresql-42.5.0.jar:42.5.0]
at
org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:333)
~[postgresql-42.5.0.jar:42.5.0]
at
org.postgresql.jdbc.PgStatement.executeCachedSql(PgStatement.java:319)
~[postgresql-42.5.0.jar:42.5.0]
at
org.postgresql.jdbc.PgStatement.executeWithFlags(PgStatement.java:295)
~[postgresql-42.5.0.jar:42.5.0]
at org.postgresql.jdbc.PgStatement.execute(PgStatement.java:290)
~[postgresql-42.5.0.jar:42.5.0]
at
com.mchange.v2.c3p0.impl.NewProxyStatement.execute(NewProxyStatement.java:75)
~[c3p0-0.9.5.5.jar:0.9.5.5]
at
org.springframework.jdbc.core.JdbcTemplate$1ExecuteStatementCallback.doInStateme
nt(JdbcTemplate.java:422) ~[spring-jdbc-5.3.22.jar:5.3.22]
at
org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:381)
~[spring-jdbc-5.3.22.jar:5.3.22]
... 26 more
```

```
* INFO 2022-12-14T16:02:18,271 Populate analytics_event_temp_z5on8aget5a_2022
in: 0.300426 sec. (AbstractJdbcTableManager.java [ForkJoinPool-337-worker-3])
* ERROR 2022-12-14T16:02:18,272 processing aborted: skipped stage, failing item
caused abort. parallel processing aborted after 6 successful and 1 failed items
(NotificationLoggerUtil.java [taskScheduler-7]) UID:ujuE5jLMK5a
* ERROR 2022-12-14T16:02:18,281 [ANALYTICS_TABLE ujuE5jLMK5a] Stage failed after
0.41s: processing aborted: skipped stage, failing item caused abort. parallel
processing aborted after 6 successful and 1 failed items
(ControlledJobProgress.java [taskScheduler-7]) UID:ujuE5jLMK5a
java.lang.RuntimeException: processing aborted: skipped stage, failing item
caused abort. parallel processing aborted after 6 successful and 1 failed items
    at
    org.hisp.dhis.scheduling.ControlledJobProgress.cancellationAsAbort(ControlledJob
Progress.java:390) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.scheduling.ControlledJobProgress.failedStage(ControlledJobProgress
.java:235) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.scheduling.JobProgress.autoSkipStage(JobProgress.java:382)
~[dhis-api-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.scheduling.JobProgress.runStageInParallel(JobProgress.java:523)
~[dhis-api-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.populateTables(Default
AnalyticsTableService.java:225)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyti
csTableService.java:137) ~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(Defa
ultAnalyticsTableGenerator.java:111)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTabl
eJob.java:72) ~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.scheduling.AbstractSchedulingManager.execute(AbstractSchedulingMan
ager.java:272) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$executeNow$4(DefaultSch
edulingManager.java:184) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:?]
    at
    org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$runIfPossible$5(Default
SchedulingManager.java:212) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:?]
    at
    java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) ~[?:?]
    at java.util.concurrent.FutureTask.run(FutureTask.java:264) ~[?:?]
    at
    org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(Deleg
atingErrorHandlingRunnable.java:54) ~[spring-context-5.3.22.jar:5.3.22]
    at
    java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) ~[?:?]
```

```
        at java.util.concurrent.FutureTask.run(FutureTask.java:264) ~[?:?]
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Schedul
edThreadPoolExecutor.java:304) ~[?:?]
        at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)
~[?:?]
        at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)
~[?:?]
        at java.lang.Thread.run(Thread.java:829) ~[?:?]
* INFO 2022-12-14T16:02:18,283 Populated analytics tables: 00:00:00.692
(Clock.java [taskScheduler-7]) UID:ujuE5jLMK5a
* ERROR 2022-12-14T16:02:18,283 Process failed:
java.util.concurrent.CancellationException (NotificationLoggerUtil.java
[taskScheduler-7]) UID:ujuE5jLMK5a
* ERROR 2022-12-14T16:02:18,283 Job failed: 'inMemoryAnalyticsJob'
(AbstractSchedulingManager.java [taskScheduler-7]) UID:ujuE5jLMK5a
java.util.concurrent.CancellationException: null
        at
org.hisp.dhis.scheduling.ControlledJobProgress.startingStage(ControlledJobProgre
ss.java:202) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.scheduling.JobProgress.startingStage(JobProgress.java:186)
~[dhis-api-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.scheduling.JobProgress.startingStage(JobProgress.java:191)
~[dhis-api-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyti
csTableService.java:140) ~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(Defa
ultAnalyticsTableGenerator.java:111)
~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTabl
eJob.java:72) ~[dhis-service-analytics-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.scheduling.AbstractSchedulingManager.execute(AbstractSchedulingMan
ager.java:272) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$executeNow$4(DefaultSch
edulingManager.java:184) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:~]
        at
org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$runIfPossible$5(Default
SchedulingManager.java:212) ~[dhis-service-core-2.39.0.1-SNAPSHOT.jar:~]
        at
java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) ~[?:?]
        at java.util.concurrent.FutureTask.run(FutureTask.java:264) ~[?:?]
        at
org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(Deleg
atingErrorHandlingRunnable.java:54) ~[spring-context-5.3.22.jar:5.3.22]
        at
```

```
java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) ~[?:?]
    at java.util.concurrent.FutureTask.run(FutureTask.java:264) ~[?:?]
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Schedul
edThreadPoolExecutor.java:304) ~[?:?]
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)
~[?:?]
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)
~[?:?]
    at java.lang.Thread.run(Thread.java:829) ~[?:?]
* ERROR 2022-12-14T16:02:18,284 java.util.concurrent.CancellationException
    at
org.hisp.dhis.scheduling.ControlledJobProgress.startingStage(ControlledJobProgre
ss.java:202)
    at
org.hisp.dhis.scheduling.JobProgress.startingStage(JobProgress.java:186)
    at
org.hisp.dhis.scheduling.JobProgress.startingStage(JobProgress.java:191)
    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableService.update(DefaultAnalyti
csTableService.java:140)
    at
org.hisp.dhis.analytics.table.DefaultAnalyticsTableGenerator.generateTables(Defa
ultAnalyticsTableGenerator.java:111)
    at
org.hisp.dhis.analytics.table.scheduling.AnalyticsTableJob.execute(AnalyticsTabl
eJob.java:72)
    at
org.hisp.dhis.scheduling.AbstractSchedulingManager.execute(AbstractSchedulingMan
ager.java:272)
    at
org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$executeNow$4(DefaultSch
edulingManager.java:184)
    at
org.hisp.dhis.scheduling.DefaultSchedulingManager.lambda$runIfPossible$5(Default
SchedulingManager.java:212)
    at
java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515
)
    at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
    at
org.springframework.scheduling.support.DelegatingErrorHandlingRunnable.run(Deleg
atingErrorHandlingRunnable.java:54)
    at
java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515
)
    at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
    at
java.base/java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.r
un(ScheduledThreadPoolExecutor.java:304)
    at
java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.j
```

```
ava:1128)
  at
java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.
java:628)
  at java.base/java.lang.Thread.run(Thread.java:829)
(AbstractSchedulingManager.java [taskScheduler-7]) UID:ujuE5jLMK5a
```

```
=====
EXPORT LOG FROM UI
=====
```

```
2022-12-14 16:02:01 Analytics table update process
2022-12-14 16:02:01 Drop SQL views
2022-12-14 16:02:01 0 successful and 0 failed items
2022-12-14 16:02:01 Generating resource tables
2022-12-14 16:02:17 11 successful and 0 failed items
2022-12-14 16:02:17 Create SQL views
2022-12-14 16:02:17 0 successful and 0 failed items
2022-12-14 16:02:17 Validating Analytics Table DATA_VALUE
2022-12-14 16:02:17 No data values exist, not updating aggregate analytics
tables
2022-12-14 16:02:17 Validating Analytics Table COMPLETENESS
2022-12-14 16:02:17 No complete registrations exist, not updating
completeness analytics tables
2022-12-14 16:02:17 Validating Analytics Table COMPLETENESS_TARGET
2022-12-14 16:02:17 Performing pre-create table work
2022-12-14 16:02:17 Dropping temp tables (if any) COMPLETENESS_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Creating analytics tables COMPLETENESS_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Populating analytics tables COMPLETENESS_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Invoking analytics table hooks COMPLETENESS_TARGET
2022-12-14 16:02:17 Applying aggregation level 2 COMPLETENESS_TARGET
2022-12-14 16:02:17 Applying aggregation level 1 COMPLETENESS_TARGET
2022-12-14 16:02:17 Vacuuming tables COMPLETENESS_TARGET
2022-12-14 16:02:17 Creating indexes COMPLETENESS_TARGET
2022-12-14 16:02:17 Analyzing analytics tables COMPLETENESS_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Drop SQL views
2022-12-14 16:02:17 0 successful and 0 failed items
2022-12-14 16:02:17 Swapping analytics tables COMPLETENESS_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Create SQL views
2022-12-14 16:02:17 0 successful and 0 failed items
2022-12-14 16:02:17 Validating Analytics Table ORG_UNIT_TARGET
2022-12-14 16:02:17 Performing pre-create table work
2022-12-14 16:02:17 Dropping temp tables (if any) ORG_UNIT_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Creating analytics tables ORG_UNIT_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Populating analytics tables ORG_UNIT_TARGET
2022-12-14 16:02:17 1 successful and 0 failed items
2022-12-14 16:02:17 Invoking analytics table hooks ORG_UNIT_TARGET
```



2022-12-14 16:02:17 Applying aggregation level 2 ORG\_UNIT\_TARGET  
2022-12-14 16:02:17 Applying aggregation level 1 ORG\_UNIT\_TARGET  
2022-12-14 16:02:17 Vacuuming tables ORG\_UNIT\_TARGET  
2022-12-14 16:02:17 Creating indexes ORG\_UNIT\_TARGET  
2022-12-14 16:02:17 Analyzing analytics tables ORG\_UNIT\_TARGET  
2022-12-14 16:02:17 1 successful and 0 failed items  
2022-12-14 16:02:17 Drop SQL views  
2022-12-14 16:02:17 0 successful and 0 failed items  
2022-12-14 16:02:17 Swapping analytics tables ORG\_UNIT\_TARGET  
2022-12-14 16:02:17 1 successful and 0 failed items  
2022-12-14 16:02:17 Create SQL views  
2022-12-14 16:02:17 0 successful and 0 failed items  
2022-12-14 16:02:17 Validating Analytics Table OWNERSHIP  
2022-12-14 16:02:17 Performing pre-create table work  
2022-12-14 16:02:17 Dropping temp tables (if any) OWNERSHIP  
2022-12-14 16:02:17 5 successful and 0 failed items  
2022-12-14 16:02:17 Creating analytics tables OWNERSHIP  
2022-12-14 16:02:17 5 successful and 0 failed items  
2022-12-14 16:02:17 Populating analytics tables OWNERSHIP  
2022-12-14 16:02:17 Invoking analytics table hooks OWNERSHIP  
2022-12-14 16:02:17 Applying aggregation level 2 OWNERSHIP  
2022-12-14 16:02:17 Applying aggregation level 1 OWNERSHIP  
2022-12-14 16:02:17 Vacuuming tables OWNERSHIP  
2022-12-14 16:02:17 Creating indexes OWNERSHIP  
2022-12-14 16:02:17 Analyzing analytics tables OWNERSHIP  
2022-12-14 16:02:17 5 successful and 0 failed items  
2022-12-14 16:02:17 Drop SQL views  
2022-12-14 16:02:17 0 successful and 0 failed items  
2022-12-14 16:02:17 Swapping analytics tables OWNERSHIP  
2022-12-14 16:02:17 5 successful and 0 failed items  
2022-12-14 16:02:17 Create SQL views  
2022-12-14 16:02:17 0 successful and 0 failed items  
2022-12-14 16:02:17 Validating Analytics Table EVENT  
2022-12-14 16:02:17 Performing pre-create table work  
2022-12-14 16:02:17 Dropping temp tables (if any) EVENT  
2022-12-14 16:02:17 4 successful and 0 failed items  
2022-12-14 16:02:17 Creating analytics tables EVENT  
2022-12-14 16:02:17 4 successful and 0 failed items  
2022-12-14 16:02:17 Populating analytics tables EVENT  
2022-12-14 16:02:17 StatementCallback; SQL [insert into  
analytics\_event\_temp\_tj1yophhz5r\_2022  
("uidlevel1","uidlevel2","uidlevel3","uidlevel4","uidlevel5","hBtXUxAcQUY","dail  
y","weekly","weeklywednesday","weeklythursday","weeklysaturday","weeklysunday","  
biweekly","monthly","bimonthly","quarterly","sixmonthly","sixmonthlyapril","sixm  
onthlynov","yearly","financialapril","financialjuly","financialoct","financialno  
v","eKreIbxQBUd","tJhzjjAh0xv","GP0To4JLfIh","FCaIbqc0N8J","zjz1iKsVlFK","wrL82v  
KHrDe","L66YDy7gwU5","L4TCZfZyAE3","atq5qasfNvq","xyXwFXjYZhK","NJmkV1WQlHV","R7  
yhE7SdepT","fnqDJ4SMhcT","EsdNJ6Gi0cZ","ELQu1Gjuwjb","cz1WU8wqhC6","kQLPVvG4iAE"  
,"XtPFs4jB70V","SKKTrBaAGZ1","KntLs1ta3n1","N5efoopaVrS","Hrx3EVl8o7V","wd8jPpAc  
2D2","cNbPlpb07Mw","bAp3P8xYAQ1","pe4Bqc3VG3K","J5bxxcte958","A3iEjdQbevE","JLP0  
xu8jy0P","BrvwfVfLxsX","Nm9yVDLPgj0","Ve5f9gS29GW","QsP2Yqmwxyty","eWfHFk3SIw0","  
gZ1VQOscEiq","HU5l16D0g40","riyVNfvl9kn","Gb1qGoYAPCI","M7bZvaeaqr5","jKITG2Ceex  
h","AiUct9I1LOJ","vvWTubijvmt","JzlZRW4ZQ1k","Cs2HzcX6He3","KLqZd0frVRh","zbSmap  
o8HBn","ZkOqR8XcCdW","vNseztZx7Bu","nQJ6fSa4gBk","pJRJnexpl0LW","tXrL5A2NBm6","rK

IomAoHvC6", "DzW2ZBfn77o", "rkI5o6uzw6o", "alrlBFYs1R0", "07DBkS45PTw", "KVHSGRi8bRN", "E4fWxBteFKZ", "u1PvMTRkHmI", "ZsN2Wa4zvZ0", "liQsO3pGsrB", "IAPvXChYPwh", "o7aKdATS0VM", "k1ZKNYdOPRc", "X08WoGUNniG", "gNzrUx9XqdI", "ZVUfQu8uoUy", "Kgbm1RdQOrz", "jWl4pay6f1U", "mJnPC22zdWF", "neegfiIcq1H", "i6QBqcC95dS", "HLXN7hk552q", "GwNm5R1hNiD", "qKZk2RjXOT7", "SjRZAHT5IEH", "HxFT2pVe7nj", "c19P17RYwcP", "s18VrbxvdAy", "l7KuIoSoaTi", "MD3lXheYTKL", "xmVKhLZI9VW", "C5CS3Xfesni", "Qeki7VWc6Sx", "zsVpd2Lc85z", "RRoBNLOJAhF", "BA7IDOnnj3m", "NOYWpsWxYMg", "j6XLfspcJc8", "qcaOVkTb2Kn", "CMuGDU8I4pQ", "Tl m4d0u24E1", "rOsRmXMMqno", "psi", "pi", "ps", "ao", "enrollmentdate", "incidentdate", "executiondate", "duedate", "completeddate", "created", "lastupdated", "storedby", "createdbyusername", "createdbyname", "createdbylastname", "createdbydisplayname", "lastupdatedbyusername", "lastupdatedbyname", "lastupdatedbylastname", "lastupdatedbydisplayname", "pistatus", "psistatus", "psigeometry", "longitude", "latitude", "ou", "ouname", "oucode", "oulevel", "ougeometry", "pigeometry", "registrationou", "enrollmentou", "tei", "teigeometry") select  
ous."uidlevel1",ous."uidlevel2",ous."uidlevel3",ous."uidlevel4",ous."uidlevel5",  
ougs."hBtXUxAcQUY",dps."daily",dps."weekly",dps."weeklywednesday",dps."weeklythursday",dps."weeklysaturday",dps."weeklysunday",dps."biweekly",dps."monthly",dps."bimonthly",dps."quarterly",dps."sixmonthly",dps."sixmonthlyapril",dps."sixmonthlynov",dps."yearly",dps."financialapril",dps."financialjuly",dps."financialoct",dps."financialnov",  
(select cast(eventdatavalues #>> '{eKreIbxQBUd, value}' as double precision) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{eKreIbxQBUd,value}' ~\* '^(-?[0-9+)(\.[0-9+)?\$') as "eKreIbxQBUd",  
(select eventdatavalues #>> '{tJhzjjAh0xv, value}' from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid ) as "tJhzjjAh0xv",  
(select cast(eventdatavalues #>> '{GP0To4JLfIh, value}' as double precision) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid and  
eventdatavalues #>> '{GP0To4JLfIh,value}' ~\* '^(-?[0-9+)(\.[0-9+)?\$') as  
"GP0To4JLfIh",  
(select cast(eventdatavalues #>> '{FCaIbqc0N8J, value}' as timestamp) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{FCaIbqc0N8J,value}' ~\*  
'^\\d{4}-\\d{2}-\\d{2}(\\s|T)?((\\d{2}:)(\\d{2}:)?(\\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?\$')  
as "FCaIbqc0N8J",  
(select cast(eventdatavalues #>> '{zjz1iKsVlFK, value}' as double precision) from programstageinstance where  
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{zjz1iKsVlFK,value}' ~\*  
'^(-?[0-9+)(\.[0-9+)?\$') as "zjz1iKsVlFK",  
(select cast(eventdatavalues #>> '{wrL82vKHrDe, value}' as timestamp) from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid and  
eventdatavalues #>> '{wrL82vKHrDe,value}' ~\*  
'^\\d{4}-\\d{2}-\\d{2}(\\s|T)?((\\d{2}:)(\\d{2}:)?(\\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?\$')  
as "wrL82vKHrDe",  
(select eventdatavalues #>> '{L66YDy7gwU5, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "L66YDy7gwU5",  
(select eventdatavalues #>> '{L4TCZfZyAE3, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "L4TCZfZyAE3",  
(select eventdatavalues #>> '{atq5qasfNvq, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "atq5qasfNvq",  
(select eventdatavalues #>> '{xyXwFXjYZhK, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "xyXwFXjYZhK",  
(select eventdatavalues #>> '{NJmkV1WQlHV, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "NJmkV1WQlHV",  
(select eventdatavalues #>> '{R7yhE7SdepT, value}' from  
programstageinstance where programstageinstanceid=psi.programstageinstanceid )  
as "R7yhE7SdepT",  
(select eventdatavalues #>> '{fnqDJ4SMhcT, value}' from

```

programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "fnqDJ4SMhcT",(select cast(eventdatavalues #>> '{EsdNJ6Gi0cZ, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{EsdNJ6Gi0cZ,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "EsdNJ6Gi0cZ",(select
eventdatavalues #>> '{ELQu1Gjuwjb, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "ELQu1Gjuwjb",(select
eventdatavalues #>> '{cz1WU8wqhC6, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "cz1WU8wqhC6",(select
eventdatavalues #>> '{kQLPVvG4iAE, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "kQLPVvG4iAE",(select
eventdatavalues #>> '{XtPFs4jB70V, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "XtPFs4jB70V",(select
eventdatavalues #>> '{SKKTrBaAGZl, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "SKKTrBaAGZl",(select
cast(eventdatavalues #>> '{KntLs1ta3n1, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid and
eventdatavalues #>> '{KntLs1ta3n1,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "KntLs1ta3n1",(select eventdatavalues #>> '{N5efoopaVrS, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "N5efoopaVrS",(select eventdatavalues #>> '{Hrx3EVl8o7V, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "Hrx3EVl8o7V",(select cast(eventdatavalues #>> '{wd8jPpAc2D2, value}' as
timestamp) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{wd8jPpAc2D2,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "wd8jPpAc2D2",(select eventdatavalues #>> '{cNbPlpb07MW, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "cNbPlpb07MW",(select cast(eventdatavalues #>> '{bAp3P8xYAQl, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{bAp3P8xYAQl,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "bAp3P8xYAQl",(select
cast(eventdatavalues #>> '{pe4Bqc3VG3K, value}' as double precision) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid and
eventdatavalues #>> '{pe4Bqc3VG3K,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as
"pe4Bqc3VG3K",(select cast(eventdatavalues #>> '{J5bxxcte958, value}' as double
precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{J5bxxcte958,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "J5bxxcte958",(select
cast(eventdatavalues #>> '{A3iEjdQbevE, value}' as timestamp) from
programstageinstance where programstageinstanceid=psi.programstageinstanceid and
eventdatavalues #>> '{A3iEjdQbevE,value}' ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "A3iEjdQbevE",(select eventdatavalues #>> '{JLP0xu8jy0P, value}' from
programstageinstance where programstageinstanceid=psi.programstageinstanceid )
as "JLP0xu8jy0P",(select cast(eventdatavalues #>> '{BrvwfVfLxsX, value}' as
double precision) from programstageinstance where
programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>>
'{BrvwfVfLxsX,value}' ~* '^(-?[0-9]+)(\.[0-9]+)?$') as "BrvwfVfLxsX",(select
eventdatavalues #>> '{Nm9yVDLPgj0, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "Nm9yVDLPgj0",(select
eventdatavalues #>> '{Ve5f9gS29GW, value}' from programstageinstance where

```

programstageinstanceid=psi.programstageinstanceid ) as "Ve5f9gS29GW",(select eventdatavalues #>> '{QsP2Yqmwxy, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "QsP2Yqmwxy",(select eventdatavalues #>> '{eWfHFk3SIw0, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "eWfHFk3SIw0",(select eventdatavalues #>> '{gZ1VQOscEiq, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "gZ1VQOscEiq",(select cast(eventdatavalues #>> '{HU5116D0g40, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{HU5116D0g40,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "HU5116D0g40",(select eventdatavalues #>> '{riyVNfvl9kn, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "riyVNfvl9kn",(select case when eventdatavalues #>> '{Gb1qGoYAPCI, value}' = 'true' then 1 when eventdatavalues #>> '{Gb1qGoYAPCI, value}' = 'false' then 0 else null end from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "Gb1qGoYAPCI",(select eventdatavalues #>> '{M7bZvaeaqr5, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "M7bZvaeaqr5",(select case when eventdatavalues #>> '{jKITG2Ceexh, value}' = 'true' then 1 when eventdatavalues #>> '{jKITG2Ceexh, value}' = 'false' then 0 else null end from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "jKITG2Ceexh",(select cast(eventdatavalues #>> '{AiUct9I1LOJ, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{AiUct9I1LOJ,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "AiUct9I1LOJ",(select cast(eventdatavalues #>> '{vvWTubijvmt, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{vvWTubijvmt,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "vvWTubijvmt",(select case when eventdatavalues #>> '{JzlZRw4ZQ1k, value}' = 'true' then 1 when eventdatavalues #>> '{JzlZRw4ZQ1k, value}' = 'false' then 0 else null end from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "JzlZRw4ZQ1k",(select eventdatavalues #>> '{Cs2HzcX6He3, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "Cs2HzcX6He3",(select cast(eventdatavalues #>> '{KLqZd0frVRh, value}' as timestamp) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{KLqZd0frVRh,value}' ~\* '^(\d{4}-\d{2}-\d{2})(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|(\d{3})|(\d{3})Z)?\$') as "KLqZd0frVRh",(select eventdatavalues #>> '{zbSmapo8HBn, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "zbSmapo8HBn",(select cast(eventdatavalues #>> '{ZkOqR8XcCdW, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{ZkOqR8XcCdW,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "ZkOqR8XcCdW",(select eventdatavalues #>> '{vNseztZx7Bu, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "vNseztZx7Bu",(select eventdatavalues #>> '{nQJ6fSa4gBk, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "nQJ6fSa4gBk",(select eventdatavalues #>> '{pjRJnexpl0LW, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "pjRJnexpl0LW",(select eventdatavalues #>> '{tXrL5A2NBm6, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "tXrL5A2NBm6",(select eventdatavalues #>> '{rKIomAoHvC6, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "rKIomAoHvC6",(select

eventdatavalues #>> '{DzW2ZBfn77o, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "DzW2ZBfn77o",(select eventdatavalues #>> '{rkI5o6uzw6o, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "rkI5o6uzw6o",(select eventdatavalues #>> '{alrlBFYs1RO, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "alrlBFYs1RO",(select eventdatavalues #>> '{07DBkS45PTw, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "07DBkS45PTw",(select eventdatavalues #>> '{KVHSGRi8bRN, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "KVHSGRi8bRN",(select cast(eventdatavalues #>> '{E4fWxBteFKZ, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{E4fWxBteFKZ,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "E4fWxBteFKZ",(select eventdatavalues #>> '{u1PvMTRkHmI, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "u1PvMTRkHmI",(select eventdatavalues #>> '{ZsN2Wa4zvZ0, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "ZsN2Wa4zvZ0",(select eventdatavalues #>> '{liQs03pGsrB, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "liQs03pGsrB",(select eventdatavalues #>> '{IAPvXChYPwh, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "IAPvXChYPwh",(select eventdatavalues #>> '{o7aKdATS0VM, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "o7aKdATS0VM",(select cast(eventdatavalues #>> '{k1ZKNYdOPRc, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{k1ZKNYdOPRc,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "k1ZKNYdOPRc",(select eventdatavalues #>> '{X08WoGUNniG, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "X08WoGUNniG",(select eventdatavalues #>> '{gNzrUx9XqdI, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "gNzrUx9XqdI",(select eventdatavalues #>> '{ZVUfQu8uoUy, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "ZVUfQu8uoUy",(select cast(eventdatavalues #>> '{Kgbm1RdQOrz, value}' as double precision) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{Kgbm1RdQOrz,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "Kgbm1RdQOrz",(select eventdatavalues #>> '{jWl4pay6f1U, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "jWl4pay6f1U",(select cast(eventdatavalues #>> '{mJnPC22zdWF, value}' as bigint) from programstageinstance where programstageinstanceid=psi.programstageinstanceid and eventdatavalues #>> '{mJnPC22zdWF,value}' ~\* '^(-?[0-9]+)(\.[0-9]+)?\$') as "mJnPC22zdWF",(select eventdatavalues #>> '{neegfiIcq1H, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "neegfiIcq1H",(select eventdatavalues #>> '{i6QBqcC95dS, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "i6QBqcC95dS",(select eventdatavalues #>> '{HLXN7hk552q, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "HLXN7hk552q",(select eventdatavalues #>> '{GwNm5R1hNiD, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "GwNm5R1hNiD",(select eventdatavalues #>> '{qKZk2RJXOT7, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "qKZk2RJXOT7",(select eventdatavalues #>> '{SjRZAHT5IEH, value}' from programstageinstance where programstageinstanceid=psi.programstageinstanceid ) as "SjRZAHT5IEH",(select

```
eventdatavalues #>> '{HxFT2pVe7nj, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "HxFT2pVe7nj",(select
eventdatavalues #>> '{c19P17RYwcP, value}' from programstageinstance where
programstageinstanceid=psi.programstageinstanceid ) as "c19P17RYwcP",(select
value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=847) as "s18VrbxvdAy",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=12235) as "l7KuIoSoaTi",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=804) as "MD3lXheYTkL",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1665) as "xmVKhLZI9VW",(select cast(value as timestamp)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=803 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "C5CS3XfesnI",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=852) as "Qeki7VWc6Sx",(select cast(value as bigint)
from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=906 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"zsVpd2Lc85z",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1662) as "RRoBNLOJAhF",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1663) as "BA7ID0nnj3m",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=1664 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"NOYWpsWxYMG",(select cast(value as timestamp) from trackedentityattributevalue
where trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=848 and value ~*
'^\d{4}-\d{2}-\d{2}(\s|T)?((\d{2}:)(\d{2}:)?(\d{2}))?(|.(\\d{3})|.(\\d{3})Z)?$')
as "j6XLfspcJc8",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=851) as "qcaOVkTb2Kn",(select cast(value as double
precision) from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6215 and value ~* '^(-?[0-9]+)(\\. [0-9]+)?$') as
"CMuGDU8I4pQ",(select value from trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6224) as "Tlm4d0u24El",(select value from
trackedentityattributevalue where
trackedentityinstanceid=pi.trackedentityinstanceid and
trackedentityattributeid=6225) as
"rOsRmXMMqno",psi.uid,pi.uid,ps.uid,ao.uid,pi.enrollmentdate,pi.incidentdate,psi
.executiondate,psi.duedate,psi.completeddate,psi.created,psi.lastupdated,psi.sto
redby,psi.createdbyuserinfo ->> 'username' as
```



```

coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') = '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName')) when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') when
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'surname'), '') <> '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'firstName'), '') = '' and
coalesce(trim(psi.lastupdatedbyuserinfo ->> 'username'), '') <> '' then
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') else
concat(trim(psi.lastupdatedbyuserinfo ->> 'surname'), ', ',
trim(psi.lastupdatedbyuserinfo ->> 'firstName'), ' (',
trim(psi.lastupdatedbyuserinfo ->> 'username'), ')') end as
lastupdatedbydisplayname,pi.status,psi.status,psi.geometry,CASE WHEN 'POINT' =
GeometryType(psi.geometry) THEN ST_X(psi.geometry) ELSE null END,CASE WHEN
'POINT' = GeometryType(psi.geometry) THEN ST_Y(psi.geometry) ELSE null
END,ou.uid,ou.name,ou.code,ous.level,ou.geometry,pi.geometry,coalesce(registrati
onou.uid,ou.uid),coalesce(enrollmentou.uid,ou.uid),tei.uid,tei.geometry from
programstageinstance psi inner join programinstance pi on
psi.programinstanceid=pi.programinstanceid inner join programstage ps on
psi.programstageid=ps.programstageid inner join program pr on
pi.programid=pr.programid and pi.deleted is false inner join categoryoptioncombo
ao on psi.attributeoptioncomboid=ao.categoryoptioncomboid left join
trackedentityinstance tei on
pi.trackedentityinstanceid=tei.trackedentityinstanceid and tei.deleted is false
left join organisationunit registrationou on
tei.organisationunitid=registrationou.organisationunitid inner join
organisationunit ou on psi.organisationunitid=ou.organisationunitid left join
_organunitstructure ous on psi.organisationunitid=ous.organisationunitid left join
_organisationunitgroupsetstructure ougs on
psi.organisationunitid=ougs.organisationunitid and (cast(date_trunc('month',
CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END)
as date)=ougs.startdate or ougs.startdate is null) left join organisationunit
enrollmentou on pi.organisationunitid=enrollmentou.organisationunitid inner join
_categorystructure acs on psi.attributeoptioncomboid=acs.categoryoptioncomboid
left join _dateperiodstructure dps on cast(CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END as date)=dps.dateperiod where
psi.lastupdated < '2022-12-14T16:02:01' and (CASE WHEN 'SCHEDULE' = psi.status
THEN psi.duedate ELSE psi.executiondate END) >= '2022-01-01T00:00:00' and (CASE
WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE psi.executiondate END) <
'2023-01-01T00:00:00' and pr.programid=1102 and psi.organisationunitid is not
null and (CASE WHEN 'SCHEDULE' = psi.status THEN psi.duedate ELSE
psi.executiondate END) is not null and dps.year >= 1975 and dps.year <= 2047 and
psi.status in ('COMPLETED','ACTIVE','SCHEDULE')and psi.deleted is false ];
ERROR: invalid input syntax for type bigint: "2.6"; nested exception is
org.postgresql.util.PSQLException: ERROR: invalid input syntax for type bigint:
"2.6"

```

2022-12-14 16:02:18 processing aborted: skipped stage, failing item caused  
abort. parallel processing aborted after 6 successful and 1 failed items

2022-12-14 16:02:18 Process failed:  
java.util.concurrent.CancellationException